Customized A Shape Outdoor Banquet Tent Aluminium Party Tents With Sidewalls Outdoor Party Tents For Sale

Basic Information

• Place of Origin: Guangdong, China

• Brand Name: Tendars

• Certification: ISO9001, SGS, Coc, CE

Model Number: Big tent

Minimum Order Quantity: 25 square metersPrice: Reconsideration

• Packaging Details: 1, The aluminium frame structure packed into

the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.

Delivery Time: 18days or To be negotiated

Payment Terms: L/C, T/T, Western Union, MoneyGram
Supply Ability: 50000 Square Meters per Month



Product Specification

Product Name: Tent For Outside Party

• Frame Material: Hard Pressed Extruded Aluminum Alloy

6061/T6

Side Wall: PVC Walls

• Roof Cover: 850g/sqm Double PVC-coated Polyester

Fabric ,waterproof,heavy Duty

Fabric Color: CustomizedSize: Customized

Life Span: Covering Is 8 Years, frame Is 20 Years

Connectors: Hot-dip Galvanized Steel Parts

Application: Church,party,Wedding,Hotel/Villa/Coffe

Bar/Shop,event

• Highlight: A Shape Outdoor Banquet Tent,

customized Outdoor Banquet Tent, Aluminium Party Tents With Sidewalls



More Images









Product Description

Customized A Shape Outdoor Banquet Tent Aluminium Party Tents With Sidewalls Outdoor Party Tents For Sale

Product Parameter

Tent Size(m)	Side Height(m)	Frame Size(mm)	Floor Area(㎡)	Capacity (Events)
10x20	3	120x48x3	200	150-200 Peoples
15x20	3	166x88x3	300	250-300 Peoples
15x30	4	166x88x3	450	380-450 Peoples
20x30	4	112x203x4	600	500-600 Peoples
30x50	4	112x203x4	1500	1200-1500 Peoples

aluminium frame tent

Aluminium frame profile	166x88x3.0mm		
Cover of the tent	850g double PVC coated polyester textile, high quality, 100% waterproof, fire retardant to DIN4102B1		
Side height	3m, ridge height: 5.4m		
Lifespan	at least 20 years, for long time using.		
MaxWindSpeedAll owance	100km/h(can be reinforce)		
Snow load	75kg/sq meter		
Installation	easy install and dismantle at any location Movable, and can be used at different venue		
Allow temperature condition	-40 degree Celsius~+70 degree Celsius		
Wind load	100-120km/hour		
Snow loading	Customized according client's weather condition		
Tent size	Tent size		
Fxing Ground	Can be fixed on all kind of ground		

Product Description

A-shape tent (also known as A-Frame tent) is our standard and most popular design. A-shape tent is the most conventional type of industrial and commercial clear span tent as per the client demand quota.

These A-shape tents are using a strong aluminum alloy frame and easy to set up and dismantle as well as convenient to stock and transport. All our tents are well manufactured by our qualified manufacturing department.

The span width of our A-shape tents are from 3m to 60m(5M, 10M, 15M, 20M, 25M 30M, 35M, 40M, 45M, 50M, 60M) and the length has no limitation. Length can be any times of 3m, 5m modular. There is no pole inside the tent, which enables you to make maximum use of the space inside. Most popular size are 6x12m, 9x15m, 10x20m, 12x30m, 15x40m, 20x30m, 20x50m, 25x60m, 30x60m, 30x100m, 40x100m, 50x100m etc. This kind of clear span tent is widely used as a wedding tent, event tent, warehouse tent, exhibits tent, party tent, and so on.

Product Feature :

- 1, Easy to be assembled and dismantled in modular structure, and removable for other place using.
- 2, No pole inside, 100% available interior space
- 3, Durable for permanent using or resale out
- 4, Water-proof, UV resistant, flame retardant, snow resistance, tear resistance

Optional accessories for the aluminium frame tent :

- * Sidewall:soft PVC fabric wall(standard option), ABS hard wall, glass wall, sandwich panel wall, steel plate wall
- * Doors:sliding glass door and double wing glass door
- * Flooring System: Cassette wooden flooring.
 - * Other Optional Items:drapes, table,chair, AC, heater, lighting, installation tools, carpetetc.



Optional accessories for tent





glass sidewall

ABS sidewall





air condition



clear pvc windows







flooring system









