




6061/T6 Aluminum 6x12m Heavy Duty Marquee Tent Fire-Retardant Canopy Clear Span for Commercial Events

Our Product Introduction


Basic Information

- Place of Origin: Guangdong , China
- Brand Name: Tendars
- Certification: ISO9001, SGS Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



Product Specification

- Product Name: Commercial Marquee Tent
- Frame Material: Hard Pressed Extruded Aluminum Alloy 6061/T6
- Roof Cover: 850g/sqm, 750g/sqm, 650g/sqm Double PVC-coated Polyester Fabric
- Fabric Color: To Be Customized
- Size: To Be Customized
- Surface Treat Method: Surface Oxidation
- Connectors: Hot-dip Galvanized Steel Parts
- Usage: Wedding, exhibition, party, event, Outdoor Advertising
- Highlight: **6061/T6 Aluminum heavy duty marquee tent, fire-retardant commercial event canopy, clear span heavy duty tent**



More Images



for more products please visit us on marquees-tent.com

Product Description

Custom Transparent Heavy Duty Marquee Tent Waterproof For Commercial Decorated Marquee For Parties

Product Parameter :

Main Structure	Hard press aluminium 6061/T6
Size	8X10m,10X20m,18X30m,20X30m,30X40m,20x50m, 30x50m,50x100m
Material Features	Customized according client's weather condition
Cover material Density	650g/sqm, 750g/sqm, 850g/sqm Both sides lacquered PVC coated fabric
Features	UV Resistant, Waterproof, Fire RetardantB1 etc.
Sidewall	PVC Wall, Glass Wall, ABS Wall, Sandwich Wall
Wind Load	100km/h - 120km/h
Snow Load	10cm Thickness Floating Snow
Application	storage, stock, military, event, fair, wedding,exhibition,party,event,Outdoor Advertising
Life Time	Aluminum frame more than 20 Years. PVC fabric 8 years

Product description

- 1, Easy to be assembled and dismantled in modular structure, and removable for other place using.
- 2, No pole inside, 100% available interior space
- 3, Durable for permanent using or resale out
- 4, Water-proof, UV resistant, flame retardant, snow resistance, tear resistance

The tent manufacturers use combined units, the tent is composed of aluminum alloy frame and fabric two parts, in the construction and

disassembly above, very convenient and fast. In the current marquee tent market, canopy manufacturers can not only sell commercial marquee

tent, but also provide canopy rental services, which can effectively save costs; The tent is fast build, safe and stable, which can be comparable to

traditional buildings, and the tent is not limited by any site, and can be built on any site, which is loved by many business customers. Event tents

can also be comparable to the fixed pavilions, the interior of the tent can be decorated, we also provide tent rental facilities, such as lighting stage,

tables, chairs and sofas, air conditioning carpet and so on.

FAQ :

Q: Can you print our logos on event tent for sale?
Yes. Customized logos can be printed on the tent fabric.

Q: Is your tent strong and stable enough? How about the wind loading?
Yes. The main frameworks (upright support and roof beam) are manufactured with high impact extruded anodized aluminum (6061/T6), so our tent structure is safe and strong enough to resist wind up to 100 km/hr.

Q: Does your tent be able to installed repeatedly? What is the life span?
Sure, our tents can be assembled and dismantled easily and repeatedly with small transportation size. The lifespan of aluminium framework can reach 15-20 years, and 5-8 years for PVC fabrics depending on different conditions of usage.

Q: How is the quality of the product guaranteed?
Our products will be strictly tested by the quality inspection department before leaving the factory, and each product will be strictly controlled to ensure product quality.

Tent materials :



Frame Structure:

Hard pressed extruded aluminium alloy 6061/T6. European standard, much more



harder than normal aluminum alloy. With anodized, the aluminum will not be oxidated and the color will be always new for long time. Lifespan: over 20 years.

The wind load capacity is based on the aluminium hardness.

Hardness achieved 15HW



Tent Fabric Cover:

Double PVC coated polyester, 850g/m², block-out, water-proof, UV resistant, EUR fire retardant DIN4102 B1/M2/B1, snow resistance, tear resistance. Temperature resistance(°C) :-40°C-70 °C. Lifespan: 8 years



Thickness

Premium grade, high gloss white, thickness ≥0.67mm



Strength

All covers are made of double-coated synthetic fiber with best performance in breaking strength



wind resistant




snow resistant



UV resistant

Fabric cover double PVC-coated polyester fabric



Flame retardant to DIN4102 B1, M2, CFM






Guangzhou Tendars Tent Co., Limited

 0086 13640286461

 amanda@marquees-tent.com

 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China