



5x5m Waterproof PVC Cover Arcum Tent Aluminum Alloy Frame Arc Shape for Elegant Events

Our Product Introduction

Basic Information

- Place of Origin: Guangdong , China
- Brand Name: Tendars
- Certification: ISO9001, SGS Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month




Product Specification

- Product Name: Event Arcum Tent
- Frame Material: Hard Pressed Extruded Aluminum Alloy 6061/T6
- Roof Cover: 850g/sqm PVC Fabric
- Building Type: Construction Based On Need
- Size: Customized
- Season: Four-season Tent
- Surface Treat Method: Surface Oxidation
- Tent Style: Tube Type Tent Stake, Snowfield Nail
- Highlight: **5x5m waterproof PVC arcum tent, aluminum alloy frame arcum tent, elegant events arcum tent**



More Images



for more products please visit us on marquees-tent.com

Product Description

OEM Fireproof Arcum Outdoor Event Tents For Custom Trade Show Amazing Marquees

Product Parameter :

| | |
|-------------------------------|---|
| Main Structure | Hard press aluminium 6061/T6 |
| Size | Customized according client's requirements |
| Material Features | Customized according client's weather condition |
| Cover material Density | 650g/sqm, 750g/sqm, 850g/sqm Both sides lacquered PVC coated fabric |
| Outside Tent Waterproof Index | >3000 mm |
| Sidewall | PVC Walls |
| Frame material | Galvanized steel with white powder coating |
| Snow Load | Customized according client's weather condition |
| Application | outdoor event/sport/storage ,glamping/party/farm house etc.. |
| Life Time | Aluminum frame more than 20 Years. PVC fabric 8 years |
| Season | Four-season Tent |
| Style | European |
| Allow temperature condition | -40 degree Celsius~+70 degree Celsius |
| Ground | All kind of ground can be fixed |
| Fixing Solution | Expansion Bolt |
| Bottom Waterproof Index | >3000 mm |

Product description

Arcum tent canopy is with the arcum top canopy. The top effect of the arc can be achieved by prebending the inclined beam of the top of the

canopy. The arcum canopy is completely consistent with the herringbone canopy in terms of safety performance, and is widely compatible with

the same specifications of canopy modules and components. Beautiful shape, with the design elements of traditional Chinese architecture, can be

flexibly applied to exhibitions, weddings, warehouses, stadiums, parking lots and other scenes. In addition, it can also increase the lengthened

floating eaves at the inclined beam of the arcum canopy house to make it have better visual appreciation. There are also asymmetric unilateral

arcum canopies, which are more fashionable with extended floating eaves.

Selling points

Arc roof canopy features:

- 1, arc tent is a unit combined type tent, disassembly fast, easy to store and transport;
- 2, the size is unlimited, after selecting the span, the length can be increased or decreased according to the needs of multiple;
3. There is no pillar support inside the curved tent, and the site utilization rate can be as high as 100%;
- 4, assembly and disassembly flexible, simple, is a variety of outdoor activities, exhibition sales, storage workshop and other special products;
- 5, the tarpaulin can be folded, the frame is small after dismantling, easy to transport and storage;
- 6, the arc tent has no special need to build the site, the general flat such as grass, cement, marble floor can be.

Our service :

- 1, Good quality control in CNC production machine line, and inspection/testing installation before shipping out.
- 2, Highly competitive prices base on the high quality ensurance.

3, Customized product, effective OEM&ODM service.

4, Can transport the goods to all over the world.

5, Five years warranty time.

Tent materials :

Frame Structure:

Hard pressed extruded aluminium alloy 6061/T6. European standard, much more harder than normal aluminum alloy. With anodized, the aluminum will not be oxidated and the color will be always new for long time. Lifespan: over 20 years.

The wind load capacity is based on the aluminium hardness.




Hardness achieved 15HW



Tent Fabric Cover:

Double PVC coated polyester, 850g/m2, block-out, water-proof, UV resistant, EUR fire retardant DIN4102 B1/M2/B1, snow resistance, tear resistance. Temperature resistance(°C) :-40°C-70 °C. Lifespan: 8 years

Fabric cover double PVC-coated polyester fabric





Thickness

Premium grade, high gloss white, thickness 20.67mm



Strength

All covers are made of double-coated synthetic fiber with best performance in breaking strength



Flame retardant to DIN4102 B1, M2, CFM



wind resistant



snow resistant



UV resistant



Guangzhou Tendars Tent Co., Limited

0086 13640286461

amanda@marquees-tent.com

marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China