

Guangdong, China

25 square meters

Reconsideration

ISO9001, SGS, Coc, CE

Tendars

Big tent

# Outdoor Aluminum Curve Tents Peach Shape Big Size ISO9001 Certified Instant Up Marquees

1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- carry bag; 3, Hardware packed into the box.
  Delivery Time: 18days or To be negotiated
  Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



### **Product Specification**

 Product Name: Peach Shape Big Curved Tents Frame Material: Hard Pressed Extruded Aluminum Alloy 6061/T6, Galvanized Steel With White Powder Coating Cover Material: 850g/sqm PVC Fabric Building Type: Construction Based On Need • Size: To Be Customized Season: Four-season Curved Tent Accept Customized Logo: • Tent Style: Tube Type Tent Stake, Snowfield Nail Highlight: Aluminum Curve Tents, Outdoor Curve Tents, ISO9001 Big Outdoor Tents



### More Images









### **Product Description**

### Outdoor Aluminum Curve Tents Peach Shape Big Size ISO9001 Certified Instant Up Marquees

#### **Product Parameter :**

Main Structure	Hard press aluminium 6061/T6
Size	Customized
Material Features	Customized
Cover material Density	Double PVC coated polyester, transparent, water-proof, UV
	resistant, fire retardant
Outside Tent Waterproof Index	>3000 mm
Sidewall	PVC Walls
Frame material	Galvanized steel with white powder coating
Snow load	75kg/sq meter
Application	outdoor event/sport/storge ,glamping/party/farm house etc
Lifespan	at least 20 years
Season	Four-season Tent
Max Wind Speed Allowance	100km/h(can be reinforce)
Allow temperature condition	-40 degree Celsius~+70 degree Celsius
Ground	All kind of ground can be fixed
Fixing Solution	Expansion Bolt
Installation	easy install and dismantle at any location

#### Product description

A curved tent, also known as a tensioned fabric structure or a curved marquee, is a type of temporary or semi-permanent shelter that features a

curved or arched shape. These tents are designed to create a visually striking and architecturally unique space, making them popular for events,

exhibitions, weddings, and other gatherings where aesthetics play a significant role. The curved design not only adds to the tent's visual appeal

but also offers practical benefits such as increased interior space and better wind resistance.

Curve tent design is durable, wind speed up to 100 km/h (wind load 0.5 kn/m2), fast and convenient disassembly, small storage and

transportation volume. As widely used in all kinds of outdoor temporary activities, as a temporary or permanent building is a good choice.

The advantage of this structure is that it is quickly assembled, disassembled and transported, and the structure is firm and safe, especially for

relatively fixed uses. Due to the high strength aluminum alloy bending column design and the perfect tarpaulin tensioning system, the peach

shaped tent has higher wind and snow load resistance.

#### Selling points

The three major elements that make the peach tent different from traditional architecture are:

- A. Safe and stable, solemn and elegant, natural resistance to A variety of harsh environments
- B, the combination of supergroup characteristics, stretching infinite space
- C, flexible assembly and disassembly, fast transportation, convenient storage

#### **Optional Accessories Of The Aluminium Curve Tent**

1, colorful fabric, transparent fabric.

- 2, wooden flooring system( economic plain wooden flooring and VIP cassette flooring )
- 3, glass door, rolling door( single door, double-wing glass door, sliding door, automatic glass door, fire glass door )

for more products please visit us on marquees-tent.com

- 4, solid wall(hard PVC wall, glass wall, ABS wall, sandwiched wall)
- 5, tent decoration( roof linings and curtains )
- 6, furniture( sofa, tables, chairs, carpet, A/C, fence, etc )
- 7, anchor, weight plate, weight plate cover.
- 8, lighting, ramp, ventilation system, rain gutter system, digital printing, etc.

#### Tent materials :



### Frame Structure:

Hard pressed extruded aluminium alloy 6061/T6. European standard, much more harder than normal aluminum alloy. With anodized, the aluminum will not be <u>oxidated</u> and the color will be always new for long time. Lifespan: over 20 years. The wind load capacity is based on the aluminium hardness.

## Hardness achieved 15HW






# **Tent Fabric Cover:**

Double PVC coated polyester, 850g/m2, block-out, water-proof, UV resistant, EUR fire retardant DIN4102 B1/M2/B1, snow resistance, tear resistance.

### Fabric cover double PVC-coated polyester fabric





O086 13640286461 amanda@marquees-tent.com emarquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China