




Guangzhou Tendars Tent Co., Limited
marquees-tent.com



Outdoor Wedding Party Marquee Tents For Four Season OEM ODM Lowes Tents For Parties

Our Product Introduction

for more products please visit us on marquees-tent.com

Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month






Product Specification

- Product Name: Wedding Party White Tent
- Frame Material: Hard Pressed Extruded Aluminum Alloy GB6061/T6(15HW), With Anodized Finishing
- Fabric Material: 850g/sqm Double PVC Coated Fabric
- Construction Based On Need: Construction Based On Need
- Fabric Color Option: Transparent White,red,pink.Any Color Is Available
- Size: Customized Size; Please Tell What Size Will You Need.
- Side Walls: ABS Wall,clear Wall>windowed Wall,glass Wall,white Wall
- Outside Tent Waterproof3000 Mm Index:



More Images





Our Product Introduction

for more products please visit us on marquees-tent.com

Product Description

Outdoor Wedding Party Marquee Tents For Four Season OEM ODM Lowes Tents For Parties

Product Description:

Main Frame	Span Width: From 3m to 60m
Structure	Aluminum size: 100mm x 48mm x 2.7mm, 150mm x 120mm x 3mm, 203mm x 112mm x 4.5mm, 250mm x 120mm x 4.0mm, 300mm x 120mm x 5.0mm
	Material: Hard Pressed Extruded Aluminum Alloy 6061-T6/6082-T6
Roof material	Density: 650g/㎡ - 850g/㎡
	Material: Both sides lacquered PVC coated fabric
	Features: UV resistant, waterproof, fire retardant B1
Sidewall	PVC White or Clear Wall, Glass Wall, ABS Wall
Wind Load	20km/h
Snow Load	10cm Thick Floating Snow
Temperature Index	-30 Degree Celsius to +70 Degree Celsius
Life Time	Frame more than 15 years. PVC fabric 5-10 years.
Certification	SGS, ISO 9001:2015, IAF, NAC
Optional Accessories	Color of PVC Roof and Sidewall, Clear PVC Window Sidewalls, Glass Windows, Glass Door Units, Flooring System, Fixed Way, Rain Gutter between two tents, etc.

Quality control :

Quality control	1. Higher factory standard for all material;
	2. Incoming material 100% batch inspection;
	3. Pipelining;
	4. On site process inspection;
	5. Finished inspection and pressure test;
	6. Loading inspection;
Application	Commercial operation, Farm, ski resort, Swim training centre, Commercial advertisement

Production process:

Production process	Charting - Printing - Cutting - Stitching - Pasting - Packaging
--------------------	---

Accessories :

Parts	Details
Cover	PVC cover/Clear PVC cover
Walls	PVC walls/ABS hard walls/Tempered glass walls
Windows	Clear PVC windows/Mesh windows/Glass windows
Doors	Glass door/ Aluminium door/Rolling shutter
Floor	Stage/Cassette floor/Wooden floor
Rain Gutters	Inner/External roof beam rain gutter

Decoration	Ceiling lining/Curtain
Fixing tools	Ground anchors/Weight plate/Expandable bolts/Drilling steel
Others	Air conditioner/Table/ chair/ Lamp/Carpet



Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China