

# Marquee Event Tent Waterproof Aluminum Party Tent With Sidewalls Custom **Party Tents**

## **Basic Information**

• Place of Origin: Guangdong • Brand Name: **Tendars** 

· Certification: ISO9001, SGS, Coc, CE

• Model Number: Big tent

• Minimum Order Quantity:

25 square meters

Price: Reconsideration

 Packaging Details: 1. The aluminium frame structure packed into

> the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.

• Delivery Time: 18days or To be negotiated

· Payment Terms: L/C, T/T, Western Union, MoneyGram

· Supply Ability: 50000 Square Meters per Month



## **Product Specification**

• Product Name: Party Tent Sidewalls

• Frame Material: Hard Pressed Extruded Aluminum Alloy

GB6061/T6(15HW), Frame Treatment

Powder Coated

• Fabric Material: 850g/sqm PVC Coated Polyester Fabric Glass Or Fiber Glass Wall, ABS Hard Wall Sidewall Material:

· Fabric Color Option: Transparent White, red, pink. Any Color Is

Available

Accessories: Lining And Curtain, Glass Door Units, Hard

> Walling System, Glass Walling System, Transparent PVC Window And Sidewall, Flooring System And So On. All Are

According To Your Needs

· Eave Height: Standard 2.5m, 3m, 4m, 5m Upon Span

Width



## More Images

















## **Product Description**

#### Marquee Event Tent Waterproof Aluminum Party Tent With Sidewalls Custom Party Tents

### **Product Description:**

1) Size: from 3 meters to 60meters

2) Eave height: standard from 2.5m, 3m, 4m to 5m upon span width (or special height per requested)

3) Length: Unlimited, extended by 3m or 5m each bay

#### Frame part

- 1) The main parts are made of aluminum alloy and the spare parts are made of steel.
- 2) All aluminum components are technically anodized and all steel parts are well hot-dip galvanized.
- 1) The roof and sidewall fabric cover are made of double coated PVC.
- 2) The fabric is waterproof and UV resistant.
- 3) The fabric is flame retardant to DIN4102, M2 and Grade B1.
- 4) The weight of fabric is from 650g/sqm to 850g/sqm.

#### **Optional Accessories For Permanent Outdoor Marquee Tent:**

Transparent PVC windows, Rain gutter, Solid walls (glass walls, ABS walls, sandwich walls)

Roof lining and curtains, Flooring system (wooden flooring, trificial grass, PVC dance floor)

Carpet Air conditioning. Other wedding supplies, such as tables, banquet chairs, lighting, tableware etc.

## Optional accessories for tent





glass sidewall

ABS sidewall







double wing glass door

air condition

clear pvc windows





pleated roof lining and curtain

flooring system







## prodution process

## Design and Planning:

Gather client requirements and specifications, including tent size, seating capacity, layout, and any special features.

Create detailed drawings and 3D models of the tent's structure and layout using computer-aided design (CAD) software.

## Frame Fabrication:

Manufacture the frame components using aluminum or steel tubes and connectors.

Cut, bend, weld, and assemble the frame according to the design specifications.

Test the frame's structural integrity and stability.

Fabrication of Canopy and Sidewalls:

Cut and sew the canopy fabric and sidewall panels based on the tent's dimensions.

Apply any custom graphics, branding, or logos to the fabric.

Seam-seal the fabric to enhance water resistance.

## Quality Control:

Perform thorough inspections of all components to ensure they meet quality standards.

 $Check \ for \ proper \ stitching, \ welding, \ structural \ integrity, \ and \ accurate \ measurements.$ 

#### Assembly and Testing:

Assemble the frame and attach the canopy and sidewalls according to the design.

Test the tent's setup for stability, proper fit, and functionality.

Verify the installation of accessories and features.

## Packaging and Shipping:

Disassemble the tent and pack all components securely for transportation.

Label components for easy assembly at the event location.

Arrange shipping to the event site or to a distribution center.

## Fixing method :

- 1. Expand screw for concrete ground use;
- 2. Steel pegs for soft ground such as lawn, asphalt;
- 3. Weight plate for all grounds which cannot be destroyed;
- 4. Permanent solutions to meet requirements for long time use.

#### Our service

Custom design the tent according to the clients' requirements ,for example,higher height and unique shape .

- \*We will set up every tents when we finish the production ,Installation video or pictures can be taken and must be sent to the client to check the quality and make payment of balance before delivery.
- \*Installation manual /drawings can be provided for free if required.
- \*Accessories can be provided at more favorable prices.
- \*Frame can be working well for 10-15 years while fabrics for 6-8 years.





## Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

 $No.319, 2nd\ building\ , 8th\ zone\ , Aoyuan\ city\ plaza\ ,\ Zhongcun\ Street,\ Guangzhou,\ Guangdong,\ China$