




European Style Outdoor Wedding Tents Big Span Decoration For 500 People West Midlands Party Tents

Our Product Introduction

Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month




Product Specification

- Product Name: Outdoor Wedding Tent
- Frame: Surface Anodized Finish. Anti Rust, Hard Pressed Extruded Aluminium Alloy 6061/T6
- Tent Roof Fabric: 850g/sqm Block Out White PVC Fabric
- Span Width: 5 Meter Or Customized
- Fabric Color Option: Customized Or White,transparent,blue,yellow,green,red
- Accessories: PVC Windows, Glass Door, Stake, Stake Puller, Rain Gutter, Lining And Curtain, Flooring System, Glass Walling System, Weight Plate, ABS/Sandwich Wall System
- Max. Allowed Windspeed: 80km/hr, 0.3kn/m2
- Ground Situation: Grassland,earth Land,asphalt Ground,cement Ground
- Highlight: **European Style Outdoor Wedding Tents, 500 People Outdoor Wedding Tents, Big Span 500 people wedding tent**



More Images



Product Description

European Style Outdoor Wedding Tents Big Span Decoration For 500 People West Midlands Party Tents

Product Specification:

Main frame	Aluminum Alloy
Surface treat method	Hot dip galvanized
Roof cover	850g/sqm double PVC-coated polyester textile
Wind load	100km/h or customized
Features	Water proof, UV resistance, fire retardant(DIN4102,B1,M2)
Certificate	TUV ISO9001:2015
Warranty	Aluminum frame for 10 years, PVC fabric for 5 years.
Application	Wedding, Party, Living, Glamping
Snow load	25kg/sqm (snow can't stay if use big degree roof pitch design)
Fire prevention	M2.B1 standard
Place of Origin	Guangdong, China

Why choose the wedding tent ?

Entering the palace of marriage, for everyone is both nervous and happy. The wedding venue is one of the most important factors. Many couples and their families prepare for their wedding up to a year in advance. Including venue, facilities, guest attendance, etc. The wedding banquet is one of the most important parts of the wedding, many people will choose some hotels to handle, but generally this kind of hotel wedding may need to book several months in advance. Therefore, you can choose the outdoor way to carry out the wedding, and the wedding tent is one of them can be considered. In some European and American countries, many weddings will choose this outdoor wedding tent to carry out their wedding. For the wedding tent to consider only the tent to build the venue, relative to the hotel, the outdoor wedding tent can choose a larger range, this is because the wedding tent is very strong for the adaptability of the venue, so many people will choose lawn and beach to hold their wedding. The time required to build the wedding tent is also very short. According to the actual needs, the tent company will arrange enough manpower to build, under normal circumstances, it only takes one day. So a lot of people choose this.

Precautions :

How to disassemble the tent need to pay attention to what?

1: Disassembly steps

In general, the installation is required to be carried out step by step, while the disassembly is also to be dismantled in accordance with a certain step method, the order before and after should be correct and stable, which is not only to ensure that the disassembly does not lead to the temporary collapse of the tent, which is a serious risk, but also to ensure that each component is intact and can be rebuilt again

2: Technician's safety

The safety of technicians is also very important. This is to pay attention to the secret nature of the disassembly process. When disassembling, we must do a good job of peripheral safety work, exclude the surrounding crowd, and ensure the emptiness of the site.

3: Manage the demolition of tent materials

If parts or accessories are damaged or lost during or after disassembly, they should be dealt with in time, and do not drag the tent body on the ground to avoid 2 times of damage. The disassembled parts should be classified and stored to ensure that they can be used again normally next time.

FAQ :

what's the price of the tent?

The price of the tent is determined by the size of the tent, and the price of the tent is calculated per square meter, and the larger the area of the tent, the cheaper the unit price. If the owner of the tent aluminum alloy profile, the price of our tent will also fluctuate according to the market price of aluminum alloy.

What's the safety features of the tent?

From the point of view of wind resistance, the material used in the tent is aluminum alloy profile, and under normal circumstances, our tent can resist the wind speed of 8-10. We can be customized according to customer requirements and can ensure the safety of the tent; The snow carrying capacity of the tent is also a standard for us to consider, and under normal circumstances, the snow carrying of our tent is about 15-20cm.

How tent building approval process?

The tent building is a temporary building, and the amount of money is based on local policies. In the approval process is relatively simple, if the

local does not allow the construction of fixed buildings, then the construction of aluminum alloy tents is appropriate.

Contact us :

Company:	Tendars technology Co.,Ltd
Address:	Room 904, No. 6, Hanxing 3rd Street, Zhongcun Street, Guangzhou, Guangdong, China
Contact person:	Amanda Chen
Tel:	0086-13640286461
Mobile(Wechat/Whatsapp):	+86 13640286461
Web:	http://www.marquees-tent.com



Guangzhou Tendars Tent Co., Limited

☎ 0086 13640286461

✉ amanda@marquees-tent.com

🌐 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China