



Thick PVC Material Wedding Marquee Tents For Reception Flame Retardant

Our Product Introduction

Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month





Product Specification

- Product Name: Canopy For Wedding Reception
- Aluminum Profile: High Reinforced Aluminum, anti-rust Surface, GB/T 6061-T6
- Roof Cover Material: 0.8mm Thick Transparent Pvc Fabric, waterproof, flame Retardant
- Fixing Solution: Ground Anchor, Expandable Bolt, Weight Plate, Etc.
- Size: Custom, 10x10, 10x20, 15x20, 20x20, 20x35, 20x30x30, 25x40, 30x40, 30x50, 40x50, 50x60
- Main Profile: 84X48X3mm/100X48X3mm/122X68X3mm/16204X110X4mm/256X113XSmm/300X125X6n Aluminum Alloy
- Accessories: Roof Lining, sidewall Curtains, floor, tables, chairs
- Maximum Length: No Limit
- Highlight: **Reception Wedding Marquee Tents, Wedding Marquee Tents Flame Retardant, PVC wedding reception tent**



More Images



for more products please visit us on marquees-tent.com

Product Description

Professional Thick Pvc Material Outdoor Canopy For Wedding Reception For Sale

Product Specification:

Tent span	15m...
Tent length	35m...,can be extended by 5m
Sidewall height	3m...
Main Alu frame profile	165*88*3.5mm Thick...
Frame material	Hardpressed Aluminum Alloy 6061/T6
Roof cover material	0.8mm thick transparent pvc fabric,waterproof,flame retardant
Side wall material	0.5mm thick transparent pvc fabric,waterproof,flame retardant
Wind resistance	100km/h
Wind load capacity	0.3kn/square meter
Temperature resistance	-30---+70 centigrade
Application	It is widely used in outdoor wedding, party, performance, exhibition, promotion, outdoor trade fair, celebration, sports event, military solution, temporary warehouse and workshop and so on.
Certification	CE, SGS

Features :

Features	(1) Allowed temperature condition: -30 degree Celsius~+70 degree Celsius (2) Wind load: Max. 80km/h (can be reinforced) (3) Snow load: 75kg/sqm (snow can't stay if use big degree roof pitch design) (4) Easy to be assembled and dismantled, movable. (5) No pole inside, 100% available interior space.
----------	--

accessories :

Optional accessories	(1) covers: Colourful cover, transparent cover, inflatable roof cover (2) windows: Dome or square clear PVC windows, mesh window, glass window for glass wall (3) wooden flooring system: VIP cassette flooring, simple cassette flooring (4) doors: Double-wing glass door, single-wing glass door, glass fire door, aluminium door, rolling shutter(automatic or manual) (5) wall: Soft PVC fabric wall, glass wall, ABS hard wall, sandwich panel wall, steel plate wall (6) fixing methods: Ground anchors, weight plate, expandable bolts Rain gutters (inner roof beam rain gutter or rain gutter between two similar tents) (7) other optional items: Table, chair, lighting, AC, carpet, installation tools etc.
----------------------	---

FAQ :

Q: How to choose the size of the tent?

A: The size depends on how many people you want to stand, sit or have dinner in this tent. And the size also depends on the land space you will put up this tent. Normally, we advise 1-1.5sq.m/person.

Q: What is the warranty and safety of your tents?

A: Our tent is made by European standards and we own the CE/SGS quality management system certificate. Besides, we can design your tents with the emergency door and exit & panic lights to make sure the safety when have an emergency situation.

Q: Can you print our logos on the tent?

A: Yes. Customized logos can be printed on the tent fabric according to your requirements.

Q: Can TheTent Structure be Relocated?

A: All of our tent structures is designed into relocatable construction. For the seasonal and regional using, you can dismantle, store or remove the tent to any location. Also, our tent structures are allowed to be permanent building as sports center, industrial warehouse or exhibition hall.

Q: What Kinds of Structures Will I Get From Tendars?

A: All of our structures are made with hard-pressed aluminum alloy frame and totally waterproof PVC membrane. In addition, the tent structure is designed into clear span (without any interior column) and modular construction. Such kinds of structures will create the whole interior space for any occasion with a rapid installation.

Contact us :

Company:	Tendars technology Co.,Ltd
Address:	Room 904, No. 6, Hanxing 3rd Street, Zhongcun Street, Guangzhou, Guangdong, China
Contact person:	Amanda Chen
Tel:	0086-13640286461
Mobile(Wechat/Whatsapp):	+86 13640286461
Web:	http://www.marquees-tent.com



Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



[marquees-tent.com](http://www.marquees-tent.com)

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China