



Acrylic PVC Roof Wedding Marquee Tents Large With SGS M2 Certification Heavy Duty Waterproof Tent

Our Product Introduction

Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month




Product Specification

- Product Name: Custom Tent Manufacturer
- Aluminum Profile: High Pressed Extruded Aluminum Alloy 6061-T6
- Logo: Customized Logo
- Top Roof Fabric: 850g/sqm Laminate Vinyl, Waterproof, Fire Retardant M2 UV Protection, And Rotproof. Blackout UV Protection, And Rotproof. Blackout
- Packing: Air Bubble Film
- Color: Option
- Building Type: Construction Based On Need
- Certification: TUV,SGS,M2
- Highlight: **Acrylic Wedding Marquee Tents, SGS Wedding Marquee Tents, M2 large wedding marquee**



for more products please visit us on marquees-tent.com

More Images



Product Description

Acrylic PVC Roof Wedding Marquee Tents Large With SGS M2 Certification Heavy Duty Waterproof Tent

Product Specification:

Materials:

Fabric----- Double PVC coated polyester fabric, 650-900g/sq. m, water proof, UV resistance, anti-mildew, self-cleaning, fire retardant according to standard NFPA701 & DIN4102 B1/M2

Aluminum Frame-----Hard pressed extruded aluminum 6061/T6, anodized surface finishing.

Connections-----Hot-dip galvanized steel.

Life span:

Fabric(cover & sidewalls): 8-10years;

Aluminum frame: 20-30years

Structure safety parameters:

Wind load: 102km/h (0.5kn/M2)

Snow load: 25kg/sq.m

Color available:

White, red, yellow, blue, green, black, grey, transparent etc

Leading time:

25-30 working days after receipt of deposit

*Super tent Specification for wholesale marquee party wedding tent Malaysia tents manufacturer (BS series, A frame)

Main frame profile size: 204x120x4mm;

Type	Span (m)	Side height (m)	Ridge height (m)	Bay Distance (m)	Roof Pitch	Longest Component (m)	Wind Load (km/h)
10/4-5	10	3.9	5.4	5	18°	6	100
12/4-5	12	3.9	5.9	5	18°	6.5	100
15/4-5	15	3.9	6.3	5	18°	8.1	100
20/4-5	20	3.9	7.1	5	18°	10.7	100
21/4-5	21	3.9	7.3	5	18°	11.3	100
25/4-5	25	3.9	7.9	5	18°	10.7	100

What need to mention :

- 1)No pole inside,space can be 100% utilized.
- 2)Easy to set up and take down.Convenient to transport and store.
- 3)Installation on any grounds with Expansion screw/Steel nail(pin)/Weighting plate.

Application :

Widely used as the wedding tent, party tent, exhibition tent, conference tent, different kinds of festivals tent, hajj tent,corporate events tent, sports tent, & temporary, semi-permanent or permanent building purpose etc.

FAQ :

Q: What size of width and length for your tent?

A: The width we offer from 3m- 60m. Length are unlimited which can increase by multiples of 3m unit or 5m unit.

Q: Is your tent safe enough to do permanent structure?

A: Sure, the main frame are manufactured with high impact extruded anodized aluminum (6061/T6) which can resist wind up to 100 km/h.

Q: What is the life span of your products?

A: Our tents are thoroughly confirm to the strictest European and the Australia quality standards, life span of aluminum alloy is 20-30years, PVC roof and sidewalls is 10 years.

Q: What kinds of tent can you produce?

A: We are the leading tent manufacturer in China and produce different sizes of tents which clear span could be from 3m to 65m in different shapes.

Q: Can you make customized tent?

A: Yes, OEM and ODM orders are available by our experienced engineers.

Q: What is the cover made of?

A: Double coated PVC fabric; UV-resistance; flame retardant to DIN4102 B1, M2;

Q: whether need equipment to install your tent?

A: It depend on size, Small clear span (3m to 15m) tent do not need any equipment; 15-22m clear span need fork car; above 22m clear span tent need crane.

Q: What documents are available?

A: A full range documents including structural drawings,packing list,installation manual and relative certificates can be provided.

Q: Has your tent product been certified?

A: Yes. All our tent structure has passed the engineering test, white the PVC fabric with flame retardant certificates issued by USA.

Q: What is the production lead-time before loading time?


A: 20-30 days ex-factory against receipt of deposit.
If urgent order, can be finished within one week according to our material stock situation.
can be finished within one week according to our material stock situation.


Contact us :

Company:	Tendars technology Co.,Ltd
Address:	Room 904, No. 6, Hanxing 3rd Street, Zhongcun Street, Guangzhou, Guangdong, China
Contact person:	Amanda Chen
Tel:	0086-13640286461
Mobile(Wechat/Whatsapp):	+86 13640286461
Web:	http://www.marquees-tent.com



 0086 13640286461

 amanda@marquees-tent.com

 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China