



Modern Event Marquee Tent Large Easy Up Tent Multipurpose Canopy Tent Installation

Our Product Introduction

Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month




Product Specification

- Product Name: Branded Tents For Events
- Main Structure: Aluminum 6061 - T6 Or 6082-T6
- Roof Cover/triangle Cloth: Double PVC-Coated Polyester
- Eave Height: Standard 2.5m, 3m, 4m, 5m Upon Span Width
- Color: White Or Transparent Or Custom
- Size: Customized Size
- Ground Situation: Grassland,erath Land,asphalt,cement Ground ,marble,etc
- Fixing Solution: Weight Plate.etc
- Highlight: **Outdoor Event Structure, Durable Event Canopy , Outdoor Event Space**



More Images



for more products please visit us on marquees-tent.com

Product Description

OEM Modern Event Marquee Tent Large Easy Up Tent Multipurpose Canopy Tent Installation

Product Specification:

1. Application:

The big clear span tents (MS series, A frame tent) can be widely used as the wedding tent, party tent, exhibition tent, conference tent, different kinds of festivals tent, hajj tent, corporate events tent, sports tent, & temporary, semi-permanent or permanent building purpose etc.

2. Materials:

Fabric: Double PVC coated polyester fabric, 650-900g/sq. M, water proof, UV resistance, anti-mildew, self-cleaning, fire retardant according to standard NFPA701 & DIN4102 B1/M2

Frame:

Hard pressed extruded aluminum 6061/T6, anodized surface finishing.

Main frame profile size: 150X120X4mm;

Connections:

Hot-DIP galvanized steel;

3. Life span:

Life span of fabric (cover & sidewalls): 8-10 years;

Life span of aluminum frame: 20-30 years

4. Structure safety parameters:

Wind load: 100km/h (0.5kn/M2)

Snow load: 25kg/sq. M

5. Color available:

White, red, yellow, blue, green, black, grey, transparent etc

6. Optional Accessories:

Ground anchor, anchor puller, weight plate, glass door, fire door, glass wall, ABS hard wall, Sandwich walls, auto-rolling door, decoration lining, flooring system, clear PVC windows sidewalls, transport rack for the glass door & walls, ramp etc; Chairs, tables, & other furniture for the parties are also provided for your option.

7. Specification for the big clear span tents (MS series, A frame),

The quality and stability of the tent footing:

As one of the important components of supporting the tent, the quality and stability of the footing have an important impact on the use effect and safety of the tent. The design and manufacture of aluminum alloy frame base is usually made of high-quality aluminum alloy materials, and its quality and stability are guaranteed through strict quality testing and processing technology. The shape and number of footing will be designed according to the size and purpose of the tent, and usually includes multiple parts such as corner feet around and support feet inside.

In the actual use of the process, the installation and fixing of the footing is also crucial. First of all, it is necessary to choose a solid ground and clean it to ensure that the installation of the footing is firm and reliable. Secondly, according to the design requirements, the footing is installed in the corresponding position of the tent frame, and the use of professional tools and technology is fixed to ensure that the connection between the footing and the frame is firm and stable.

In addition to the basic installation requirements, it is also necessary to pay attention to the regular inspection and maintenance during the use of the tent to ensure the stability and safety of the footing. In the event of bad weather or other unforeseen circumstances, timely measures are

taken to strengthen the footing to ensure the safety and stability of the tent.

In short, the quality and stability of the aluminum alloy frame base of the tent have a crucial impact on the use effect and safety of the tent. When choosing a tent, it is necessary to pay attention to the quality and design of its footing to ensure the safety and reliability of the tent.

Protection and maintenance methods of awning in the rainy season :

1. moisture-proof

The weather is humid during the rainy season, and the interior of the tent is prone to damp and mildew. To prevent this from happening, desiccant can be placed inside the tent or dehumidification equipment can be turned on. At the same time, choosing the right tent materials and supports can effectively prevent problems such as water leakage inside the tent.

2. Sun protection

Tents are generally made of tarpaulin or plastic cloth and other materials, these materials are easy to age in the sun, so in the rainy season also need to pay attention to sun protection. Better quality materials can be selected, or shading devices can be installed on the outside of the tent to protect the tent from sun damage.

3. strengthen fixing

In the plum rain season, the wind and rain are strong, and the fixed way of the tent needs to be further strengthened. You can choose more solid fasteners and supports, or increase the number of fixed points to increase the stability of the tent.

4. Cleaning and maintenance

The tent requires frequent cleaning and maintenance during the rainy season to keep it dry and clean. Materials such as tarpaulins or plastic sheets can be used for cleaning and maintenance, and care needs to be taken to prevent tarpaulins or plastic sheets from being blown away by the wind or being wet by rain.

5. Safety precautions

In the rainy season, safety is an important issue to pay attention to. First of all, the use of open flames or flammable and explosive items in the tent should be avoided to prevent the occurrence of fire and explosion accidents. Secondly, the monitoring and inspection of the tent should be strengthened to find and deal with the problems and hidden dangers of the tent in a timely manner.

FAQ :

Q1. What's your transportation way?

A1. LCL and FCL by sea, by express (DHL, TNT, UPS) and by air.

Q2. How about your packing?

A2. Professional export package, wooden case

Q3. What are your payment terms?

A3. TT in advance

Q4. What is the lead time ?

A4. Generally if we have stock, we will deliver the tent in one week. If it need custom made, the lead time will be around 20-50 days which depends on the real situation.

Q5. How does your factory control the quality?

A5. Quality is very important, we take much attention to control our quality from raw materials to the end. We will test install every tent before it leaves our factory to make sure it's working good. Our factory has passed CE, ISO... We also have audit periodically to make sure our products qualified.

Q6. How long is the guarantee?

A6. Our tent guarantee is for five years for no human damage factor.

Q7. How should we do if we meet troubles while production?

A7. About our after sale service, if any problems or operation questions, we will show you how to solve it or offer the suggestion accordingly. Also if you need then our engineer will go to check it there.

Q8. How can I contact you for details?

A8. You can click inquiry to contact us directly or email us

Contact us :


Company:	Tendars technology Co.,Ltd
Address:	Room 904, No. 6, Hanxing 3rd Street, Zhongcun Street, Guangzhou, Guangdong, China
Contact person:	Amanda Chen
Tel:	0086-13640286461
Mobile(Wechat/Whatsapp):	+86 13640286461 / Amandachan8972
Web:	http://www.marquees-tent.com



Guangzhou Tendars Tent Co., Limited

 0086 13640286461

 amanda@marquees-tent.com

 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China