



## Aluminum Alloy Huge Party Tent PVC Event Marquee Tent Weatherproof With Sidewalls Large Tents

Our Product Introduction

### Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



### Product Specification

- Product Name: Pvc Party Tent
- Main Structure: High Reinforce Aluminum, Anti-rust Surface, GB6061-T6 ;100%"FENGLV "Aluminum Material Guarantee
- Fabric Cover: High Quality Double PVC-coated Polyester Textile, 100% Waterproof, Flame Retardant To DIN4102 B1, M2, CFM, UV Resistant, Tear Resistant, Self-cleaning Ability, Etc.
- Sidewall: PVC White Or Clear Wall, Glass Wall, ABS Wall
- Snow Load: 75kg/sqm (snow Can't Stay If Use Big Degree Roof Pitch Design)
- Rain Gutters: Inner/External Roof Beam Rain Gutter
- Optional Accessories: Color Of PVC Roof And Sidewall, Clear PVC Window Sidewalls, Glass Windows, Glass Door Units, Flooring System, Fixed Way, Rain Gutter Between Two Tents, Etc.
- Application: Outdoor Event



### More Images



Amanda Chan  
Whatsapp : +86 13640286461  
Email : amanda.tent89@gmail.com

for more products please visit us on [marquees-tent.com](http://marquees-tent.com)

## Product Description

### Aluminum Alloy Huge Party Tent PVC Marquee Tent Weatherproof With Sidewalls Cheap Large Tents For Sale

#### Product Specification:

Width	10m / 12m
Length	5m, 10m, 20m, 25m... No Limit
Eave Height	3m
Ridge height	4.6m/5.2m
Roof Pitch	18°
Roof Cover Material	850gsm White or Colored PVC or Clear PVC
Side Walls Material	650gsm white or Colored PVC or Clear PVC
Main Profile	166 x 88 x 3mm (4-channel)
Max Allowed Windspeed	100km/hr 0.5kn/m2
Eave Connection	Hot-dip galvanized steel insert
Framework material	Hard pressed extruded aluminum 6061/T6 (13HW)

#### How to choose the size of the tent?

Customers with fixed sites can customize the appropriate size of the tent according to their own needs; If it is a temporary event tent rental situation, according to years of experience, banquet activities 1 square meter per person. For the placement of walkways and chairs need to reserve 0.5 square meters per person, if you do not know how to calculate the space required by the tent can consult a professional, they will be happy to advise you, they have space requirements and rich experience.

#### How to choose the canopy configuration?

After determining the size of the tent, determine the configuration and details of the tent according to their own needs, which materials are used to make the side wall of the tent, the selection of conventional pvc tarpaulin or glass curtain or rock wool sandwich board; What configuration is needed inside the tent? The tent can be installed inside the floor, carpet, large ceiling fan, air conditioning, lighting system, sand curtain and so on. These are all questions to be taken into account.

#### The price of the tent

At present, there are many tent companies, and the price war is also quite fierce, and some companies will seize the market with low-quality tent houses at low prices. The main profiles used by our company are famous aluminum alloy brands, so we must consider the quality of the product when comparing the price, and excellent product quality is king.

#### Why choose "A" frame tent :

The appearance of the Chevron tent is like an A-shape, the main purpose of the design of the A-shape tent is that the roof is not easy to

accumulate water, the tilt Angle of the chevron tent is 18° is conducive to drainage, and the snow can also naturally slide down such A tent most

of

the time to do temporary exhibition halls, product conferences, events and ceremonies.

### **What you care about the tent ?**

The most asked questions in tent construction are summarized below

#### The price of the tent

The price of the tent is determined by the size of the tent, and the price of the tent is calculated per square meter, and the larger the area of the tent, the cheaper the unit price. If the owner of the tent aluminum alloy profile, the price of our tent will also fluctuate according to the market price of aluminum alloy.

#### Safety features of the tent

From the point of view of wind resistance, the material used in the tent is aluminum alloy profile, and under normal circumstances, our tent can resist the wind speed of 8-10. We can be customized according to customer requirements and can ensure the safety of the tent; The snow carrying capacity of the tent is also a standard for us to consider, and under normal circumstances, the snow carrying of our tent is about 15-20cm.

#### Tent building approval process

The tent building is a temporary building, and the amount of money is based on local policies. In the approval process is relatively simple, if the local does not allow the construction of fixed buildings, then the construction of aluminum alloy tents is appropriate.

### **Contact us :**

Company:	Tendars technology Co.,Ltd
Address:	Room 904, No. 6, Hanxing 3rd Street, Zhongcun Street, Guangzhou, Guangdong, China
Contact person:	Amanda Chen
Tel:	0086-13640286461
Mobile(Wechat/Whatsapp):	+86 13640286461 / Amandachan8972
Web:	<a href="http://www.marquees-tent.com">http://www.marquees-tent.com</a>



**Guangzhou Tendars Tent Co., Limited**

☎ 0086 13640286461

✉ amanda@marquees-tent.com

🌐 [marquees-tent.com](http://marquees-tent.com)

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China