


## Temporary Industrial Warehouse Storage Tent With Aluminum Frame OEM Good Quality Canopy Tent

Our Product Introduction


### Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month





### Product Specification

- Product Name: Warehouse Storage Tent
- Main Structure: High Reinforced Aluminum, Anti-rust Surface, GB/T 6061-T6 Standard
- Cover Material: 650g/850g/ Double PVC-Coated Polyester
- Color: Customized Color
- Maximum Length: No Limit
- Assembly Accuracy: Bolt And Holes Can Fit Exactly And Fixed
- Wall & Roof: Soft PVC Fabric Wall, Glass Wall, ABS Hard Wall, Sandwich Panel Wall, Steel Plate Wall
- Fixing Methods: Ground Anchors, Weight Plate, Expandable Bolts Rain Gutters (inner Roof Beam Rain Gutter Or Rain Gutter Between Two Similar Tents)
- Highlight: Warehouse Storage Tent Industrial, OEM Warehouse Storage Tent, Aluminum industrial warehouse tent



### More Images



for more products please visit us on [marquees-tent.com](http://marquees-tent.com)

## Product Description

### Temporary Industrial Warehouse Storage Tent With Aluminum Frame OEM Good Quality Canopy Tent

#### Description :

Models	TENDARS-B 20
Span Width	15m/18m/20m
Ridge Height	6.4m/6.9m/7.2m
Longest Component	8m/9.6m/10.7m
Side Height	4m
Roof Pitch	18°
Bay Distance	5m
Maximum Length	No limit
Main Profile	166X88X3mm/204X110X4mm aluminum alloy
Frame Material	High reinforced aluminum, anti-rust surface, GB/T 6061-T6 standard , Surface oxidation; Film thickness>10pm
Fabric Material	850 g/m2 double PVC-coated polyester, flame retardant,UV resistance, waterproof, comply with DIN 4102 B1, M2 (German standard), Applicable temperature range: -30°C to +70 °C
Connection Part	All steel parts are galvanized steel, hot-dipped and not easily rusted and all come with rust prevention process.
Maximum Wind Limit	80~100km/h
Eave Connection	Clip-fix style
Reinforce Method	Cross-fix

#### Why choose storage tent?

Warehousing provides the backbone of the product store. Our warehouse tents are the perfect solution for temporary or semi-permanent storage.

Many people widely prefer clearspan structure over brick and mortar frames due to a lot of reasons. One of the main advantages is due to its modular and flexible design. Moreover, this kind of tent provides maximum floor space. When you need a temporary structure to be installed for a short period of time, these storage tents will be the best option.

#### What are the requirements for the floor of the warehouse?

First of all, we must choose the ground level, the general cement floor can be, but the premise is to ensure that the ground can not be destroyed, otherwise the expansion screws and other parts may fall off or off the ground during installation. What are the requirements for the floor of the warehouse?

Remember the following 3 points

- 1, if it is a permanent storage warehouse tent, you can choose to build on the concrete ground, after digging holes in the ground for pouring concrete fixed, this way is stable and safe.
- 2, if it is in the grass or mud to build a tent, generally need to use a very long steel nail on the ground. Otherwise the tent could easily shake. However, the general warehouse tent will not choose to build on the grass, and the outdoor grass is still a wedding tent and some activity tents are more common.
- 3, if it is built on the ground such as marble or tile, it is mainly necessary to use the bearing plate to press the column bottom plate, and then place cement blocks or stone blocks and other heavy objects on the bearing plate to fix the warehouse tent. However, the use of load-bearing plates generally requires a certain amount of space, and there is also a lack of aesthetics.

#### Warehouse Tents for Safe Storage

Tents have been widely used by a large number of business organizations for storage purposes. A tent with side walls or a fully covered tent acts

as a safety locker for storing your stuff. Storage Tents are mostly used during camping trips, and construction sites, and homes and in many other

businesses. These spectator areas are very easy to carry, lightweight and are PVC coated to make it water resistant. This type of tent comes in different sizes and one can install a temporary storage of an appropriate size to meet clients' requirements.

If you want to know more about these warehouse shelters, just SEND your detailed product inquiry. We will get back to you as soon as possible.

We are the first and largest party tents manufacturer in China.

**Contact us :**

Company:	Tendars technology Co.,Ltd
Address:	Room 904, No. 6, Hanxing 3rd Street, Zhongcun Street, Guangzhou, Guangdong, China
Contact person:	Amanda Chen
Tel:	0086-13640286461
Mobile(Wechat/Whatsapp):	+86 13640286461 / Amandachan8972
Web:	<a href="http://www.marquees-tent.com">http://www.marquees-tent.com</a>



**Guangzhou Tendars Tent Co., Limited**



0086 13640286461



[amanda@marquees-tent.com](mailto:amanda@marquees-tent.com)



[marquees-tent.com](http://marquees-tent.com)

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China