



## Aluminum Alloy Frame Warehouse Storage Tent For Industrial Commercial Large Capacity Tent

### Our Product Introduction

#### Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month





#### Product Specification

- Product Name: Industrial Storage Tents
- Main Structure: Aluminum Alloy
- Cover Material: 650g/850g/ Double PVC-Coated Polyester
- Sidewall Material: Glass Or Fiber Glass Wall, ABS Hard Wall
- Fabric Color Option: White, Blue, Yellow, Red, Transparent Or Customized
- Service Life: More Than 20 Years
- Wall & Roof: Soft PVC Fabric Wall, Glass Wall, ABS Hard Wall, Sandwich Panel Wall, Steel Plate Wall
- Fixing Methods: Ground Anchors, Weight Plate, Expandable Bolts Rain Gutters (inner Roof Beam Rain Gutter Or Rain Gutter Between Two Similar Tents)
- Highlight: **Aluminum Alloy Warehouse Storage Tent, Warehouse Storage Tent Industrial**



#### More Images



## Product Description

### Aluminum Alloy Frame Warehouse Storage Tent For Industrial Commercial Large Capacity Tent

#### Description :

Frame	4 channels, hard pressed extruded aluminium alloy 6061/T6.(Surface anodized finish. Anti rust.)
Roof Cover	Opaque(or transparent), water proof, 850g/m <sup>2</sup> . Flame retardant.PVC-coated Polyester.
Side Wall	1) 650g/m <sup>2</sup> PVC-coated Polyester 2) Sandwich wall 3) Corrugated steel plate
Wind Resistance	80~120km/h
Snow Load	25kg/sqm
Fixing Solution	Ground anchor, expandable bolt, weight plate, etc.
Service Life	More than 15 years
Applicable temperature range	-30 degree Celsius ~ +70 degree Celsius
Ground Situation	Grassland,earth land,asphalt,cement ground,mable,etc
Connectors	Hot-dip galvanized twin plate;expansion bolts to fix tent

#### Is the tent safe for the warehouse?

Analysis of warehouse safety from the tent material and wall material:

**frame material:** the role of the tent frame is to support the entire tent, so the material selected can be said to be an important factor in determining the safety of the warehouse tent, at present, no matter what type of mainstream tent is the use of aluminum alloy frame, which is more stable than the traditional steel and aluminum frame.

And the larger the size of the warehouse tent, the thicker the aluminum alloy profile used in the frame, so as to ensure that the tent is strong enough and stable, in addition to all the aluminum alloy profile surface will be specialized treatment, so that it will not affect the quality of the tent due to rust, coupled with the use of galvanized steel components to connect the entire tent together.

The safety and stability of the entire tent can be said to be comparable to that of a fixed building!

**Wall material:** Under normal circumstances, the side wall of the tent is mainly closed with tarpaulin, but if it is used for long-term storage purposes, the tent wall can also choose ABS hard wall or color steel composite board, ABS material has better comprehensive performance, higher impact strength and chemical stability, and is not affected by water, inorganic salts, alkali and a variety of acids, increasing the safety and stability of the tent in the outdoors!

The high-quality color steel composite board has light weight, convenient construction, high strength, can be used as a maintenance structure, load-bearing structure, very suitable for the use of storage tents without load-bearing columns, and can also increase the safety and stability of the warehouse!

There is also the tarpaulin used by the warehouse roof is PVC knife coated cloth, because the top cloth in the outdoor often need to shade the rain, so it will use a higher specification of 850g/m<sup>2</sup>, while the tarpaulin has a higher shading, waterproof, moisture-proof, flame retardant and tear resistance, can make the tent warehouse in the outdoor can not be affected by outdoor weather.

Therefore, after comprehensive analysis, the material of the warehouse tent gives it a high level of safety and stability, and all our tent materials have passed a number of national inspections, and the tent will be tested before delivery to ensure quality.

#### If you want to be able to store large equipment, you must first meet two conditions :

1.Warehouse tent height: the conventional side height of the aluminum alloy warehouse tent is 4 meters, which is no problem for the storage of general goods or small equipment, but for large equipment may also need higher space, so it can also provide 6 meters of side height, and even customize 8 meters of side height according to actual needs. Specifications can even choose the maximum span of 70, 80 meters, and the interior is completely clear space, so even if you want to store large equipment can also customize the appropriate specifications of the warehouse tent. However, the higher the height of the tent side and the larger the span, the thicker the profiles needed will be, and the cost will increase, but the overall cost is still much lower than that of traditional storage construction!

2.Warehouse environment: Large equipment many times requires that it cannot be damaged during storage. At present, the top of the warehouse canopy is based on pvc tarpaulin, which has waterproof, shading, flame retardant, moisture, tear resistance and other superior performance, and our warehouse canopy in the top cloth is the use of 850/g specifications, in addition to the conventional tarpaulin, ABS wall selection, there is a rock wool panel wall with thermal insulation. The aluminum alloy frame of the main body of the tent can resist outdoor winds of 8-12, so the warehouse tent can provide a safe storage environment for large equipment that is not affected by any weather factors!

#### Why choose tent for storage or industrial house?

Industrial activity tent construction of environmental requirements are not high, generally such as cement floor, beach, lawn, etc., can be flexibly built by modular construction, not only can help enterprises solve warehousing related problems but also greatly reduce the construction cycle.

For enterprises, you only need to provide the required size of the tent, we can provide design, production, sales, leasing, building one-stop service. Solve all the problems related to the tent for you! This method is both reasonable and practical without wasting any idle area. Even if the

storage of some objects requires a certain amount of light transmission, our tarpaulin can choose to be fully transparent, translucent or opaque, which is a good solution to the problem of poor light transmission of the hard wall. And from the cost point of view, the economic cost of traditional construction is relatively high, and now many manufacturers choose our industrial activity tent construction, industrial activity tent construction does not need to submit a variety of complicated procedures like traditional tent construction, anytime, anywhere, outdoor construction.

**Contact us :**

Company:	Tendars technology Co.,Ltd
Address:	Room 904, No. 6, Hanxing 3rd Street, Zhongcun Street, Guangzhou, Guangdong, China
Contact person:	Amanda Chen
Tel:	0086-13640286461
Mobile(Wechat/Whatsapp):	+86 13640286461 / Amandachan8972
Web:	<a href="http://www.marquees-tent.com">http://www.marquees-tent.com</a>



**Guangzhou Tendars Tent Co., Limited**



0086 13640286461



[amanda@marquees-tent.com](mailto:amanda@marquees-tent.com)



[marquees-tent.com](http://www.marquees-tent.com)

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China