Outdoor Big Industrial Warehouse Tent Temporary Aluminum Structure

Basic Information

Place of Origin: GuangdongBrand Name: Tendars

• Certification: ISO9001, SGS, Coc, CE

Model Number: Big tent

Minimum Order Quantity: 25 square metersPrice: Reconsideration

Packaging Details:
1, The aluminium frame structure packed into

the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.

Delivery Time: 18days or To be negotiated

Payment Terms: L/C, T/T, Western Union, MoneyGram
Supply Ability: 50000 Square Meters per Month



Product Specification

Product Name: Industrial Storage Tents For Sale

• Main Structure: Aluminum Alloy 6061/T6

• Cover Material: 650g/850g/ Double PVC-Coated Polyester

• Design: Professional, OEM,ODM Is Available

Usage: Temporary Storage
Ground Situation: All Kinds Of Ground
Size: Customized Size

• Fixing Methods: Ground Anchors, Weight Plate, Expandable

Bolts Rain Gutters (inner Roof Beam Rain Gutter Or Rain Gutter Between Two Similar

Tents)

• Highlight: Big Industrial Warehouse Tent,

Industrial Warehouse Tent Temporary



More Images





Product Description

Outdoor Structure Big Size Heavy Duty Aluminum Industrial Storage Tents For Sale

Description:

Item Name	Outdoor Large Temporary Waterproof Warehouse Tent For Industrial Storage
Capacity	Custom
Cover Service Life	More than 8 years
Frame Service Life	More than 20 years
Wind Load	100km/h
Snow Load	75kg/sqm
Certificate	SGS CE
MOQ	1 sets

Features:

- 1.No rust, anti-corrosion and long service life
- 2 .Light weight, high strength and large clear span
- 3. The construction period is short and the investment cost is reduced accordingly
- 4.It is easy to move and suitable for renting

Complete warehouse space solutions:

Enterprises with many large equipment products choose to place their equipment outdoors.

For example, a recent customer found us because a temporary warehouse built with colored steel plates and mobile houses was forcibly dismantled due to environmental inspection.

At present, the equipment has been stored outside. In order to give a good impression to the customers of the factory inspection, a temporary building is urgently needed. The final customer still chooses to use the mobile warehouse tent, we use 1 day for the enterprise to build a raw material warehouse, operation room, large warehouse, of course, can not complete such a scale naturally inseparable from the advantages of the tent itself.

Our movable warehouse tent, it is on the basis of new green building materials, through the standardization, modularization, universal production of construction, and then through standardized stitching, rapid assembly and construction, it is low cost, short period, recyclable, can be repeatedly disassembled, convenient transportation, free choice of building site, can be tailored according to the site, It can be built in a short time, greatly shortening the construction production cycle, saving labor and improving labor production efficiency.

Movable warehouse tent, the use of light steel structure, strength aluminum alloy material, tarpaulin using PVC tarpaulin, fully achieve flame retardant fire, can also provide perfect supporting measures, such as steel plate wall, sandwich plate wall, PVC tarpaulin, single door, rolling gate, air conditioning, push and pull glass Windows.

Movable warehouse tent as an advanced outdoor temporary warehouse tent, from transportation, assembly, installation, modification to disassembly have an extremely powerful operating space, can be said to help enterprises in the real sense of the expansion of time and space needs to provide a satisfactory solution.

What happens to a prefabricated warehouse in a rainstorm?

Aluminum alloy tents in heavy rain weather is not a problem, because the tents are made of high-specification aluminum alloy profiles, wind resistance, corrosion prevention, to create a prefabricated tent is able to withstand various weather conditions. If the owner of our prefabricated storage tent has 6061-T6 aluminum alloy main frame and PVC tarpaulin, 6061-T6 aluminum alloy: oxide film thickness 11µm-17µm, tensile strength is not less than 310 mpa, yield strength is not less than 225 mpa, elongation is not less than 8%, and the hardness after oxidation reaches HW14.5 or more. PVC tarpaulin: tensile strength 2173-3189 N / 125px, tear strength 412-483 N, peel strength 113-118 N / 125px. Prefabricated storage tent wind resistance 8-10, snow resistance 75 kg/square meter, in bad weather, can be used for 30-50 years, purchased our tent manufacturers, do not worry about your tent!

Contact us :

Company:	Tendars technology Co.,Ltd
Address:	Room 904, No. 6, Hanxing 3rd Street, Zhongcun Street, Guangzhou, Guangdong,
Address.	China
Contact person:	Amanda Chen
Tel:	0086-13640286461
Mobile(Wechat/Whatsapp):	+86 13640286461 / Amandachan8972
Web:	http://www.marquees-tent.com





Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China