



Good Huge Large Outdoor Marquee Waterproof Storage Tent Outdoor Commercial Structure

Our Product Introduction

Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



Product Specification

- Product Name: Waterproof Storage Tent
- Frame: Aluminum Alloy 6061/T6
- Fabric Material: 850g/sqm Vinyl For Roof Cover And Sidewalls
- Color: White, any Colors Is Available
- Application: Events, Stadiums, Industrial Use, Storage, Party, advertising, different Events Etc
- Certificates: CE Certificate
- Bottom Waterproof Index: >3000 Mm
- Highlight: **large outdoor marquee tent, waterproof storage tent, commercial outdoor structure**



More Images



for more products please visit us on marquees-tent.com

Product Description

Good Price Huge Professional Large Outdoor Marquee Waterproof Storage Tent

Description :

	Material	Hardpressed Extruded Aluminum Alloy 6061-T6
	Available Size	84 x 48 x 3mm, 112 x 203 x 4mm, 166 x 88 x 3mm, 120 x 200 x 4mm, 120 x 250 x 4mm, 120 x 300 x 5mm, 120 x 350 x 6mm, 120 x 400 x 6mm (depend on the span size)
Main Profile	Hardness Quality	At Least 250 MPa
	Features of Frame	Stainless, Lightweight, Durable, 4 Channel
	Windload	Up to 120km/h
	Density	850g / sqm Block-out white PVC Tarpaulin, 950g / sqm transparent PVC Fabric; 650g/sqm White PVC for Sidewall
	Thickness	≥0.67mm
Cover	Features	Best performances in breaking strength, water-proof, UV-proof, flame retardant (DIN4102 B1 M2 / NFPA701)
	Component	Superior Enclosure with Hot Dip Galvanized Steel.

Material specification:

Although the main frame of the industrial warehouse tent is based on aluminum alloy, there are many models and specifications of aluminum alloy

material, different model specifications of their own strength, hardness, cost are not the same, the bearing capacity of the pointed canopy room,

wind resistance will have a great impact. Therefore, we choose T6061 high-strength aluminum alloy on the material of the roof roof frame, and will

calculate the data for different sizes of the roof roof specifications and the weather conditions of the use area, and then select the appropriate size

of the material according to the data report. Generally, the large-span canopy. Need to use larger specifications of aluminum alloy material to

ensure the structural safety of the pointed canopy room!

Material treatment:

In addition to ensuring the safety and stability of the pointed canopy structure in the material specification, the industrial warehouse canopy should

also ensure the service life of the canopy from the treatment of the material surface, so that it will not rust and aging because of long-term outdoor

use, which leads to the safety risks of damage to the canopy structure. On the surface of our aluminum alloy material will be acid-alkali oxidation treatment, and in strict accordance with the standard film thickness $\geq 10\mu\text{m}$ - $15\mu\text{m}$, to ensure that the pointed canopy frame has superior corrosion resistance and a long life of 20 years!

Pre-shipment test:

In order to ensure the structural safety of the tent products, we will not only carry out a strict quality inspection process for the roof room, but also test the roof room before the delivery of the roof products, test the safety of the roof room structure during the test building process, and deliver the roof room to the customer after ensuring that the quality of the roof room is not any problem! Because the pointed canopy is used as an outdoor temporary building, the problem of structural safety can not be ignored, so we will ensure the safety of the pointed canopy structure from many aspects, and provide you with high-quality pointed canopy products that can be used outdoors for a long time!

The environment for tent warehouse

The construction of the prefabricated tent warehouse does not have too high requirements for the environment, and the general flat ground can be built. And the use of modular construction, disassembly flexible, in the face of the enterprise off-peak season can be reasonable space adjustment, to meet the use of everyone's area, we can provide 3-80 meters of span, length is not limited, can be a large area of the construction of temporary space, we can also ensure safety, the introduction of German technology and the use of high-quality raw materials, You can rest assured in use. For customers, only need to provide the size they want, our tent manufacturers can provide you with personalized customized services, even if your site is shaped, you can also do customized, do not waste any idle area, such a method is reasonable and practical. Compared with the cumbersome process of the traditional warehouse, the prefabricated warehouse only needs to prefabricate all the tent components in the factory in advance, and there is no need to carry out complex foundation treatment after being transported to the scene, which greatly saves time and cost, and more importantly, it can also reduce a large amount of expenses for the enterprise, and it can quickly expand or reduce the area at any time in the future, which is why, Warehouse assembly warehouse building is gradually replacing the traditional warehouse, becoming a good form of warehouse in the process of enterprise development and growth.

FAQ :

Q1. What is the MOQ in TENDARS?

One Set.

Q2. What is the Payment Term in TENDARS?

30% Deposit to be made After signing PI, 70% before shipment.

Q3. What is the Normal Product Time for Standard Design?

15 - 25 days after deposit received.

Q4. Does TENDARS Provide Basic Installation Tool?

We provide ropes to connect the PVC sidewall and fork for helping set up the frame.

Q5. Do You Provide Any Guidance on the Job-site?

We will attach the build instructions in your product package. If you need, we will send our technology staff and project manager to provide installation guidance in your job-site for FREE.

Q6 : How long can you ship the goods ?

A : For products in stock, we can deliver to you within 5-10 days. The usual lead time for mass production is 20-45 days, depending on the order quantity.

Q7 : How to place order and arrange payment ?

A : You can contact our sales staff to draft a PI or Trade Assurance order for you, or you can inquiry here. We will confirm the order after receiving your information, once the order is confirmed by both parties, you can arrange the deposit payment. TT transactions are the preferred payment method.

Contact us :

Company:	Tendars technology Co.,Ltd
Address:	Room 904, No. 6, Hanxing 3rd Street, Zhongcun Street, Guangzhou, Guangdong, China
Contact person:	Amanda Chen
Tel:	0086-13640286461
Mobile(Wechat/Whatsapp):	+86 13640286461 / Amandachan8972
Web:	http://www.marquees-tent.com



Guangzhou Tendars Tent Co., Limited

 0086 13640286461

 amanda@marquees-tent.com

 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China