



## 12x12m Waterproof PVC Roof Heavy Duty Marquee Tent Heavy Duty Aluminum Wind-Resistant for Corporate Functions

Our Product Introduction

### Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



### Product Specification

- Features: Water Proof, UV Resistance, Fire Retardant(DIN4102)
- Product Name: Permanent Marquee Structures
- Frame: Aluminum Alloy 6061-T6
- Roof Cover: Opaque(or Transparent), Water Proof, 850g/m<sup>2</sup>. Flame Retardant.PVC-coated Polyester
- Color: White, Transparent Or Customized
- Wind Load: 100km/h
- Accessories: Drapery, Air Conditioner, Heater, Floor, Window, Curtain, Lighting Etc.
- Highlight: **12x12m waterproof PVC marquee tent, heavy duty aluminum marquee tent, wind-resistant corporate event tent**



### More Images



for more products please visit us on [marquees-tent.com](http://marquees-tent.com)

## Product Description

### PVC Fabric Heavy Duty Marquee Tent Large Permanent Tent Fire Resistant Uv Resistant Tent Best Place To Buy Canopy Tent

#### Description :

Product Name	1500 Sqm Asian Prefabricated Fire Resistant PVC Fabric Large Warehouses Tent For Industrial Storage			
Frame Material	Hard pressed Aluminum Alloy T6061/T6			
Roof Cover Material	850g/sqm PVC coated polyester fabric			
Side Wall	PVC Wall, Glass Wall, ABS Wall, Sandwich Wall			
Span/Width	From 3m to 60m			
Sidewall Height	3m, 4m , 5m, 6m or Customized			
Color	White, Transparent or Customized			
Life Span	8-10 Years			
Wind Load	100km/h			
Snow Load	75kg/			
Resistant Temperature	-30 to +70			
Features	Water Proof, UV Resistance, Fire Retardant(DIN4102,B1,M2)			
Application	Wedding, Party, Event, Exhibition,etc			
Accessories	Drapery, Air Conditioner, Heater, Floor, Window, Curtain, Lighting etc.			
Tent Size(m)	Side Height(m)	Frame Size(mm)	Floor Area( )	Capacity (Events)
10x20	3	120x48x3	200	150-200 Peoples
15x20	3	166x88x3	300	250-300 Peoples
15x30	4	166x88x3	450	380-450 Peoples
20x30	4	112x203x4	600	500-600 Peoples
30x50	4	112x203x4	1500	1200-1500 Peopl

#### How to build relief tents?

First, classify the bracket and put the same together. The purpose of this is to correspond to the number on the drawing, so that you can distinguish which tube is used for what and where it needs to be placed.

Second, and then according to the drawing number to splice, from the top down to install, a moment can be completed. Note that the splicing should be aligned, splicing first in a splicing place, do not do it at the same time, if it is done at the same time, it may waste time because of incoordination.

Disaster relief tent three, set on the outside tarpaulin, stick tight plug, there is a small rope and bracket tied fixed, set outside the tarpaulin window is best closed.

#### Why choose storage tent ?

Speaking of the tent, may feel that the exhibition is used more, in fact, through the combination of scientific design and different modules, environmental protection tent can be developed on demand, can be switched in dozens of use scenarios. Coal industry chain, logistics storage and transportation, raw material enterprises, energy enterprises, agricultural enterprises, environmental protection enterprises... The whole series of tents is rich in stock, unified standards, common components, deployment and construction at any time, and the above various types of use scenarios can quickly build environmental protection tents.

According to statistics, the world's annual economic losses caused by steel structure corrosion have reached hundreds of billions of dollars, and catastrophic accidents caused by corrosion are not uncommon. However, high humidity, high temperature and a variety of corrosion composed of chemical elements, it is not difficult to look at the tent. High strength aluminum alloy frame will automatically produce oxide film, strengthen PVC tarpaulin is difficult to chemically react with common corrosion factors, so the tent is suitable for the above purposes.

Finally, canopies are more cost competitive. Traditional buildings usually require a lot of money and time to build, while canopies can be assembled and activated in a short time, greatly shortening the project cycle and return on investment cycle. At the same time, the maintenance cost of the tent is low, and there is no need for complex repairs and maintenance. So, choosing a tent is a very good choice!

#### What is movable prefabricated canopy construction?

Movable prefabricated tent building has been widely used in a variety of industries, to meet the needs of industrial use of temporary and semi-permanent construction, modular operation is very flexible, the construction time is fast and short and can be dismantled at any time, there is no limit to the construction of the site, the effective use of idle land resources, due to the flexibility of the construction, if the enterprise has a move plan or business adjustment in the future, The tent can also achieve multiple takedown, migration, reuse...

#### FAQ :

**Q: Can you print our logos on tent?**

\* Yes. Customized logos can be printed on the tent fabric according to your requirements.

**Q: Is that factory price?**

\* Yes. We assure you all prices are based on factory.

**Q: Does your tent be able to install repeatedly?**

\* Our tents can be assembled and dismantled and repeatedly with small transportation size. The lifespan of aluminium framework can reach 15-20 years, and 5-8 years for PVC fabrics depending on different conditions of usage.

**Q: What documents are available?**

\* A full range of documents including structural drawings, packing list, installation manual and relative certificates can be provided. Moreover, customs declaration is provided. We provide one-stop service for you.

**Q: What size tent is necessary for your special event?**

\* A person must first determine tent usage. If a tent is being used for dining purposes and round tables are being used allow 10-12 square feet per person. If banquet style tables are being used allow 8-10 square feet per person. If the purpose is for cocktail service allow 5 to 6 square feet per person. Contact us for all your specific questions and more information on tent types.

**Q: Has your tent product been certified?**

\* Yes. Our tent product has passed the engineering tests and gained the America structural engineering certificates. Besides, the PVC fabric used for roof covers and sidewalls has passed the fire tests and gained the flame retardant certificates issued by America.

**Q: Is your tent strong and stable enough? How about the wind loading?**

\* Yes. The main frameworks (upright support and roof beam) are manufactured with high impact extruded anodized aluminum (6061/T6) so our tent structure is safe and strong and can resist wind up to 100 km/hr after setting up correctly.

**Q: How long is the warranty period?**

\* Guarantee one year. During the warranty period, we shall repair or replace the damaged part accordingly because of any damage due to quality problem.

**Contact us :**

Company:	Tendars technology Co.,Ltd
Address:	Room 904, No. 6, Hanxing 3rd Street, Zhongcun Street, Guangzhou, Guangdong, China
Contact person:	Amanda Chen
Tel:	0086-13640286461
Mobile(Wechat/Whatsapp):	+86 13640286461 / Amandachan8972
Web:	http://www.marquees-tent.com



**Guangzhou Tendars Tent Co., Limited**

☎ 0086 13640286461

✉ amanda@marquees-tent.com

🌐 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China