

# Luxury Aluminum Portable Stage Mobile Foldable For Outdoor Concert Price For Tent

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification: ISO, SGS
- Model Number: Stage
- Minimum Order Quantity:
- Price: Reconsideration
- Packaging Details: air bubble film or carton
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram

Guangdong

1 Square meter

Tendars

Supply Ability: 10000 Piece/Pieces per Month



## **Product Specification**

| Product Name: | The Stage  |
|---------------|--|
| Keywords:     | Stage Truss/aluminum Truss/spigot<br>Truss/bolt Truss  |
| Material:     | Aluminum Alloy 6082-T6   |
| • Size:       | 1.22*1.22m 2*1m 1.22*2.44m   |
| Service:      | Online 7x24hours   |
| Color:        | Red Or OEM   |
| Shape:        | Square Circle Arch Triangle Ladder   |
| Application:  | Events/exhibition And So On  |
| Highlight:    | Luxury Aluminum Portable Stage,<br>Foldable Aluminum Portable Stage,<br>Outdoor portable concert stage |



## More Images









### **Product Description**

Luxury Aluminum Portable Stage Mobile Foldable For Outdoor Concert Price For Tent

### Product Description:

| Name   | Aluminum assembling stage   |
|--|---|
| Usage  | Concert, Events, Exhibits, Weddings, Performance, School Show, Theatre and so on. |
| Aluminum Material Aluminum Alloy 6061-T6 18mm thickness board frame, main tube 50*3MM, |   |
| Size   | 1.22*1.22m 4*4feet ,1.22*2.44m 4*8feet,2*1m,1*1m                                  |
| Stage Height   | Adjustable: 0.4-0.9m, 0.6-1.0m, 0.8-1.0m, 1.0-1.5m, OEM                           |
|  | Fixed: 0.4m, 0.6m, 1.0m, 1.2m, 1.5m, OEM  |
| Stage Shape  | Square, Rectangle, Circle, Curve, Star, Heart, OEM                                |
| Stage Stairs   | Foldable: 2 floors, 3 floors, 4 floors, 5 floors, OEM                             |
| Platform(material)   | glass/ plexiglass/ plywood  |
| Loading capacity   | 750kgs/m2   |
| Certification  | TUV, CE   |
| Extra Parts  | Guardrail, Truss, Stair, Carpet, Flight Case, OEM                                 |
| Application  | for dancing on following occassions:school stage, event stage, performance stage, |
|  | celebration stage,concert stage,wedding stage                                     |

### Indoor stage construction:

- 1. Measure the length and width of the ground and frame the stage area;
- 2. The general method of stage boards is 1.22\*1.22. According to the length and width, select the number of stage boards and build
- 3. After the stage is selected, consider whether trusses and stage background
- 4. Are needed according to the scene light, etc. If the stage lighting truss needs to be purchased, it is necessary to consider the indoor height, and then set the height of the truss
- 5. Material stage can choose steel stage and aluminum alloy stage, light truss choose 300\*300 aluminum alloy truss can be
- 6. The number and collocation of accessories, such as truss base, etc. should be consulted according to the needs of the manufacturer

### The specifications of the event stage construction generally have the following three kinds:

20cm height, 40cm height, 60cm height. 20cm high stage.

1) Suitable for: small and medium-sized activities or indoor activities.

Peason: Generally do not want to open too large distance with the audience, hope to be able to convenient close contact with the audience, do not want to distance from the audience, so will use not very high stage. General hotels or ordinary indoor have a certain height limit. If the stage height is too high, the distance between the people on the stage and the roof is too close, which is easy to feel the sense of pressure and incongruity. So the indoor stage is generally not too high, but the indoor space is very large, if the height is high enough, this is another story!
Examples: such as product promotion activities, birthday paty, internal company annual meetings, etc. Therefore, a stage with a height of 20cm is the most suitable.

### 40cm height stage

- 1) Application: most commonly used.
- 2) Reason: The construction is also the most beautiful, especially the celebration stage construction. Interactivity and intimacy.
- 3) Examples: 60cm high stage at opening ceremony, launch ceremony, unveiling ceremony, groundbreaking ceremony, capping ceremony or

large annual company event.

1) Application: The venue is large and the number of participants is large.

2) Reason: In order to make the front audience not block the line of sight of the rear audience, there are some special occasions or specific activities, it is necessary to build a stage above 60cm height.

3) Examples: such as some large-scale activities, such as star meetings, concerts and other occasions.

