




Waterproof Curve Tents Tennis Court Tents For Outdoor Party Sports High Quality Marquee

Our Product Introduction

Basic Information

- Place of Origin: Guangdong , China
- Brand Name: Tendars
- Certification: ISO9001, SGS Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month




Product Specification

- Product Name: Tente Curved Sports
- Frame Material: High-strength Aluminum Alloy 6061/T6
- Cover Material: Double PVC-Coated Polyester Fabric
- Usage: Outdoor Party Building
- Size: Customized Size
- Life Span: Frame 20 Years
- Fixing Solution: Fixing Solution
- Ground Situation: All Kinds Of Ground
- Highlight: **Waterproof Curve Tents, Tennis Curve Tents, Outdoor Tennis Court Tents**



More Images



for more products please visit us on marquees-tent.com

Product Description

Waterproof Curve Tents Tennis Court Tents For Outdoor Party Sports High Quality Marquee

Product Parameter :

Product Name	Tennis court tent
Main Frame Structure	Aluminium alloy T6061-T6
Snow Load	75kg/sqm
Roof Cover Material	850g/sqm white PVC fabric
Temperature Condition Index	-30 ~ +70
Wind load	100km/h
Certification	SGS, CE
Lifespan	20 years for the frame and 5 years for the cover

Drawing :

We can offer from 3m wide to 50m wide, no limited in length

The main frame is aluminum alloy T6061-T6 which is strong and rustless

The roof cover is 850g/sqm white PVC which is black-out, waterproof, UV resistant, fire / flame retardant

The side wall cover is 650g/sqm white PVC, it is waterproof, UV resistant, fire / flame retardant Other colors for options, too

Usually we do 3m span or 5m span, you can increase or decrease the number of span as needed which is widely used for tent rental

Installation steps :

The whole frame is connected by the loose knot method of locking screws so it's easy to install and move

There are slots on both sides of the aluminum alloy frame to facilitate the passage of strips on the pvc cover

There are slide buckles on the side wall pvc cover, so we can pull it aside or take it down, there is a zipper in the middle of each

side wall cover, when it is closed, it can be used as wall, conversely, it will be used as door

Parts details :

□

Structural system

The main material is aluminum alloy profile GB6061-T6 / AL6082-T6. The support between the columns is reinforced with diagonal steel tubes. The length distance between the columns can be divided into 5 meters or 3 meters indefinitely. The overall structure has passed the wind test of a professional institution. The maximum allowable wind speed is DIN EN 13782: 102 km / h (0.50kN / m).

□

Roofing system

The roof is made of excellent double-sided PVC coated synthetic fiber cloth material. The tarpaulin has strong anti-corrosion, anti-mildew, anti-ultraviolet and flame retardant properties, and the flame retardancy is in accordance with DIN 4102 B1, M2; BS7837 / 5438; American NFPA70, etc. have reached international standards. The longest service life of tarpaulin is 10 years.

□

Base System

The tents have no special requirements for the construction site, and generally flat grounds such as sand, grass, asphalt, cement and tile floors can be safely used. It is suitable for rapid installation or disassembly in different environments. It has good flexibility and safety. It can be widely used in outdoor activities, commercial exhibitions, festivals, catering and entertainment, industrial storage, sports venues and so on.

Our service :

Pre-Sales Service

* Inquiry and consulting support.

* Sample testing support.

* View our Factory.

After-Sales Service

* Training how to instal the machine, training how to use the machine.

* Engineers available to service machinery overseas.



Guangzhou Tendars Tent Co., Limited

☎ 0086 13640286461

✉ amanda@marquees-tent.com

🌐 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China