



Multipurpose Outdoor Arcum Tents For Event Wedding Party Banquet Used Dome Tents For Sale

Our Product Introduction

Basic Information

- Place of Origin: Guangdong , China
- Brand Name: Tendars
- Certification: ISO9001, SGS Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



Product Specification

- Product Name: Arcum Shaped Tents
- Frame Material: Aluminum Alloy
- Cover Material: PVC,PVDF,PVF
- Surface Treat Method: Hot Dip Galvanized
- Sidewall: Soft PVC Fabric, ABS Wall Or Glass Wall
- Service Life: More Than 20 Years
- Fabric Color Option: White, Black, Clear, Gray, Blue, Yellow, Red And Customized Color
- Application: Wedding, Party, Event, Ceremony Hall And So On
- Highlight: **Outdoor Arcum Tents, Wedding Arcum Tents, Multipurpose outdoor banquet tents**



More Images



for more products please visit us on marquees-tent.com

Product Description

Multipurpose Outdoor Arcum Tents For Event Wedding Party Banquet Used Dome Tents For Sale

Product Parameter :

Main Frame	Hardpressed Aluminum Alloy T6061/T6
Roof	850g/sqm white PVC Fabric
Sidewall	hard wall + soft PVC fabric
Available Width	from 3m to 60m
Length	Unlimited
Sidewall Height	2.7m, 3m, 4m, 8m or customized
OEM/ODM	Available
Application	Wedding, Banquet, Ceremony, Party, Church event, etc

- 1) Regular Span size: 3/6m/8m/10m/12m/15m/18m/20m/25m/30m/35m/40m/50m, bay distance: 3/5m, no length limitation.
- 2) Advantage: Quick Setup, movable, Safe Structure, 20 years lifespan, free installation guidance, engineer support.
- 3) Frame material: high-extruded aluminum alloy 6061/T6, anti-rust surface.
- 4) Cover material: double PVC-coated fabric, tear-resistance, flame retardant, waterproof.
 - a. Roof cover: 850g/sqm
 - b. Side wall: 650g/sqm
 - c. Transparent Cover: 1000g/sqm
- 5) Color: regular white or as your requirements
- 6) Working temperature: -40°C to 70°C
- 7) Wind resistance: 100-120km/h
- 8) Fixed method:
 - a. Expand screw (fixed on the concrete)
 - b. Steel nail (fixed on the grassland and sandy ground)
 - c. Loading plate (portable fixed style).
- 9) Supporting facility:
 1. Lining, curtain: fit for large activities, decorating inside, different colors as customers' request
 2. Drilling steel: 0.9m/pcs or 0.6m/pcs to install the tent on the grass
 3. Expansion screw: install the tent on the cement court (free)
 4. PVC clear windows: transparent, wind-proof and rain-proof (free)
 5. Weight plate: the best safe install way, it will not destroy your floor
 6. Flooring system: perfect decoration for any activities (carpet or wooden floor)
 7. Glass wall/doors system: single door or double wing door for you choose
 8. Air conditioning system: 3p or 5p and different brand
 9. Rain gutter: we offer our best project based on your needs
 10. Carpet: different colors are available
 11. Decorative lightings
 12. Table & chairs
- 10) Payment
30% deposit and the balance will be paid before the loading by T/T, L/C, Payment, Western Union etc.
- 11) Delivery time
20-30 days, from the date receiving the deposit, our nearest seaport is Shenzhen.
- 12) Guarantee
2 years warranty
- 13) After-sale service
Tent inquiry, Tent maintenance, tent materials supplementary, and any other questions, pls contact our sales at any time.

Structural components of an arcum tent typically include:

Frame: The frame of an arcum tent is usually made of durable materials such as aluminum or steel. This frame provides the structural support for the entire tent. The frame elements are often designed to be modular and can be assembled to create the desired tent size and shape. The frame is usually composed of uprights, arches, and other support beams.

Arches: Arches are the defining feature of arcum tents. They create the curved or arched roof shape that gives these tents their distinctive appearance. Arches extend from one side of the tent to the other, forming a continuous curve over the top of the structure.

Poles and Bracing: In addition to the primary frame elements, arcum tents may include additional support poles and bracing to ensure stability and structural integrity. These components help distribute the load and provide resistance to wind and other environmental factors.

Roof Cover: The roof cover of an arcum tent is typically made of high-quality fabric, such as PVC-coated polyester or vinyl. This fabric is stretched over the frame to create the tent's roof. The roof cover is often tensioned to ensure a smooth and wrinkle-free appearance.

Sidewalls: Arcum tents can be equipped with sidewalls to enclose the space and provide protection from the elements. Sidewalls are typically made of the same high-quality fabric as the roof cover and can include clear or windowed sections for natural light.

Anchoring System: To secure the tent in place, arcum tents require a robust anchoring system. This can include stakes, anchors, or weights, depending on the tent's location and surface type.

Flooring: Some arcum tents may include flooring options, such as wooden or synthetic flooring, to create a solid and level surface inside the tent.

Accessories: Various accessories can be added to arcum tents to enhance their functionality and aesthetics. This includes lighting, HVAC systems, flooring, decorative linings, and branding options.



Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China