

Guangdong

ISO9001, SGS, Coc, CE

Tendars

Big tent

25 square meters

Reconsideration

A Shape Aluminum Permanent Teepee Marquees For Outdoor Wedding Party **Event Wedding Canopy Frame**

1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric


Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
 - Packaging Details:
 - carry bag; 3, Hardware packed into the box. • Delivery Time: 18days or To be negotiated • Payment Terms: L/C, T/T, Western Union, MoneyGram 50000 Square Meters per Month
 - Supply Ability:



Product Specification

Product Name:	Teepee Marquees
Aluminum Profile:	High Pressed Extrued Aluminum Alloy 6061- T6
Oem/odm:	Available
• Top Roof Fabric:	850g/sqm Laminate Vinyl, Waterproof , Fire Retardant M2 UV Protection, And Rotproof. Blackout UV Protection, And Rotproof. Blackout
Bay Distance:	3m / 5m
Maximum Length:	No Limit
Accessories:	Roof Lining,sidewall Curtains,floor,tables,chiars
Color:	Customized Color
Highlight:	A Shape Aluminum Permanent Teepee Marquees , Outdoor Event Permanent Teepee Marquees
	, Outdoor Event Permanent Teepee Marquees



More Images









Product Description

A Shape Aluminum Permanent Teepee Marquees For Outdoor Wedding Party Event Wedding Canopy Frame


Product Specification:

*dome structure consisting of a seamless steel tubes used to enclose space.

*It with the geodesic domes design, the dome tent size can be custom-made from 4m(13ft) to 50m(164ft) in diameter. *It is commonly used for glamping, hotel, camping, resort, greenhouse, temporary structures or to enclose equipment. *YUNTU dome frames are made from stoving varnish, galvanized steel and stainless steel. *Dome cover is double-coated PVC fabric which it is Fire Retardant (DIN 4102 B1), Wateroof, UV Resistance.

Models	TDS-T110
1 '	3m/4m/5m/6m/8m/9m/10m/12m/15m/18m/20m/25m/30m/ 40m/50m
Hoight	3.2m/3.4m/3.6m/3.7m/4.m/4.3m/4.4m/4.8m/6.4m/6.9m/7.2m/ 8.0m/8.9m/10.6m/12.3m
Longest Component	2.9m/3.9m/4.9m/3.6m/4.3m/4.8m/5.3m/6.3m/ 8m/9.6m/10.7m
Side Height	2.6m/3m/4m
Roof Pitch	18°/20°
Bay Distance	3m/5m
Maximum Length	No limit
Main Profile	84X48X3mm/100X48X3mm/122X68X3mm/166X88X3mm/ 204X110X4mm/256X113XSmm/300X125X6mm/350X125X8mm aluminum alloy
Frame Material	High reinforced aluminum,anti-rust surface, GB/T 6061-T6 standard,Surface oxidation;Film thickness>10 jm
1	850g/m2double PVC-coated polyester,flame retardant,UV resistance,waterproof,comply with DIN 4102 B1,M2 (German standard),Applicable temperature range:-30°C to +70 °C
1	All steel parts are galvanized steel,hot-dipped and not easily rusted,and all come with rust prevention process.
Maximum Wind Limit	80 ~100km/h
Eave Connection	Clip-fix style
Reinforce Method	Cross-fix

Our Product Introduction



Common materials used for wedding marquee tents :

PVC (Polyvinyl Chloride) or Vinyl:

PVC or vinyl-coated materials are commonly used for marquee tents. They are waterproof, durable, and can withstand various weather conditions, making them suitable for year-round events.

Canvas:

Canvas tents have a more rustic and traditional appearance. They can be a good choice for vintage or bohemian-themed weddings. However, they may not be as waterproof as PVC or vinyl tents and require additional weatherproofing.

Polyester or Nylon:

These synthetic materials are often used for smaller, lightweight marquee tents. While they may not be as robust as PVC or canvas, they are easier to transport and set up.

Frame Material:

The frames of marquee tents are typically made of aluminum or steel. Aluminum frames are lightweight and resistant to corrosion, while steel frames are heavier but very durable.

Roof and Wall Options:

Marquee tents can have various roof and wall options, such as clear panels, window panels, or solid panels. The choice of roofing material can impact the amount of natural light and ventilation inside the tent. Flooring:

Flooring materials vary and can include wooden flooring, carpeting, or interlocking tiles. Flooring is essential for creating a level and comfortable surface within the tent.

Accessories:

Marquee tents can be accessorized with curtains, drapes, and linings, which are typically made of fabric materials. These add to the aesthetic appeal of the tent.


why wedding marquee tents are considered convenient :

1.Marquee tents can be set up in a wide range of locations, whether it's in your backyard, a garden, a beach, or another outdoor space. 2.Marquee tents can be fully customized to match your wedding theme and preferences.

3.Wedding marquee tents provide protection from the elements. They offer a sheltered space, ensuring that your wedding can proceed as planned, regardless of the weather.

4. Many tent companies offer all-inclusive packages that include not only the tent but also flooring, lighting, seating, and even decorations. This simplifies the planning process and reduces the need to coordinate with multiple vendors.

5. Professional tent companies are experienced in setting up and dismantling marquee tents quickly and efficiently. This can save you time .



FAQ:

*Q1.Does your company is a factory?

A:Yes, we are a directly factory, We assure you all prices are based on factory.

*Q2: How can I calculate the tent size I need?

A:We must first determine tent usage. If the tent with tables and chairs in it,one person need 1.5 square meters. If tent without tables,one person need 1 square meter.

*Q3.Does your company accept customized tent?

A:Yes, we can make the tent according to customers different need.

*Q4. Does your company provide any help to install the tent?

A:Yes, usually we will send manual guide books or Video to help customer installation. If customer need our engineer come to their country to help install, that is also workable.

*Q5: Does your tent be able to install repeatedly?

A:Yes, Our tents can be assembled and dismantled and repeatedly.They installed sections by sections, Aluminum structure can be used for 25 years, PVC fabric can be used for 8-10 years.

*Q6. Can I visit your company ?

A: Yes,Sure,welcome,we are in Guangzhou.From Guangzhou Airport to our factory around 40 minutes.From Guangzhou to Shenzhen around 1.5 hours by car.



