

Luxury Clear Span Party Marquee Tents PVC Wedding Event Transparency Tent Birthday Canopy

Our Product Introduction

Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month




Product Specification

- Product Name: Transparency Tent
- Frame: Hard Pressed Aluminum Alloy T6061/T6
- Roof Cover: 850g/sqm PVC Coated Polyester Fabric
- Side Wall: 650g/sqm PVC Coated Polyester Fabric
- Fabric Color Option: White, Gray, Transparent Or Customized
- Accessories: PVC Windows, Glass Door, Stake, Stake Puller, Rain Gutter, Lining And Curtain, Flooring System, Glass Walling System, Weight Plate, ABS/Sandwich Wall System
- Connectors: Hot-dip Galvanized Twin Plate;expansion Bolts To Fix Tent
- Application: Weddings, Parties, Factories, Workshops, Exhibitions, Events, Etc
- Highlight: **Luxury Clear Span Party Marquee Tents, Transparency PVC Party Marquee Tents**



More Images



for more products please visit us on marquees-tent.com

Product Description

Luxury Clear Span Party Marquee Tents PVC Wedding Event Transparency Tent Birthday Canopy

1.Product Specification:

* No pole inside, 100% available interior space.

*Available in a variety of shapes

*A wide range of tent sizes to choose from

*A wide range of structures to choose from

| | |
|--|-------------------------------------|
| 20 x 20 40 x 60 40x80 Wholesale Big White Wedding Party Marquee Tent | |
| Main Frame | Hardpressed Aluminum Alloy T6061/T6 |
| Roof | 850g/sqm white PVC Fabric |
| Sidewall | 650g/sqm white PVC Fabric |
| Available Width | from 3m to 60m |
| Length | Unlimited |
| Sidewall Height | 2.7m, 3m, 4m, 8m or customized |
| OEM/ODM | Available |
| Application | Wedding,Party,Event,Exhibition,etc |


| Tent Size(m) | Side Height(m) | Frame Size(mm) | Footprint(sqm) | Accommodate Capacity (Events) |
|--------------|----------------|----------------|----------------|-------------------------------|
| 5x12 | 2.6 | 82x47x2.5 | 60 | 40-60 people |
| 6x15 | 2.6 | 82x47x2.5 | 90 | 80-100 people |
| 10x15 | 3 | 82x47x2.5 | 150 | 100-150 People |
| 12x25 | 3 | 122x68x3 | 300 | 250-300 people |
| 15x25 | 4 | 166x88x3 | 375 | 300-350 People |
| 18x30 | 4 | 204x120x4 | 540 | 400-500 People |
| 20x35 | 4 | 204x120x4 | 700 | 500-650 People |
| 30x50 | 4 | 250x120x4 | 1500 | 1000-1300 People |

2.Quality:

Such as with transparent PVC window side wall cloth, transparent tarpaulin and side wall cloth, anchor nails, column bearing plate, ceiling decorative cloth, tarpaulin digital spray painting, glass curtain wall, glass door, ABS hard wall, glass door, drainage sink, air conditioning system and other structural supports are selected high-strength aluminum alloy profiles, steel parts using hot-dip galvanized rust prevention, tarpaulin using flame retardant double-sided PVC synthetic fiber cloth, It has the excellent function of waterproof, fireproof, flame retardant and UV protection.

Under normal installation and fixed conditions, the wind resistance can reach 8 to 10 levels. All links of production are in strict accordance with the ISO international quality management system operation, all finished products are shipped through strict quality testing and trial assembly standards, to ensure product safety and demolition feasibility of the three elements different from traditional buildings: A, safe and stable, solemn and elegant, natural resistance to a variety of harsh environments B, superior combination characteristics, stretching unlimited space C, flexible assembly and disassembly, fast transportation.

3.Detail:





PRODUCT ACCESSORIES



Glass Wall



ABS Wall




Sandwich Wall




Clear Window



Double Glass Door



Rolling Gate



Drape



Logo Printing



Flooring



Table & Chairs

FAQ :

Any Quality Guarantee in TENDARS?

We have a series of strict quality inspection for our material. The hardness of 6061-T6 aluminum alloy is at least 250 MPa. And the thickness of covered PVC fabric is $\geq 0.67\text{mm}$. The fire retardant of the covered membrane is meet to US standard: NFPA 701 and Euro standard: DIN4102 B1, M2.

What kind of material is used for the Fabric?

The raw fabric is composed of 100% polyester high-strength lines coated by PVC to make the product resistant to water, fire, UV light and other harmful effects of environmental conditions.



Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China