

Guangdong

ISO9001, SGS, Coc, CE

25 square meters

Reconsideration

Tendars

Big tent

# Canopy Marquee Event Party Wedding Tent Large Tent Rentals Near Me Waterproof Party Tent

1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time: 18days or To be negotiated
  Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability:



### Product Specification

Product Name:

Frame:

Roof Cover:

Ridge Height:

Accessories:

Side Wall:

Aluminum Alloy

Tents Wholesale

- 850g/sqm PVC Coated Polyester Fabric
  - 650g/sqm PVC Coated Polyester Fabric

50000 Square Meters per Month

- 3.2m To 12.3m
- PVC Windows, Glass Door, Stake, Stake Puller, Rain Gutter, Lining And Curtain, Flooring System, Glass Walling System, Weight Plate, ABS/Sandwich Wall System,Lining, Curtains, bathroom Ect.
- Span Width:
- Application:
- Highlight:
- 3m To 60m Weddings, Parties, Factories, Workshops, Exhibitions, Events, Etc
- 10x15m Party Wedding Tent, Canopy Marquee Party Wedding Tent



### More Images



Our Product Introduction

# **Product Description**

### Canopy Marquee Event Party Wedding Tent Large Tent Rentals Near Me Waterproof Party Tent

#### Product Specification:

for n
more
more products please visit us on marquees-tent.co
d S
olease
visit us on n
IS OI
n marq
narquees-tent.c
tent.com
-

Width	3m/4m/5m/6m/8m/9m/10m/12m/15m/18m/20m/25m/30m/ 40m/50m
Hoight	3.2m/3.4m/3.6m/3.7m/4.m/4.3m/4.4m/4.8m/6.4m/6.9m/7.2m/ 8.0m/8.9m/10.6m/12.3m
Longest Componen t	2.9m/3.9m/4.9m/3.6m/4.3m/4.8m/5.3m/6.3m/ 8m/9.6m/10.7m
Side Height	2.6m/3m/4m
Roof Pitch	18°/20°
Bay Distance	3m/5m
Maximum Length	No limit
	84X48X3mm/100X48X3mm/122X68X3mm/166X88X3mm/ 204X110X4mm/256X113XSmm/300X125X6mm/350X125X8mm aluminum alloy
1	High reinforced aluminum,anti-rust surface, GB/T 6061-T6 standard,Surface oxidation;Film thickness>10 jm
	850g/m2double PVC-coated polyester,flame retardant,UV resistance,waterproof,comply with DIN 4102 B1,M2 (German standard),Applicable temperature range:-30°C to +70 °C
1	All steel parts are galvanized steel,hot-dipped and not easily rusted,and all come with rust prevention process.
Maximum Wind Limit	80 ~100km/h
n	Clip-fix style
Reinforce Method	Cross-fix

#### Tents without center poles:

Frame Tents:

Frame tents are supported by a metal framework, typically made of aluminum. This structure is erected inside the tent and supports the weight of the fabric roof. Frame tents are versatile and can be set up on various surfaces, including grass, asphalt, or concrete. Open Interior Space:

The absence of center poles allows for a clear and open interior space. This is particularly advantageous for events where an unobstructed view or flexible floor plan is essential, such as weddings, trade shows, and exhibitions.

Versatility:

Frame tents offer more flexibility in terms of layout and interior design. You can arrange seating, stages, and other elements without the interference of center poles.

Suitable for Different Surfaces:

Since frame tents rely on a frame structure, they can be set up without the need for staking. This makes them suitable for locations where staking into the ground is not feasible.

Stability and Strength:

Despite the absence of center poles, frame tents are designed to be stable and sturdy. The frame provides structural support for the tent, ensuring it can withstand wind and other weather conditions.

Easy Setup and Breakdown:

Frame tents are generally easier to set up and take down compared to some other tent types. This can be an important consideration, especially if you have limited setup time for your event.

Customization:

Frame tents often allow for customization in terms of size, shape, and configuration. This flexibility is useful when planning events with specific spatial requirements.

Sidewall Options:

Frame tents can be equipped with sidewalls to provide additional protection against wind, rain, or other weather conditions. Sidewalls can be added or removed based on the needs of the event.

#### Here are some common sidewall options for tents:

#### Solid Sidewalls:

Purpose: Solid sidewalls provide complete enclosure, offering protection from wind, rain, and other weather elements.

Material: Typically made of the same material as the tent's roof.

Features: Solid sidewalls can be used to create a climate-controlled environment and offer privacy for events where discretion is important. Clear or Transparent Sidewalls:

Purpose: Clear sidewalls provide a view of the surroundings while still offering protection from the weather.

Material: Transparent vinyl or clear plastic.

Features: Ideal for events with scenic views or for maximizing natural light during the day. They create an open and airy feel while maintaining weather resistance.

Mesh Sidewalls:

Purpose: Mesh sidewalls allow for airflow while providing some protection from insects and light weather conditions.

Material: Mesh fabric, often made of polyester or a similar material.

Features: Suitable for events where ventilation is important, such as outdoor weddings. They maintain visibility while offering a degree of privacy. Cathedral or Window Sidewalls:

Purpose: These sidewalls feature decorative windows, adding style to the tent while maintaining a view of the surroundings.

Material: Usually a combination of solid and transparent materials.

Features: Cathedral sidewalls are often used for upscale events, weddings, or parties where aesthetics are a priority. The windows can be in various shapes and sizes.

French Door Sidewalls:

Purpose: Mimicking the appearance of traditional French doors, these sidewalls add a touch of elegance.

Material: Combines solid and transparent materials with framed openings.

Features: French door sidewalls create a grand entrance or focal point for the tent, enhancing the overall visual appeal.

Panoramic or Picture Window Sidewalls:

Purpose: These sidewalls feature larger clear panels, providing an unobstructed view of the outside.

Material: Clear vinyl or plastic.

Features: Ideal for events in scenic locations or where the outdoor environment is a key part of the experience. They maximize natural light and offer a panoramic view.

Custom Graphics or Branding:

Purpose: Sidewalls can be customized with graphics, logos, or branding elements.

Material: Typically solid or transparent material suitable for printing.

Features: Ideal for corporate events, trade shows, or promotions where branding is essential. Custom graphics can be added for a personalized touch.

#### FAQ:

#### Q1.Does your company accept customized tent?

A:Yes, we can make the tent according to customers different need.

#### \*Q2. Does your company provide any help to install the tent?

A:Yes, usually we will send manual guide books or Video to help customer installation. If customer need our engineer come to their country to help install, that is also workable.

#### \*Q3: Does your tent be able to install repeatedly?

A:Yes, Our tents can be assembled and dismantled and repeatedly. They installed sections by sections, Aluminum structure can be used for 25 years, PVC fabric can be used for 8-10 years.

### \*Q4: Our Advantage?

Cost effective: Located in Qingyuan, we can provide you all kinds of tents with good price; Time effective: we promise to make the mass delivery within 30 days Service effective: Our sales people promise to reply your enquiry within 12 hours.

