

# Galvanized Heavy Duty PVC Party Tents And Canopies With Removable Window Party Tents For Sale Near Me

## **Basic Information**

Place of Origin: GuangdongBrand Name: Tendars

• Certification: ISO9001, SGS, Coc, CE

Model Number: Big tent

Minimum Order Quantity: 25 square metersPrice: Reconsideration

• Packaging Details: 1, The aluminium frame structure packed into

the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.

Delivery Time: 18days or To be negotiated

Payment Terms: L/C, T/T, Western Union, MoneyGram
Supply Ability: 50000 Square Meters per Month



# **Product Specification**

Product Name: Tents And Canopies

• Frame: Aluminum Alloy Profile Extruded

Roof Cover: Double PVC-coated

Fabric, waterproof, fireproof, sunproof

Side Wall: Soft PVC Walls, Sandwich Panel, Glass Wall

• Side Height: 2.6m / 3m /4m / 5m / 6m

Accessories: PVC Windows, Glass Door, Stake, Stake

Puller, Rain Gutter, Lining And Curtain, Flooring System, Glass Walling System, Weight Plate, ABS/Sandwich Wall System, Lining, Curtains, bathroom Ect.

Color: White,black,blue,red,etc

• Application: Weddings, Parties, Factories, Workshops,

Exhibitions, Events, Etc

• Highlight: Galvanized Heavy Duty PVC Party Tents,

**PVC Party Tents With Removable Window** 



# More Images









# **Product Description**

## Galvanized Heavy Duty PVC Party Tents And Canopies With Removable Window Party Tents For Sale Near Me

#### **Product Specification:**

Tent name	Clearspan tent
irrame	aluminium alloy; roof cover: High quality double PVC-coated polyester textile; steel connection
Item No	TDS-15
Clearspan width	15m
Length	no limit, extended in every 5m
Bay distance	5m
Eave height	3m
Ridge height	5.4m
Roof pitch	18°
Longest compenent	8.5m

#### About the party tent :

Unit combined structure, canopy span small series from 10 to 15 meters, large series From 20 to 30 meters.

- The bracket is made of high-strength all-oxide aluminum alloy profile or steel, stable and durable. tarpaulin
- The material is made of building membrane material or ordinary PVC tarpaulin, which is small in volume after disassembly and easy to transport and store.
- Easy and quick installation and disassembly.
- The movable wall can be opened and closed around. (There are soft walls and hard walls)
- There is no special requirement for building site, generally flat land such as grass, asphalt, cement Ves

## Materials of the tents :

First, the structure is high strength aluminum alloy profile or steel

- High strength aluminum alloy profile tensile strength 215 N/M square meters
- GB Q235 steel silver metal surface paint

Second, the tarpaulin is a double PVC synthetic fiber tarpaulin or building film material  $\frac{1}{2}$ 

- Fiber high strength polyester 1100 Dtex
- Weight NF EN ISO2286-2 standard 650 g/m2
- Tensile strength (warp/weft) NF EN ISO1421 standard 280/260 daN/5cm
- Tear strength (warp/weft) DIN 53.363 standard 28/25 da
- Light transmittance NFG 38.511 standard 13%
- Applicable temperature -30°C /+70°C
- Fire response DIN 4102 Class B1

# There are several ways to fix the canopy:

■ Steel fastening

Use steel to secure the tent on grass, asphalt or other soft ground.

■ Expansion bolt fixed

Secure the tent to the concrete floor using expansion bolts.

■ Fixed with weights

If the field is not allowed to use steel or expansion screws can use cement pier, water tank and  $\ensuremath{\mathsf{I}}$ 

Sandbags to secure the tent.

■ Load-bearing floor system

Use a load-bearing floor system to secure the canopy, eliminating the need for additional steel or expansion screws.

■ Embedded parts fixed

For large bungalows with a long use time, it is necessary to make foundation embedded parts, tent structure and

Embedded part connection.

#### RFQ:

## \*Q1. Does your company provide any help to install the tent?

A:Yes, usually we will send manual guide books or Video to help customer installation. If customer need our engineer come to their country to help install,that is also workable.

## \*Q2: Does your tent be able to install repeatedly?

A:Yes, Our tents can be assembled and dismantled and repeatedly. They installed sections by sections, Aluminum structure can be used for 25 years,PVC fabric can be used for 8-10 years.

## \*Q3. Can I visit your company?

A: Yes, Sure, welcome, we are in Qingyuan which is near Guangzhou and Shenzhen. From Guangzhou Airport to our factory around 40 minutes.From Guangzhou to Shenzhen around 1.5 hours by car.





Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building, 8th zone, Aoyuan city plaza, Zhongcun Street, Guangzhou, Guangdong, China