



Trade Show White Pvc Wedding Marquee Tents Wedding Party Canopy Tent Wedding Set Up

Our Product Introduction

Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month




Product Specification

- Product Name: Wedding Tent Purchase
- Aluminum Profile: Aluminum Alloy Profile Extruded
- Oem/odm: Available
- Cover Material: Double PVC-coated Fabric, waterproof, fireproof, sunproof
- Color: White/red/blue/green/yellow/black Etc.
- Warranty: 5 Years
- Funtion: Can Be Assembled To Bigger Or Smaller
- Usage: Wedding ,celebration ,festival ,fashion Show Exhibition ,etc.
- Highlight: **White Pvc Wedding Marquee Tents, Trade Show Wedding Marquee Tents, Fireproof Wedding Event Tent**



More Images



for more products please visit us on marquees-tent.com

Product Description

Trade Show White Pvc Wedding Marquee Tents Wedding Party Canopy Tent Wedding Set Up

Product Specification:

Frame	High Reinforced Anodized Aluminum 6061/T6
Roof Cover	850gsm Blockout PVC Coated Fabric, Fire Retardant, UV Resistant, Water Proof. (Or 950gsm 0.75mm thick Transparent PVC fabric,waterproof.)
Wall Cover	650gsm Translucent PVC Coated Fabric, Fire Retardant, UV Resistant, Water Proof.(Or950gsm 0.75mm thick Transparent PVC fabric waterproof.)
Features	Allowed temperature condition: -30 degree Celsius to +70 degree Celsius. Steel Connector: Hot Dip Galvanized Steel
Lifespan	Aluminium frame is 15-20 years,roof cover and sidewall is 8-10 years under proper use

The composition of the tent :

- 1 Herringbone beam
- 2 columns
- 3 End column
- 4 Beams
- 5 Cross beams on both sides of the end face
- 6 End middle beam
- 7 Roof square pipe
- 8 Girth rod (round tube)
- 9 Tie rod (round tube) on both sides of cloth end face
- 10 cloth end face middle tie rod (round tube)
- 11 double girder joints
- 12 footing
- 13 End footing
- 14 Press the cloth rod
- 15 End press rod on both sides
- 16 End middle press rod
- 17 Direct Connection
- 18-bend connection
- 19 Mountain flat aluminum
- 20 Tensioner
- 21 rope
- 22 Install the fork rods
- 23 screws
- 24 top cloth
- 25 triangle cloth
- 26 cloths
- 27 Wrapping on both sides of the end face
- 28 Middle end covering

More details :

It is understood that some standardized tents Although convenient in application, in some Special occasions often do not meet the needs of the event Please. For example, the current domestic conventional tent side The height is generally 4m, but as some style This height is very useful for active use Limited sex, requires special treatment, will edge Increase the height to 5m or 6m; For brevity, often The design of the tent house is generally not with Floating eaves, while many customers may need to set Plan a canopy with floating eaves to extend the canopy The use of space, at the same time both rain shade The function of.

"On the technical side, customized services can Fully realize the individual needs of customers, including The style and material of the tent can be according to the customer

Change is required." Tian Li, for example, compared
Such as the side wall of the tent, the conventional glass side wall is
There's a whole side of glass, but it can vary
The needs of households, the tent design with the house
Like, half designed as closed side walls, and the other
Half of them have outward-opening glass Windows, okay
Close or open at any time to enhance the transparency of the tent
Gas, ventilation.
By promoting custom services, awning
Housing captures customers with differentiated needs,
Thus making the company in recent years at home and abroad
The scale of the business has grown rapidly, only in terms of exports,
Overseas sales in the first three years
It's doubled.

FAQ :

1.Can I change the tent length?

Yes, the tent can be decreased or extended freely. Take 20x30m tent for example, it can be used as 20x20m tent or extended to 20x50m tent with some extra parts.

2.Can your tent be able to install repeatedly?


Yes, the tent can be assembled or dismantled repeatedly under it's life span.

3.How to get the product?

After all the details is confirmed, we'll start the production.

When goods finished, we'll arrange the shipping from our port to your destination port by the forwarder.

You'll be informed when the goods arrive. Meanwhile, some costs and import taxes needs to be paid then.



Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China