



## Fastup Water Resistant Wedding Marquee Tents Aluminum Frame Heavy Duty Lighting Luxury Wedding Tent

### Our Product Introduction

#### Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month




#### Product Specification

- Product Name: Lighting For Tent Wedding Reception
- Aluminum Profile: Aluminum Alloy 6061-T6
- Feature: Water Proof, UV Resistance, Fire Retardant(DIN4102,B1,M2)
- Tent Roof Fabric: 850g/sqm, 750g/sqm, 650g/sqm Heavy Duty White / Clear PVC Fabric
- Wind Loading: 100km/h Or Customized
- Lifespan Of Frame: 15 To 20 Years If Well Maintained
- Lifespan Of Cover: 5 To 10 Years If Well Maintained
- Color: White,any Colors Is Available
- Highlight: **Water Resistant Wedding Marquee Tents, Heavy Duty Lighting Wedding Marquee Tents**



#### More Images



## Product Description

### Fastup Water Resistant Wedding Marquee Tents Aluminum Frame Heavy Duty Lighting Luxury Wedding Tent

#### Product Specification:

General Parameters	
Item	Wedding Tent
Application	Outdoor wedding, Event, Party, Celebration, Ceremony, Promotion, Exhibition, Warehouse, etc.
Eaves Connection	Steel
Overall Framework	Steel/Galvanized Steel
Wind Loading	100km/hour, 0.5kn/m <sup>2</sup>
Roof Fixing	Rubber tensioner
Cover Material	Waterproof, fireproof, UV resistant
Framework material	Hard pressed extruded aluminium 6061-T6
Size	Customized Size
MOQ	1set
Color	Optional color, such as transparent, white, red, blue, yellow, etc.
Side Wall	Glass, sandwich panel wall, ABS wall, 100%polyester base fabric PVC walls
Optional Accessories	PVC window sidewalls Glass door units Anchoring Transparent PVC cover and sidewall, Rain gutter Flooring system Lining and curtain Weight plate Hard walling system Glass walling system

#### 4.4 Stability and evenness test :

4.4.1 Analysis of the stress limit state of each load and its combination under the conditions of the most unfavorable load combination And deformation stability check calculation. Check the stress and bending moments to ensure that they do not exceed the limit bearing capacity of the tent construction fittings or Provisions relating to the suitability of tents.

4.4.2 The design of the tent shall be calculated for safety against overturning, sliding and lifting. Anti-overturning safety, anti-sliding Safety check calculation safety factor should not be less than 1.3. If the weight of the structure alone does not ensure the safety of the tent, Further fixing measures should be taken, such as the addition of load-bearing materials, anchors (embedded bolts, expansion bolts), and supports

Let's wait.

4.4.3 Wind support should be set on the roof and wall, and should be considered in the design calculation of supported units Consider the stress on the main structure due to the support.

#### 4.5 Materials

Table 4.5.1 Requirements for membrane materials and their connection strength

item

Standard tensile strength N/cm mass

The amount

(g/m<sup>2</sup>)

thick

The degree of

(mm)

Coating layer

(g/m<sup>2</sup>)

Normal humid high temperature

Film material  $\geq 200 \geq 160 \geq 140 \geq 550 \geq 0.5 \geq 400-1100$

even

Pick up

The ministry of

position.

machine  
machinery  
≥140 ≥120 ≥90 --  
its  
he  
≥160 ≥120 ≥90 --

4.5.1 The structural materials and components used in the design of the tent shall meet the requirements of relevant national standards.

4.5.2 The performance index of the membrane material shall be selected according to the use requirements of the temporary house, but shall not be lower than Table 4.5.1

The requirements of.

4.5.3 The quality and performance of decorative materials shall meet the requirements of relevant national standards.



Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China