

PVC Fabric Wall Alumium Frame Luxury Event Tents Self Cleaning For Commercial Ceremony Festival Marquee Hire

for more products please visit us on marquees-tent.com

Basic Information

 Place of Origin: 	Guangdong
 Brand Name: 	Tendars
 Certification: 	ISO9001, SGS, Coc, CE
 Model Number: 	Big tent
Minimum Order Quantity:	25 square meters
• Price:	Reconsideration
 Packaging Details: 	1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
 Delivery Time: 	18days or To be negotiated
 Payment Terms: 	L/C, T/T, Western Union, MoneyGram
Supply Ability:	50000 Square Meters per Month



Product Specification

0.1	White / Clear PVC Fabric
Color:	White, Gray, Transparent Or Customized
 Lifespan Of Frame: 	15 To 20 Years If Well Maintained
 Lifespan Of Cover: 	5 To 10 Years If Well Maintained
Outside Tent Waterproof Index:	>3000 Mm
Highlight:	Alumium Frame Luxury Event Tents.

Self Cleaning Luxury Event Tents, Commercial Event Marquee Tent



More Images



Product Description

PVC Fabric Wall Alumium Frame Luxury Event Tents Self Cleaning For Commercial Ceremony Festival Marquee Hire

for more products please visit us on marquees-tent.com

Material	Product Code	Unit Space	Span	Eave Height	Total Height	Main Pipe Spec.	The tallest Pipe
Steel	SGP030303	3	3	3	3.6	40*60	3
Steel	SGP030403	3	4	3	3.8	40*60	4
Steel	SGP030503	3	5	3	4	40*60	5
Steel	SGP030603	3	6	3	4	40*60	6
Steel	SGP030803	3	8	3	4.4	40*60/50*70	4.3
Steel	SGP031003	3	10	3	4.9	50*70	5.2
Aluminium Alloy	SLP051003	5	10	3	4.6	48*100/68*122	5.2
Aluminium Alloy	SLP051204	5	12	4	5.9	68*122	6.3
Aluminium Alloy	SLP051504	5	15	4	6.4	88*166/108*150	8
Aluminium Alloy	SLP051804	5	18	4	6.9	112*203	9.6
Aluminium Alloy	SLP052004	5	20	4	7.25	112*203	10.6
Aluminium Alloy	SLP052505	5	25	5	9	112*203	10.6
Aluminium Alloy	SLP053005	5	30	5	9.8	113*259	10.6
Aluminium Alloy	SLP053505	5	35	5	10.7	125*300	10.6
Aluminium Alloy	SLP054005	5	40	5	11.5	128*300	11
Aluminium Alloy	SLP055005	5	50	5	13.5	125*350	13.3

Different shapes of tent :

1. A shape tent

• Available width: 3.00 m, 4.00 m, 5.00 m, 6.00 m,

- 8.00 m, 9.00 m, 1 0.00 m, 1 0.00 m, 1 2.00 m,
- 1 5.00 m, 1 6.00 m, 20.00 m, 21.00 m,
- 25.00 meters, 30.00 meters 40.00 meters 50.00 meters 60.00 meters
- Side height: 2.40m 3.00m 4.00m
- Bay distance: 3 m, 5.00 m
- Structure length: unlimited
- · Roof form: Standard A-shaped roof

2. Arched tent

- Available width: 3.00 m, 4.00 m, 5.00 m, 6.00 m,
- 8.00 meters, 9.00 meters, 1 0.00 meters, 1 2.00 meters,
- 1 5.00 meters, 20.00 meters, 25.00 meters, 30.00 meters
- Side height: 2.30 meters, 2.40 meters, 3.00 meters, 4.00 meters
- Bay distance: 3.00 m, 5.00 m
- Structure length: unlimited
- Roof form: Arch

3. A shape with pagoda

- Available width: 6.00m 8.00m 9.00m, 1 0.00 m
- 20.00 meters 1 2.00 meters 1 5.00 meters
- Side height: 2.30 meters, 3.00 meters, 4.00 meters
- Bay distance: 3.00 m, 5.00 m
- Structure length: unlimited
- · Roof form: A shape with a pointed roof

Advantages of a tent :

Canopy with its instantaneity, large span, natural lighting, long life, beautiful and other excellent performance, instead of traditional building forms,

Realize your architectural requirements. If your needs change, it can also be easily migrated or expanded quickly in today's world In changing circumstances, this flexibility is very beneficial. For some special environmental conditions and practical requirements, with traditional architecture

In contrast, the tent can better reflect its form and material advantages.

Because of the flexible disassembly, storage and transportation, the tent is called "mobile real estate". Tent series products to standard unit combination

Type, span from 3 meters, 6 meters, 8 meters, 10 meters, 15 meters, 18 meters, 20 meters to 25 meters, the length can be limited extension, also

It can be flexibly customized according to the style of exhibition activities and the characteristics of the venue. At present, it is widely used in professional exhibitions, fairs,

Celebrations, outdoor weddings, sports events, festivals (music festivals, beer festivals, food festivals, etc.), temporary warehouses, factories Housing, temporary construction, emergency disaster relief, etc.

The self-cleaning performance of the tent: Because the PVC film material is treated with chemical agents, its surface is not vacuumed, antipollution and anti-mildew

Bacteria have the comprehensive characteristics of maintaining the self-cleaning of the membrane surface. The PVC film we use has high selfcleaning performance, one

In terms of preventing the aging of the substrate and PVC coating, extending the life of the film material, on the one hand, making the surface non-stick to ash and rain

The condensation of water can make the surface of the film natural cleaning. According to the application of different products, we use 5-20 years of life

The membrane of life. In addition to the use of special PVC film material, so that it has to filter part of the light, its own tent structure can also be installed

Install hard wall panels, glass walls, glass doors, air conditioning in the room, can adjust the temperature in the tent.

The optical performance of the tent: The optical performance is also very important for PVC film material, and it is mainly applied in the product For shading tarpaulin and semi-shading tarpaulin. Its role:

First, it can filter out most of the ultraviolet rays to prevent the fading of internal items;

Second, it has a certain transmittance to natural light, so that the transmission produces diffuse light inside the structure, no shadow, no glare, and at night

When the light is illuminated, it emits a natural soft glow, which is intoxicating;

1 5.00 m 25.00 me





