



## Warehouse Storage Tent Heavy Duty Prefabricated Large Aluminum Frame Heavy Duty Storage Shelter

Our Product Introduction

for more products please visit us on [marquees-tent.com](http://marquees-tent.com)

### Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



### Product Specification

- Product Name: Best Storage Tents
- Material: Aluminum & PVC
- Roof Cover Fabric Material: 850g/sqm Double PVC-coated Polyester Textile
- Color: Customized
- Side Wall: PVC Walls, Corrugated Steel Plate, ABS Wall, sandwich Panel Wall, etc.
- Application: Exhibition/party/event/trade Show/wedding/warehouse
- PVC Function: Waterproof/Fireproof/UV Proof
- Fire Resistance: DIN4102 B1/M2(Europe Standard)
- Highlight: **Heavy Duty Warehouse Storage Tent, Prefabricated Warehouse Storage Tent, Aluminum Frame Warehouse Storage Tent**



### More Images



Our Product

### Product Description

#### Warehouse Storage Tent Heavy Duty Prefabricated Large Aluminum Frame Heavy Duty Storage Shelter

Description :

Here is regular tent solution

How much storage area i need?	Width in meter	Length (in Meter)	Item no
100m2	6m	18m	TDS-6
200m2	10m	21m	TDS-10
300m2	10m	30m	TDS-15
500m2	15m	35m	TDS-15
1000m2	20m	50m	TDS-20

#### Warehouse industrial canopy and steel construction contrast :

1. The warehouse industrial canopy is far better than the traditional steel structure warehouse in terms of economy and flexibility, and there will be no soil required for building  
Local licensing requirements. Because the basic conditions are less required and the cost is lower, its maintenance is convenient and affordable.  
awning  
The construction period of the house is short, it can be disassembled repeatedly, and the transport is light. Most critically, the modular design of the warehouse industrial canopy is used  
The integration of the warehouse provides a good foundation that can be tailored to your needs for buildings for industrial applications.  
The warehouse industrial canopy adopts German technology and complies with international building codes. The support material is made of high-strength oxidized aluminum alloy, which is rust-proof, safe,  
Strong and durable, the structure can choose any span from 3 meters to 66 meters, the length is unlimited splicing, and the interior of the tent does not need any bearing  
The pillar. The warehouse canopy built in accordance with the operation specifications can withstand strong winds of at least 80 km/h. Storage tent 100%  
The space utilization rate of container trucks, forklifts and other vehicles can easily enter and exit the tent from all sides, while shelves, cards and other tools  
It is also more than enough to fit, which is very suitable for frequent manufacturers.
2. Compared with traditional buildings, steel structure buildings have obvious advantages, and they themselves have industrial advantages in energy saving, environmental protection, heat preservation and other aspects  
Therefore, the warehouse building created by the steel structure should be much better than the traditional warehouse building, and secondly, the use of the steel structure, because  
In order to have the advantage of high strength itself, steel structure warehouses generally use light roof and wall structures, and the building material phase is used  
It is less, and the question type is small, and the self-weight is light, which has a great guarantee for the safety of the warehouse staff, and it is also very transportation  
Convenient, light structural weight saves the cost of transportation and lifting, the base load is also reduced correspondingly, reducing the base cost,  
There is also due to the high strength of steel, the light weight of the house, with the steel structure skeleton as the support structure, which can better stretch the building empty  
It is convenient to build a steel structure warehouse with a space and a larger depth, and the cross-section of the required components is small, under the same building area,  
The use of steel structure buildings can effectively improve the utilization rate of building space, and the utilization rate is increased by 5%-7%.  
Unique good extension of steel structure  
Earthquake resistance also promotes steel structure buildings to be able to resist the impact of the natural environment, so for many companies, warehouses make  
The steel structure is undoubtedly their best choice, because the steel structure warehouse has enough characteristics to make people trust

#### Tent packing :

Tent Packing	
Tent frame	wrapped in plastic bubble sheet
Tent roof covers and fabric sidewalls	packed in carry bag
Tent accessories small pieces	in PVC carry bag
Tent doors / walls	Packed in pallets
Tent packing optional	Wooden box, framed with square steel
Shipment	by sea, by air shipment, by railway, by truck

#### FAQ :

##### Q1. Do you accept container loading inspection?

You are welcomed to send an inspector, not only for the container loading, but any time during the production time.

##### Q2:How is the quality of the product guaranteed?

Our products will be strictly tested by the quality inspection department before leaving the factory, and each product will be strictly controlled to ensure product quality.

##### Q3. How can you get quotation for your projects?

You can contact us by email, phone, WhatsApp, Skype, Viber and so on 24\*7 and you will get reply within 8 hours.



**Guangzhou Tendars Tent Co., Limited**

☎ 0086 13640286461

✉ amanda@marquees-tent.com

🌐 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China