Outdoor Waterproof, Fireproof, UV Resistance Glamping Tent Dome House With Bathroom For Hotel Resort

Basic Information

. Place of Origin: Guangdong, China

Brand Name: Tendars

· Certification: ISO9001, SGS, Coc, CE

Model Number: small tent

Minimum Order Quantity: 25 square meters • Price: Reconsideration

 Packaging Details: 1, The aluminium frame structure packed into

the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.

Delivery Time: 18days or To be negotiated

• Payment Terms: L/C, T/T, Western Union, MoneyGram

· Supply Ability: 50000 Square Meters per Month



Product Specification

Product Name: **Outdoor Glamping Tent**

Cover: 850g Pvc White And Clear Cover

Color: White, Clear

Characteristics: Waterproof, Fireproof, UV Resistance • Usage: Display, Promotion, Party, wedding And

Events

Printing Type: Silk-screen Printing, Digital Printing, heat

Transfer Printing

. Connectors: Hot-DIP Galvanized

Ground Anchor, Expandable Bolt, Weight . Fixing Solution:

Plate, Ect.



More Images





Our Product Introduction

Product Description

Outdoor Waterproof, Fireproof, UV Resistance Glamping Tent Dome House With Bathroom For Hotel Resort



Contact: Amanda Chan Whatsapp: +86 13640286461

Email: amanda@marquees-tent.com

Product Parameter :

Dome tent consisting of a seamless steel tubes used to enclose space. The dome design is in conjunction with the geodesic design, creates an amazingly strong structure using a minimal amount of material. Domes Tent size can be custom-made from 3m to 50m in diameter and are commonly used for events, camping, greenhouses, temporary structures or to enclose equipment. JIEOL dome frames are made from stoving varnish, galvanized steel and stainless steel. Dome cover is double-coated PVC fabric. The features of pvc cover is Fire Retardant (DIN 4102 B1, M2), Wateroof, UV Resistance.

Product Specific	cation: 4m - 8m Di	ameter					
Main Frame	25*2.0 mm / White stoving varnish seamless steel tube						
Cover Material	850 g/sqm for clear cover, 850 g/sqm for white cover						
	Double PVC-Coated Polyester, Waterproof, UV resistance						
	Fireproof comply to DIN 4102 B1, M2 (European standard)						
Life Span	5 -10 years for PVC cover, 10 -15 years for tube						
Fixed Type	Wooden, concrete, grass, sandy land and so on						
Wind Load	90 - 110 km/h	Snow Load	65- 75 kg/sqm	Warranty	5 years		
ITEM	DIAMETER (m)	HEIGHT (m)	Floor Area (sqm)	Weight (kg)	Packing (cbm)	Quantity (set)	
	4	2.3	13	225	0.7	1	
	5	2.9	20	260	0.9	1	
	6	3.5	28	320	1	1	
	7	4.1	38	390	1.2	1	
	8	4.7	50	450	1.4	1	
color	3 options, 100% transparent, 100% white, 30% transparent + 70% white						
accessories	Pressing bar, Basements , Screws, Installed tools						

Main Profiles	Available Size (mm):20 X 1.5		
	Material: powder coated steel pipes Q235		
	Features: stainless, durable (estimated lifespan of 10+ years)		

Cover	Density: 850 g/sqm double coated blockout white PVC		
	950 g/sqm transparent PVC		
	Material: PVC coated polyester fabric		
	Features: waterproof, UV resistant, fire retardant (DIN4102, B1, M2 & NFPA 701)		
Components	Superior enclosure with hot dip galvanized steel		

Product Applications

Manufactures both standard and custom event domes for your most important events, including promotional tours, trade shows, sporting events, corporate parties, product launches, light shows, wedding banquets and many more.

FQA:

Q: Can we print our logos on tent?

-Yes.Customized logos can be print on the tent fabric according to your requirements.

Q: Does your tent be able to install repeatedly?

-Our tents can be assembled and dismantled repeatedly with small transportation size.

Q: Is it easy to install the dome tent?

-Yes, just 3people take 4hours to finish one 6m dome tent. and we will provide installation drawing and video to help you.

Q: Has your tent product been certified?

-Yes. we have CE certification and SGS anti-fire test certification for PVC fabric.

Q: How about the wind loading and the snow loading of your tents?

-Max wind loading is 120km/h and snow loading is 75kg/sqm.

Q: How long is the warranty period?

-Two years without malicious damage, but lifespan is more than 5years.

Q: what services can we provide?

-Accepted Delivery Terms: FOB,CFR,CIF,EXW,DDP,Express Delivery; Accepted Payment Currency:USD,EUR,HKD,CNY; Accepted Payment Type: T/T,L/C,MoneyGram,PayPal,Western Union,Cash;

Q: What's your package?

-Bubble film for metal structure and PVC bag for cover part, wood case for glass part to gurantee the products is intact during long time transportation.

Q: How about the delivery date after confirming order?

-one to five sets dome tents take about 7days and five to ten sets dome tents take about 10days, more than 10sets take about 15-20days.



Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building, 8th zone, Aoyuan city plaza, Zhongcun Street, Guangzhou, Guangdong, China