



## Custom Aluminum Cheap Portable Stage, Concert Stage With Curtain Packed By Flight Case

Our Product Introduction

### Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS Coc, CE
- Model Number: Truss Frame
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



### Product Specification

- Product Name: Concert Stage
- Stage Platform Thickness: Plywood 30mm Thickness
- Stage Riser: 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.8, 0.9, 1.0m
- Riser Material: Aluminum 6082 T6
- Loading Weight: 800kg/sq.m
- Connection: Allen Key Lock System
- Color: Black
- Portable Stage: Stage Deck/ Platform +stage Riser



### More Images



for more products please visit us on [marquees-tent.com](http://marquees-tent.com)

## Product Description

### Custom Aluminum Cheap Portable Stage, Concert Stage With Curtain Packed By Flight Case

#### Product Description:

Lightweight and compact for easy setup, transport and storage.  
Durable grey carpet, Tuffcoat and Industrial finish.  
Multiple layer platform construction featuring honeycomb structure with a weight capacity of up to 185 lbs./sq. ft (900 kg/sq. metre).  
Convenient cable and electrical ports on select platforms.  
Metal reinforced corners and aluminium profile edges.

Platform dimension	1mx1m ( 1m x 2m, 3ft x 3ft, 4ft x 4ft available)
Platform type	Carpet ,non-slip, tuff-coat , plexiglass,
Platform shape	Square,rectangle, triangle,quarter round, step
Height range	10-100cm,8",16" ,24" ,32",40"
Max load capacity	900KG/SQM
package	Standard cartons,trolley,cases
certificate	CE
Payment terms	T/T,West union
application	Events,performances,party,catwalkshow,concert, exhibiton and convention,hotel,outdoor activies, dj, etc.

#### Details:

Difference between 30mm thickness stage and 18mm thickness stage :

**1. Loading capacity** : 18mm thickness -----700kg/sq.m

30mm thickness -----900kg/sq.m

30mm thickness is much more firm and could load more.

#### 2.Different lock system :

30mm thickness fixed by hex key . 18mm thickness fixed by lock.

#### Features:

**Size:** Concert stages come in various sizes to accommodate different types of performances and venues. They can range from small stages for intimate shows to large stages for stadium concerts.

**Construction:** Concert stages are typically constructed using sturdy materials such as steel or aluminum trusses and platforms. The construction should be robust enough to support the weight of performers, equipment, and stage props.

**Height:** Concert stages are often elevated to provide better visibility for the audience. The height of the stage can vary depending on the venue and the type of event.

**Backdrop:** Many concert stages feature a backdrop or backdrop panels that can be used to display branding, logos, or visuals related to the performance.

**Lighting and Sound:** Concert stages are equipped with lighting and sound systems to enhance the performance and create the right atmosphere. These systems may include stage lighting, spotlights, speakers, and audio equipment.

**Accessibility:** Concert stages should be accessible to performers, crew members, and technical staff. This may include backstage areas, dressing rooms, and equipment storage areas.

**Safety Features:** Safety is a critical consideration for concert stages. They should be designed and built to meet safety standards and regulations to prevent accidents and ensure the well-being of performers and audience members.

### Why choose us?

1. Competitive price guarantee and 100% quality inspection and fast delivery time
2. Instant feedback for any inquiry
3. Sample or trial order is acceptable. Mixed order support, fast delivery time, competitive price.
4. Relative merchandises with ISO9001, SGS,Coc, CE certification.

If you are interest in our production, please contact us  
We will offer the best quality products and after-sale service!



**Guangzhou Tendars Tent Co., Limited**

☎ 0086 13640286461

✉ amanda@marquees-tent.com

🌐 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China