



White Gray Transparent Customized Canopy Pagoda Tent For Outdoor Event Party

Our Product Introduction

for more products please visit us on marquees-tent.com

Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Small tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month




Product Specification

- Features: Water Proof, UV Resistance, Fire Retardant(DIN4102,B1,M2)
- Product Name: Pagoda Tent For Outdoor Event
- Tent Roof Fabric: 850g/sqm PVC Coated Polyester Fabric
- Sidewall: 650g/sqm PVC Coated Polyester Fabric
- Fabric Color Option: White, Gray, Transparent Or Customized
- Wind Load: 100km/h Or Customized
- Application: Party, Wedding, Event, Etc
- Warranty: 5 Years
- Highlight: **Customized Canopy Pagoda Tent, Transparent Canopy Pagoda Tent**



More Images





Product Description

White, Gray, Transparent Or Customized Canopy Pagoda Tent For Outdoor Event Or Party

Product Description:

Main Frame	Hardpressed Aluminum Alloy T6061/T6
Roof	850g/sqm white PVC coated Fabric
Sidewall	650g/sqm white PVC coated Fabric
Available Width	3-10m
Length	3-10m
Height	2.5-3m or customized
Application	Party, Event, Wedding, Exhibition

Details:

Main Features of Pagoda Tent

- Optional Size
3 - 6m (10 - 20ft) span option for different capacity and application.
- Optional Sidewall
French windows, glass wall, ABS wall and sandwich panel are available in pagoda sidewall system.
- Quick Installation
Chinese hat tent can be installed in a rapid manner by its modular and portable feature.

PAGODA TENT SPECIFICATION		
Main Profiles	Material	Hardpressed Extruded Aluminum Alloy T6061/T6
	Available Size	84 x 48 x 3mm
	Hardness Quality	At Least 250 MPa
	Features of Frame	Stainless, Lightweight, Durable, 4 Channel
	Windload	Up to 100km/h
Cover	Material	850g / sqm Block-out white PVC Tarpaulin, 950g / sqm transparent PVC Fabric; 650g/sqm White PVC for Sidewall
	Thickness	≥0.67mm
	Features	Best performances in breaking strength, water-proof, UV-proof, flame retardant (DIN4102 B1 M2 / NFPA701)
Component	Superior Enclosure with Hot Dip Galvanized Steel.	

Our Product Introduction

for more products please visit us on marquees-tent.com

FQA:

Q1. What is the MOQ ?

One Set.

Q2. What is the Payment Term ?

30% Deposit to be made After signing PI, 70% before shipment.

Q3. What is the Normal Product Time for Standard Design?

15 - 25 days after deposit received.

Q4. Does Tenders Provide Basic Installation Tool?

We provide ropes to connect the PVC sidewall and fork for helping set up the frame.

Q5. Do You Provide Any Guidance on the Job-site?

We will attach the build instructions in your product package. If you need, we will send our technology staff and project manager to provide installation guidance in your job-site for FREE.

Q6. Where can I installed the Tent Structures?

Clear span tent structures can be installed without land permission and foundation unlimited. You can set up the tent on hard land, grassland, or sand land. Also, we will offer different fixation kit for your requirement.



Guangzhou Tendars Tent Co., Limited

☎ 0086 13640286461

✉ amanda@marquees-tent.com

🌐 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China