

Customized Hexagonal Pagoda Tent With Glass Wall Glass Door Lining Floor

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number: Small tent
- Minimum Order Quantity:
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.

25 square meters

Guangdong

ISO9001, SGS, Coc, CE

Tendars

- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



Product Specification

- Product Name: Customized Pagoda Tent Color: White / Clear / Custmized • Size: 3*3 /4*4 /5*5 /6*6/ 8*8/ 10*10 Ect • Feature: UV Resistance / Waterproof / Flame Retardant / Movable • Frame Material: Hard Pressed Extruded Aluminum Alloy Glass Door/Lining /Floor Ect Accessories: · Snow Load: 75 Kg / Sqm • Wind Load: 100km / H
- Highlight:



More Images





Customized Hexagonal Pagoda Tent, Hexagonal Pagoda Tent With Glass Wall



Product Description


Customized Design Hexagonal Pagoda Tent With Glass Wall, Glass Door/Lining /Floor Ect

Product Description:

Certificate	ISO9001, SGS,Coc, CE
Roof Cover	850g / sqm PVC fabric
Size	3*3 /4*4 /5*5/ 6*6 /8*8/9*9/ 10*10
Frame Material	Hard Pressed extruded aluminum alloy
Side Wall	PVC wall /With siae wall / glass wall / ABS wall
Application	Wedding tent /Event tent/Garden tent ect
Wind Retardance	100km / h
Flame Retardance	DIN4102,B1,M2
Temperature Resistance	-30 Degree Celsius ~ +70 Degree Celsius

Details:







Hardness achieved 15HW



Our aluminum alloy code 6061/T6, hardness achieved 15HW.The wind load capability is base on the aluminum hardness

Hard pressed extruded aluminum alloy, anodize surface handling, silver color, sturdy and neve


1.Frame material:

rust; over 15~20years life span.

2. Cover Material

Fabric cover

High quality double PVC-coated polyester cextile, 100% waterproof, flame retardant to DIN4102 B1, M2, CFM, UV resistant, tear resistant, self-cleaning ability, etc.



Fabric cover double PVC-coated polyester fabric

Flame retardant to DIN4102 B1, M2, CFM

Our PVC fabric flame retardant according to German standard DIN4102 B1,M2 and USA standard CFM/NFPA 701.



Cover:High quality double PVC-coated polyesster cextile,100% waterproof, flame retardant,UV resistant,tear resistant, self-cleaning ability,etc. Roof cover: 850g/sqm white PVC or 950g/sqm transparent PVC. Side wall: Transparent tempered glass wall.

FAQ

1.Can you print our logos on tent?

Yes.Customized logos can be print on the tent fabric according to your requirements.

2.What is the delivery time?

In general, about 7-15 working days. If your order is large is large or customized, the led time need more time.

3.Is your tent strong and stable enough?How about the wind loading?

Yes, It is can resist wind up to 100 km/hr, if the wind or snow is very heavy, please tell us and we will strengthen the tent to keep you safe!

4.How Can I Pay?What is your guarantee?

I suggest you choose the Trade Assurance Order on alibaba. If you don't know what is trade assurance. order please click here to learn about it.

5. Does your company accept customized tent?

Yes.we can make the tent according to our customers different need.

6.Does your company is a factory?

Yes.we are a factory, so ou price is really reasonable, but with high quality.

Our Services

- 1. Your message, inquiry or email will be replied at the first time and at any time.
- 2. Your questions will be always answered carefully and quickly.
- 3. The best price will be provided to you.
- 4. The best quality tents will be always provided by us.
- 5. Good packing ways will be ensured.
- 6. The best after-sales service will be ensured.
- 7. Your property right will be kept secret all the time by us.

