



Waterproof Commercial Geodesic Dome Tents With Clear Window Trade Show Dome Tent

Our Product Introduction

Basic Information

- Place of Origin: Guangdong , China
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Small tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month




Product Specification

- Features: Water Proof,uv-resistance,fire Retardant(DIN4102,01,M2)
- Product Name: Commercial Geodesic Dome Tents
- Frame Material: Hot Galvanized Q235 Steel Tubes With White Powder Coated
- Roof Cover Material: 850g/sqm White(or Optional Color) PVC Fabric
- Color: White,gray,transparent Or Customized
- Size: Diameter 5m-50m Support Customized
- Application: Wedding, Party, Event, Exhibition,etc
- Logo: Accept Customized Logo
- Highlight: **Commercial Geodesic Dome Tents, Geodesic Dome Tents With Clear Window, Waterproof Geodesic Dome Tents**



More Images



Product Description

Trade Show Dome Tent Geodesic Waterproof Commercial Geodesic Dome Tents With Clear Window

Product Parameter :

Dia-(m)	Floor Area-(m ²)	Struts Size-(m)	Capacity (Events)
8	50.24	Φ38x1.6mm	25-30
10	78.5	Φ38*1.6mm	50-70
12	113.04	Φ38*2.0mm	80-100
15	177	Φ40*2.0mm	120-150
18	254	Φ40*3.0mm	180-220
20	314	Φ48*3.0mm	250-300
25	490	Φ48*3.0mm	400-450
30	707	Φ60*4.0mm	500-600
35	961	Φ60*4.0mm	600-800
Other customized sizes, please contact us!			

Main features:

1) Cover Material

The cover is made up of the 850g/sqm waterproof PVC fabric, it is also UV resistant and mildew proof, fire retardant to DIN 4102, B1, M2/NFPA701). We use CNC cutting and drilling technology to cut the cover to ensure the smoothness and accuracy. You can also print other colors on it, or print brand name, Logo and other patterns.

2) Durable Structure And Enclosure System

Our 10m dome tent is structured by powder coated steel pipe Q235 with hot galvanized surface and the frame pipe size Φ20×1.5mm. The triangle shape unit ensures the stability and durability, its windload can be up to 100km/h. The structure is lightweight but durable thanks to its even stress distribution.

3) Custom Option

Depending on your project's requirements, we offer besopke services and turnkey solutions to you. Full accessories like doors, windows, floor, lining, lighting, cooling and heating and cover fabric for you to choose. What's more, we can help you to connect two or more geodesic domes together for larger spaces.

4) Other application

With the good performance in appearance and usage, the event dome can be used to exhibition, trade shows, fashion shows, car shows, brand promotions, corporate parties, new product launches, outdoor weddings, outdoor concerts, etc.

FAQ:

1.What are the main features of commercial geodesic dome tents?

Commercial geodesic dome tents feature a sturdy and durable structure, often made from high-quality materials such as steel or aluminum frames and weather-resistant fabrics.

They offer a unique and eye-catching design that provides ample interior space without the need for interior support poles.

Many commercial dome tents are modular and can be expanded or customized to suit different event or business needs.

They are typically easy to set up and dismantle, making them ideal for temporary or semi-permanent installations.

2.How easy is it to install a commercial geodesic dome tent?

Installation difficulty can vary depending on the size and complexity of the tent. However, most commercial dome tents come with detailed instructions and can be assembled by a team of trained professionals relatively quickly.

3.Are commercial geodesic dome tents suitable for permanent installations?

While commercial dome tents are often used for temporary events such as trade shows, festivals, or weddings, they can also be used for semi-permanent or permanent installations with proper anchoring and reinforcement.

4.What materials are used in commercial geodesic dome tents?

The frame of commercial dome tents is typically made from high-strength materials such as steel or aluminum.

The cover material is usually a durable and weather-resistant fabric such as PVC-coated polyester or canvas.



Guangzhou Tendars Tent Co., Limited

☎ 0086 13640286461

✉ amanda@marquees-tent.com

🌐 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China