Clear Roof Marquee Lining Outdoor Tent For Wedding Event Party Price With Decoration Accessories

Basic Information

Place of Origin: GuangdongBrand Name: Tendars

• Certification: ISO9001, SGS, Coc, CE

Model Number: Big tent

Minimum Order Quantity: 25 square metersPrice: Reconsideration

• Packaging Details: 1, The aluminium frame structure packed into

the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.

Delivery Time: 18days or To be negotiated

Payment Terms: L/C, T/T, Western Union, MoneyGram
Supply Ability: 50000 Square Meters per Month



Email: amanda.tent89@gmail.co

Product Specification

Product Name: Outdoor Tent For Party Price

• Function: Outdoor Weddings, Large Events,

Exhibitions

Frame Material: 6061 Hard Pressed Extruded Aluminum Alloy

Side Wall:
PVC Walls,glass Wall,ABS Wall,sandwich

Panel Wall, etc

Connectors: Hot-DIP Galvanized

Ground Situation: Grassland,earth Land,asphalt

Ground, cement Ground, marble, etc

Fixing Solution: Ground Anchor, Expandable Bolt, Weight

Plate, Etc

Roof Cover: Double PVC-coated Polyester Textile



More Images





Amanda Chan Whatsapp: +86 13640286461


Product Description

Clear Roof Marquee Lining Outdoor Tent For Wedding Event Party Price With Decoration Accessories

Product Description:

item	value			
Place of Origin	China			
	Guangdong			
Function	Outdoor weddings, large events, exhibitions			
Frame material	6061 hard pressed extruded aluminum alloy			
service life	over 15 years			
Side Wall	PVC walls,glass wall,ABS wall,sandwich panel wall,etc			
Connectors	Hot-DIP Galvanized			
Ground Situation	grassland,earth land,asphalt ground,cement ground,marble,etc			
Fixing Solution	ground anchor, expandable bolt, weight plate, etc			
Certificate	ISO 9001:2008/GSG/CE			
Roof Cover	double PVC-coated polyester textile			

Deails:



Frame struss: hard pressed extruded aluminium 6061/T6(15HW) which can last more than 20 years. Fabric cover: high quality double PVC-coated polyester textile, 100% waterproof, flame retardant to

DIN4102 B1, M2, CFM, UV resistant, tear resistant, self-cleaning ability, etc.

Connector: strong hot-dip galvanized steel

Allowed temperature condition: -30 degree Celsius~+70 degree Celsius

Wind load: max. 100km/h (can be reinforced)

Snow load: 75kg/sqm (snow can't stay if use big degree roof pitch design)

Easy to be assembled and dismantled, movable. No pole inside, 100% available interior space.

>> Accessories of Our Trade Show Tents

Covers: colourful cover, transparent cover, inflatable roof cover

Windows: dome or square clear PVC windows, mesh window, glass window for glass wall

Wooden Flooring System: VIP cassette flooring, simple cassette flooring

Doors: double-wing glass door, single-wing glass door, glass fire door, aluminium door, rolling

shutter(automatic or manual)

Wall: soft PVC fabric wall, glass wall, ABS hard wall, sandwich panel wall, steel plate wall

Fixing Methods: ground anchors, weight plate, expandable bolts

Rain Gutters:inner roof beam rain gutter or rain gutter between two similar tents Other Optional Items: table, chair, lighting, AC, carpet, installation tools etc.

Feature

*The dome structure consisting of a seamless steel tubes used to enclose space.

*It with the geodesic domes design, the dome tent size can be custom-made from 4m(13ft) to 50m(164ft) in diameter.

*It is commonly used for glamping, hotel, camping, resort, greenhouse, temporary structures or to enclose equipment.

*The dome frames are made from stoving varnish, galvanized steel and stainless steel. *Dome cover is double-coated PVC fabric which it is Fire Retardant (DIN 4102 B1), Wateroof, UV Resistance.

Size imformation:

Tent Size(m)	Side Height(m)	Frame Size(mm)	Floor Area(m²)	Capacity (Events)
10x20	3	122x48x3	200	150-200 Peoples
15x30	4	166x88x3	450	380-450 Peoples
20x40	4	112x203x4	800	500-600 Peoples
30x50	4	120x250x4	1500	1200-1500 Peoples
40x60	6	120x300x5	2400	1500-1200 Peoples

FAQ:

1. Can you print our logos on the tent?

Yes. The logo can be print on the tent fabric according to your requirements.

2. What is the delivery time?

In general, about 7-15 working days. If your order is large or customized, the lead time need more time.

3. Is your tent strong and stable enough? How about the wind loading?

Yes, It is can resist wind up to 80-100 km/hr, if the wind or snow is very very heavy, please tell us and we will strengthen the tent to keep you safe!

4. Does your tent be able to installed repeatedly? What is the life span?

Our tents can be assembled and dismantled easily and repeatedly with small transportation size. The life span of aluminum framework can reach 8-10 years, and 4-6 years for PVC fabrics depending on different conditions of usage.

5. What documents are available?

A full range documents including structural drawings, packing list, installation manual and relative certificates can be provided. Moreover, customs declaration is provided. We provide one-stop service for you.



Email: amanda.tent89@gmail.com



Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China