




Football Soccer Court, Stadium Structure Sport Hall Marquee Events Large Tents

Our Product Introduction

Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



Product Specification

- Product Name: Sport Hall Marquee Events Large Tents On Sale
- Frame Material: Aluminum
- Color: Custom
- Size: Custom
- Accessories: Included
- Shape: A-frame
- Roof Cover: Aluminum Alloy GB6061-T6/6082-T6
- Side Wall: PVC Fabric Window
- Highlight: **Sport Hall Marquee, Stadium Structure Sport Hall Marquee, Events Sport Hall Marquee**



More Images



for more products please visit us on marquees-tent.com

Product Description

Football Soccer Court, Stadium Structure Sport Hall Marquee Events Large Tents On Sale

Description :

Frame Material	High-strength aluminium 6061-T6
Roof Cover	Double coated PVC polyester, 100% waterproof, fire retardant to DIN4102 B1, M2, CFM, UV resistant, tear resistant, self-cleaning ability, etc.
Side Wall Weight	650g/sqm
Roof Cover Weight	850g/gsm
Connector	Hot-dip galvanized steel
Allowed Temperature condition	-30 -70
Wind Load	Max. 100km/h (can be reinforced)
Snow Load	75kg/sqm (snow can't stay if use big degree roof pitch design)

Details:

Width	Bay Distance	Eave Height	Ridge Height	Main Profile
6M	3M	3M	3.96M	48*84*3
8M	3M	3M	4.28M	48*84*3
10M	3M	3M	4.6M	48*84*3
12M	5M	4M	5.92M	68*122*3
15M	5M	4M	6.4M	88*166*3
18M	5M	4M	6.88M	112*203*4
20M	5M	4M	7.2M	112*203*4
25M	5M	4M	8M	110*250*4
30M	5M	4M	8.8M	121*256*4.5
40M	5M	4M	10.4M	120*350*5
50M	5M	4M	12M	120*400*6



Wedding Tent



Warehouse Tent



Event Tent



Spain Cocktail Party Tent



Exhibition Tent



Malaysia Meeting Tent



Beef Festival



New products conference Tent



America Party Tent

Here's a general guide:

1. Site Preparation:

Choose a suitable location for the tent that is level, stable, and free from obstacles.
Clear the area of debris, vegetation, and any other obstructions that may interfere with the tent's installation.

2. Layout Planning:

Determine the layout and orientation of the tent based on factors such as wind direction, sun exposure, and proximity to other structures.
Mark the perimeter of the tent's footprint using stakes or markers to guide the installation process.

3. Frame Assembly:

Begin by assembling the tent's frame according to the manufacturer's instructions.
Erect the main support poles or frames and secure them in place using anchors or weights.
Connect the frame components, such as beams, rafters, and trusses, to form the skeleton of the tent structure.

4. Roof Installation:

Once the frame is in place, install the roof panels or fabric canopy over the frame.
Ensure that the roof panels are securely attached to the frame and properly tensioned to prevent sagging or flapping in the wind.
If the tent has a liner or insulation layer, install it beneath the roof canopy for added comfort and climate control.

5. Wall Assembly (Optional):

If sidewalls are included with the tent, install them along the perimeter of the structure to enclose the space.
Secure the sidewalls to the frame using hooks, ties, or other fastening methods.
Install windows, doors, or other openings as needed for ventilation and access.

6. Flooring (Optional):

Lay down flooring materials such as interlocking tiles, carpeting, or turf to provide a stable and comfortable surface inside the tent.
Ensure that the flooring is level and securely anchored to prevent shifting or tripping hazards.

7. Finishing Touches:

Once the main structure is assembled, check for any gaps, tears, or loose connections that may compromise the tent's integrity.
Make any necessary adjustments or repairs to ensure that the tent is safe and secure for use.
Install lighting, signage, branding, and other accessories as desired to enhance the functionality and appearance of the tent.

8. Inspection and Safety Checks:

Conduct a thorough inspection of the entire tent structure to ensure that it meets safety standards and regulations.
Check for proper anchoring, structural integrity, fire safety compliance, and emergency exit routes.
Address any issues or concerns identified during the inspection before allowing access to the tent for events or activities.

9. Event Setup:

Once the tent is fully installed and inspected, proceed with setting up furniture, equipment, and amenities for the event.
Coordinate with event organizers, vendors, and staff to ensure a smooth and successful event experience within the tent.

10. Maintenance and Dismantling:

Regularly inspect and maintain the tent structure to ensure its continued safety and functionality.
When the event is over, dismantle the tent following the manufacturer's instructions and pack away components for storage or transport.
Properly clean and store the tent to extend its lifespan and prepare it for future use.

Requirement:

1. Width _____ M
2. Length _____ M
3. Space distance between columns: _____ M
4. Eave high _____ M
5. Brick wall or concrete wall high(if any) _____ M
6. Roof slop grade _____ (°or%)
7. Ventilation: 1)no 2)normal 3)natural 4)ventilator
8. Wall and roof: 1)EPS sandwich panel 2)PU panel
9. Door: 1)sandwich panel sliding door 2)rolling door size: _____
10. Window: 1)aluminium window 2)pvc window size : _____
11. Lighting: 1)skylight board 2)thickness: _____
12. Draining: 1)natural draining 2)gutter
13. Crane: 1)yes 2)no 3)capacity _____ T

FQA:

Q1 What is the MoQ in Shengyixin?

200 sqm.

Q2: Can you print our logos on the tent?

Yes. Customized logos can be printed on the tent fabric according to your requirements.

Q3. Do You Provide Any Guidance on the Job-site?

We will attach the build instructions in your product package. If you need, we will send our technology staff and project manager to provide installation guidance in your job-site.

Q4. How Long Will a Tendars Clear Span Structure Last?

In the reasonable using, the lifespan of the aluminum alloy can last over 20-30 years and the PVC cover is guaranteed up to 5 years.



Guangzhou Tendars Tent Co., Limited

☎ 0086 13640286461

✉ amanda@marquees-tent.com

🌐 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China