# Customized Marquee Tent Outdoor White Beautiful Wedding Arcum Tent

#### **Basic Information**

Place of Origin: GuangdongBrand Name: Tendars

• Certification: ISO9001, SGS, Coc, CE

Model Number: Big tent

Minimum Order Quantity: 25 square metersPrice: Reconsideration

Packaging Details:
 1, The aluminium frame structure packed into

the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.

Delivery Time: 18days or To be negotiated

Payment Terms: L/C, T/T, Western Union, MoneyGram
 Supply Ability: 50000 Square Meters per Month



### **Product Specification**

Product Name: Marquee Tent
Roof Cover: 850G/m²
Side Wall: 650G/m²

• Color: White,Red,Blue,Yellow,Green Or Can Be

Customized

• Usage: Wedding ,celebration ,festival ,fashion Show

Exhibition ,etc.

• Function: Can Be Assembled To Bigger Or Smaller

Temperature Capacity: -40 --- +70Warranty: 5 Years

Highlight: Customized Marquee Tent,

Wedding Marquee Tent, Outdoor White Marquee Tent



# More Images





# **Product Description**

Can Be Customized Marquee Tent Outdoor White Beautiful Wedding Arcum Tent For Sale

**Product Specification:** 





Arcum Tent's modular structure, whose length can be increased and decreased by 5m bay. High reinforced aluminum alloy (6061/T6) is used for the frame of the arcum tent, and fire retardant double-side PVC synthetic fabric is adapted for roof covers, which conform to European DIN4102 B1, M2 standard.

A variety of optional accessories are available for arcum tent, which can reinforce its application and function such as clear PVC window sidewalls, ground anchors, weight plates, decoration roof linings and side curtains, glass doors, ABS hard walls, clear roof covers and sidewalls, flooring system, rain gutters and so on.

Arcum Tent is a unique tent type, it is based on the design of "A" frame tents and reasonably absorbs Chinese traditional architectural design elements. Roof beams are bent so that it becomes the curve shape. Arcum Tent is quite sturdy and durable, wind resistance capacity can 100 miles/hour(0.5kn/sqm), and it's easily assembled, dismantled and portable.

Nice outline appearance, graceful Arc roof, spacious interior space, especially verandah is added that makes the arcum tent more suitable for large scale exhibitions and events.

Item	Specification
Clear-span width 3m - 50m	
Eave height	2.6m /3m/4m/5m/6m or customized
Ridge height	4.3 - 8m or customized
Roof pitch	20
Longest component	3.7-10.6m
Minimum tent length	Can be customized
Roof fixing	Not limited
Main profile	84x48x3mm/ 122x68x3mm/ 166x88x3mm/ 203x112x4mm/ 204x112x4.5mm/ 256x120x5mm/ 300x125x5mm/ 350x126x6mm/ customized
Max.allowed wind speed	100km/hour ,0.5kn/m or can be customized
Eave/Ridge connection	Hot-dip Galvanized steel insert
Materials	(1) Frame structure: Hard pressed extruded aluminium 6061 /T6(15HW) which can last 15 to 25 years.
	(2) Fabric cover: High quality double PVC-coated polyester textile, 100% waterproof, flame retardant to DIN4102 B1, M2, CFM, UV
	resistant, tear resistant, self-cleaning ability, etc.
	(3) Connector: Strong hot-DIP galvanized steel
Optional accessories	(1) Covers: Colourful cover, transparent cover, inflatable roof cover
	(2) Windows: Dome or square clear PVC windows, mesh window, glass window for glass wall
	(3) Wooden flooring system: VIP cassette flooring, simple cassette flooring
	(4) Doors: Double-wing glass door, single-wing glass door, glass fire door, aluminium door,
	rolling shutter(automatic or manual)
	(5) Wall: Soft PVC fabric wall, glass wall, ABS hard wall, sandwich panel wall, steel plate wall
	(6) Fixing methods: Ground anchors, weight plate, expandable bolts
	Rain gutters (inner roof beam rain gutter or rain gutter between two similar tents)
	(7) Other optional items: Table, chair, lighting, AC, carpet, installation tools etc.

#### Features:

- 1. Four-channel aluminum frame, hard-pressed extruded reinforced
- 2.No poles inside, 100% interior space is available
- 3. Galvanized steel connection parts
- 4. Fabric is fire retardant and NFP92-507 standard approved by SGS
- 5.Bar tensioning roof system
- 6.Interchangeable parts between sizes
- 7. Various sizes available
- 8.Full accessories available such as hard solid wall system, glass door units, etc.

#### FQA:

#### 1)Q:Are you a factory or trading company?

A:We are a professional tent factory. So we can offer you a competitive price and a fast delivery time, can also control the quality well and supply constantly to insure the quantity.

#### 2)Q:What is the life span of your tents?

A:Life span of the aluminium is 15-20 years, PVC fabric is 5-6 years. Good discount will be given you to get a new fabric from us after 5-6 years.

#### 3)Q:How to assemble your tents?

A:We will provide the manual and video for you to study.If you need,we can send a technician to help you in your country.

#### 4)Q:How to choose the size of tent?

A:The size depends on how many people you want to stand, sit or have dinner in this tent. And the size also depends on the land space you will put up this tent. Normally, we advise 1-1.5sq.m/person.

# PRODUCTION MACHINE



Automatic welding robot machine



Automatic welding sleeve spigot machine

**Production accessory CNC machine** 



Automatic iron layher machine



Production tent CNC machine



Cutting material machine





Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

 $No.319, 2nd\ building\ ,\ 8th\ zone\ ,\ Aoyuan\ city\ plaza\ ,\ Zhongcun\ Street,\ Guangzhou,\ Guangdong,\ China$