




## Outdoor Pagoda Wedding Marquee Tent PVC Business Events Parties Canopy Structure Design

Our Product Introduction

### Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



### Product Specification

- Product Name: Pvc Wedding Tent
- Color: Customized Color
- Size: Customized Size
- Frame Material: Aluminum 6061 / T6
- Cover Material: Double PVC-Coated Polyester
- Feature: Flame Redartant
- Fix Solution: Expansion Bolt
- Wind Resistance: 100 Km/hour
- Highlight: **Parties pvc Wedding Tent, Business Events pvc Wedding Tent, Outdoor pvc Wedding Tent**



### More Images



for more products please visit us on [marquees-tent.com](http://marquees-tent.com)

## Product Description


### High Quality Outdoor Pagoda Tent,Pvc Wedding Tent On Sale For Business Events Wedding Parties

#### Product Specification:

PVC wedding tents offer couples the flexibility to host their wedding celebrations outdoors while providing a comfortable and weather-resistant environment for their guests. These tents are designed to accommodate weddings of all sizes, from intimate gatherings to large-scale events, and can be customized to suit the couple's preferences and theme.

|                               |                                  |
|-------------------------------|----------------------------------|
| Area                          | 25*45                            |
| Tent Style                    | Extended Type                    |
| Season                        | Four-season Tent                 |
| Structure                     | aluminum                         |
| Outside Tent Waterproof Index | 2000-3000 Mm                     |
| Frame material                | Aluminm Alloy                    |
| Size                          | Customized Size                  |
| Side Wall                     | 650g/sqm Double PVC              |
| Cover material                | 850g Double Pvc Coated Polyester |

#### Details:







| C SERIES              |   |
|-----------------------|---|
| <b>Main Profiles:</b> | <b>Available Sections:</b> 65×65×2.5mm, 122×68×3mm, 166×88×3mm  |
|                       | <b>Material:</b> Hard pressed extruded aluminum alloy T6061/T6  |
| <b>Canopy</b>         | <b>Features:</b> Stainless  |
|                       | <b>Density:</b> 850g/sqm double coated blackout white PVC for roof<br>650g/sqm translucent white PVC for side walls |
|                       | <b>Material:</b> PVC coated polyester fabric  |
|                       | <b>Features:</b> Water proof, UV resistant, fire retardant (DIN4 102, B1, M2)                                       |
| <b>Connections:</b>   | Superior enclosure with hot dip galvanized steel  |

#### C-SERIES CBAME

| Item | # of Legs (m) | Ridge Height (m) | Ridge Length (m) | Longest Part (m) | Max Wind Load |
|------|---------------|------------------|------------------|------------------|---------------|
| C3   | 3             | 2.50             | 3.90-4.20        | 2.85             | 80km/h        |
| C4   | 4             | 2.50             | 4.60-4.90        | 3.85             |               |
| C5   | 5             | 2.50             | 5.20-5.50        | 4.85             |               |
| C6   | 6             | 2.50             | 5.60-5.90        | 5.85             |               |
| C8   | 8             | 2.50             | 6.70-7.00        | 3.88             |               |
| C10  | 10            | 2.50             | 6.90-7.20        | 4.88             | 100km/h       |
| C12  | 12            | 2.70             | 8.00-8.30        | 5.88             |               |



#### Applications:

**Wedding Ceremonies:** PVC wedding tents provide a romantic and picturesque setting for outdoor wedding ceremonies. Couples can exchange vows amidst the beauty of nature, surrounded by family and friends, creating unforgettable memories that will last a lifetime.

**Wedding Receptions:** Following the ceremony, PVC wedding tents transform into elegant reception venues where guests can dine, dance, and celebrate the newlyweds' union. The spacious interior and customizable features of these tents allow couples to create a warm and inviting atmosphere that reflects their personal style and taste.

**Bridal Showers and Pre-Wedding Events:** PVC wedding tents can also be used for hosting bridal showers, rehearsal dinners, engagement parties, and other pre-wedding events. These tents offer a versatile and customizable space for gathering with loved ones and celebrating the journey to marriage.

#### Material :

**PVC-Coated Polyester Fabric:** PVC-coated polyester fabric is the main material used for the canopy or covering of PVC wedding tents. This fabric consists of a polyester base fabric coated with polyvinyl chloride (PVC) on both sides. The PVC coating provides excellent durability, weather resistance, and UV protection.

**Waterproof:** The PVC coating makes the fabric waterproof, ensuring that the tent interior remains dry even during rain showers.

**UV-Resistant:** The PVC coating also provides UV resistance, protecting the tent fabric from degradation and fading due to exposure to sunlight.

**Flame-Retardant:** PVC-coated polyester fabric is often treated with flame-retardant chemicals to enhance its fire resistance, ensuring safety in case of accidental fires.

**Color Options:** PVC-coated polyester fabric is available in a variety of colors and finishes, allowing couples to choose the fabric that best complements their wedding theme and aesthetic preferences.

#### Frame Materials:

The frame structure of PVC wedding tents is typically made of lightweight yet sturdy materials such as aluminum or steel.

**Aluminum:** Aluminum frames are popular for their lightweight, rust-resistant, and corrosion-resistant properties. They offer excellent strength-to-weight ratio and are easy to assemble and transport.

**Steel:** Steel frames provide superior strength and durability, making them suitable for larger tents or installations requiring extra stability. However, steel frames are heavier than aluminum and may require more effort for assembly and transportation.

**FAQ :**

**1. who are we?**

We are factory ,based in Guangdong, China.

**2. how can we guarantee quality?**

Always a pre-production sample before mass production;

Always final Inspection before shipment;

**3.what can you buy from us?**

Aluminium Tent; Camping Geodesic Dome Tent; Hotel Resort Tent; Tensile Membrane Structure; Stage Truss

**4. why should you buy from us not from other suppliers?**

Tendars Group is located in Guangzhou. The main product includes aluminum outdoor event tent, aluminum lighting truss, portable stage and tensile membrane sheds. With years of professional manufacture,our customers have been all of the world.

**5. what services can we provide?**

Accepted Delivery Terms: FOB,CFR,CIF,EXW,DDP,Express Delivery

Accepted Payment Currency:USD,EUR,HKD,CNY;

Accepted Payment Type: T/T,L/C,MoneyGram,PayPal,Western Union,Cash;

Language Spoken:English,Chinese






**Guangzhou Tendars Tent Co., Limited**

 0086 13640286461

 amanda@marquees-tent.com

 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China