



## Aluminum Frame White PVC Large Party Pagoda Wedding Event Tents For Outdoor Events

### Our Product Introduction

#### Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



#### Product Specification

- Features: Water Proof, UV Resistance, Fire Retardant(DIN4102,B1,M2)
- Product Name: Wedding Event Tents
- Main Frame: Hard Pressed Aluminum Alloy T6061/T6
- Tent Roof Fabric: 850g/sqm PVC Coated Polyester Fabric
- Sidewall Fabric: Soft PVC Fabric, ABS Wall Or Glass Wall
- Wind Load: 100km/h Or Customized
- Warranty: Aluminum Frame For 10 Years, PVC Fabric For 5 Years.
- Application: Wedding, Party, Event, Ceremony Hall And So On
- Highlight: Aluminum Frame Wedding Event Tents, Large Wedding Event Tents, Outdoor Wedding Event Tents



#### More Images



## Product Description

### Aluminum Frame White PVC Large Party Pagoda Wedding Event Tents For Outdoor Events

#### Product Specification:



#### Our Benefits

Shelter Large Marquee offers versatility, spanning 20 meters to accommodate weddings, VIP hospitality, festivals, trade shows, and more. Its modular design allows for customization, while its durability ensures safety in winds up to 100km/h. Explore various accessories like walls, doors, and interior facilities for added convenience. Along with, covers are supplied using the latest in low wick, anti-fungicide high gloss white, flame retardant translucent or Opaque PVC by international standards in international standards.

Span width	Eave height	Ridge height	Bay distance	Custom Color	Custom Logo Printing
15.00m – 50.00m	4m	5.6m – 9m	5.00m	Yes	Yes

#### The typical installation process:

##### Site Inspection:

Before installation begins, a site inspection is conducted to assess the location where the wedding event tent will be erected. Factors such as ground condition, terrain, access points, and nearby obstacles are evaluated to determine the best placement for the tent.

##### Planning and Layout Design:

Based on the site inspection and the couple's specifications, a layout design is created for the wedding event tent. This includes determining the size, shape, and configuration of the tent, as well as the placement of entrances, exits, and additional features such as flooring, lighting, and decor.

##### Preparation of Equipment and Materials:

The necessary equipment, materials, and tools for the tent installation are prepared and organized. This includes the tent canopy or covering, frame components (such as poles, beams, and connectors), anchoring systems (such as stakes, anchors, or weights), and any additional accessories required for setup.

##### Assembly of Frame Structure:

The frame structure of the wedding event tent is assembled according to the layout design. This typically involves erecting the main support poles, beams, and frame components, and securing them in place using connectors or fittings. The frame is carefully leveled and adjusted to ensure stability and structural integrity.

##### Installation of Canopy or Covering:

Once the frame structure is in place, the canopy or covering of the wedding event tent is installed. The canopy is stretched and secured over the frame, ensuring a snug and wrinkle-free fit. Depending on the type of tent, the canopy may be made of PVC-coated polyester fabric, vinyl, or other durable and weather-resistant materials.

##### Anchoring and Securing:

The wedding event tent is anchored and secured to the ground to prevent movement or instability. This may involve driving stakes into the ground, anchoring the tent to nearby structures, or using weights or ballasts to secure the tent in place. Anchoring systems are selected based on the ground surface and environmental conditions.

##### Finishing Touches:

Once the tent is erected and secured, finishing touches are added to enhance its appearance and functionality. This may include installing sidewalls or curtains for privacy or weather protection, laying flooring for a more polished look, setting up lighting and decor elements, and arranging furnishings and seating according to the event layout.

##### Final Inspection and Testing:

A final inspection is conducted to ensure that the wedding event tent is properly installed and meets safety and quality standards. The tent is tested for stability, weather resistance, and functionality, and any necessary adjustments or refinements are made to ensure that everything is in order for the upcoming celebration.

**FAQ :**

**1. how can we guarantee quality?**

Always a pre-production sample before mass production;  
Always final Inspection before shipment;

**2.what can you buy from us?**

Exhibition Equipment and Accessories,Tent

**3. why should you buy from us not from other suppliers?**

A complete industrial chain, from aluminum extrusion molding and processing, can be customized style and size, one-stop solution to the awning room, faster delivery, complete after-sales

**4. what services can we provide?**

Accepted Delivery Terms: FOB,CFR,CIF,EXW,Express Delivery ;  
Accepted Payment Currency:USD;  
Accepted Payment Type: T/T,L/C,Credit Card,PayPal,Western Union,Cash;  
Language Spoken:English,Chinese

**5. How can you make sure we will receive the product with high quality?**

In the processing flow, we have a series of detection machine to control the quality. Before loading, our QC will inspect each shipment and all raw material is according to foodstuff requirement.



**Guangzhou Tendars Tent Co., Limited**



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China