

Guangdong

ISO9001, SGS, Coc, CE

25 square meters

Reconsideration

Tendars

Big tent

Large Portable Event Tent Commercial Movable Tents For Wedding Outdoor Events

1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- carry bag; 3, Hardware packed into the box.
 Delivery Time: 18days or To be negotiated
 Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



Product Specification

• Product Name: Portable Event Tent • Place Of Origin: Guangdong, China Application: Event/Party/Wedding/Exhibitions/Church/Cere • Frame Material: Extruded Aluminum Alloy, With Oxidation Treatment Cover Material: Double PVC-coated Polyester Fabric • Feature: Waterproof, UV Resistant, Flame Retardant Sidewall Options: PVC Wall, Glass Wall, Sandwich Wall, ABS Wall • Wind Load: 100km/h • Highlight: Outdoor Portable Event Tent, Large Portable Event Tent, Wedding Portable Event Tent



More Images





Product Description

Large Portable Event Tent Commercial Movable Tents For Wedding Outdoor Events

Specification :

| Span Width | Side Height | Ridge Height | Bay Distance | Main Profile |
|------------|-------------|--------------|--------------|--------------|
| 6m | 2.6m | 3.8m | 3m | 84x48x2.5mm |
| 9m | 2.6m | 4.4m | 3m | 84x48x2.5mm |
| 10m | 3m | 5m | 5m | 121x68x3mm |
| 12m | 3m | 5.4m | 5m | 121x68x3mm |
| 15m | 3m | 5.4m | 5m | 166x87x3mm |
| 20m | 4m | 7.2m | 5m | 203x110x4mm |
| 25m | 4m | 8.1m | 5m | 203x110x4mm |
| 30m | 4m | 8.8m | 5m | 250x110x4mm |
| 40m | 4.8m | 11.2m | 5m | 340x170x6mm |
| 50m | 4.8m | 13.9m | 5m | 340x170x6mm |

Frame

High-strength extruded aluminum alloy frame, with oxidation treatment on the surface, rust-resistant.

Covers

Polyester with double side PVC coated; Water proof, UV resistant, Flame retardant, anti-aging; (850g/ m² block out 、 650g/ m² translucent 、 0.5mm-0.95mm thickness clear)

Connection

High quality steel with galvanized, inner joint.

Here are the common materials used in the construction of portable event tents:

Frame Materials:

Aluminum: Aluminum is a popular choice for tent frames due to its lightweight yet sturdy nature. It offers excellent corrosion resistance and structural integrity while being easy to transport and set up.

Steel: Steel frames are known for their strength and durability, making them suitable for large and heavy-duty tents. While steel is heavier than aluminum, it provides superior stability and can withstand harsh weather conditions.

Fiberglass: Fiberglass poles or rods are often used in smaller or lightweight tent structures. Fiberglass is flexible, lightweight, and resistant to corrosion, making it an ideal choice for portable tents designed for easy transport and setup.

Canopy Materials:

Polyester: Polyester fabric is commonly used for tent canopies due to its durability, water resistance, and UV protection properties. It is lightweight, easy to clean, and can withstand prolonged exposure to sunlight and outdoor elements.

Vinyl: Vinyl-coated fabrics offer enhanced durability and weather resistance compared to polyester. Vinyl is highly waterproof and provides superior protection against rain, wind, and UV rays. It is commonly used in heavy-duty and commercial-grade event tents.

Polyethylene (PE): PE is a lightweight and economical material often used for temporary and budget-friendly tents. While not as durable as polyester or vinyl, PE offers sufficient protection from light rain and sun exposure and is suitable for short-term use.

Sidewall Materials:

Polyethylene (PE): Similar to canopy materials, PE is often used for sidewalls in portable event tents. It provides basic protection from wind and rain and is suitable for enclosing the sides of the tent to create a more enclosed space.

Clear PVC: Clear PVC sidewalls are popular for allowing natural light into the tent while providing protection from wind and rain. They offer visibility and transparency, allowing guests to enjoy views of the surrounding environment.

Connectors and Fittings:

Connectors and fittings in portable event tents are typically made of durable materials such as nylon, plastic, or metal. These components play a crucial role in connecting the frame poles or rods and securing the canopy or sidewalls in place.

for more products please visit us on marquees-tent.com

FAQ:

1) Q: What size of tents can you make?

A: The span width can vary from 3m to 50m; The length is unlimited with bay distance 3m or 5m.

2) Q: Can you do customization?

A: Yes! We can provide practical solution based on your required dimensions, venue limitation, and different application.

3) Q: Do you provide assembly instructions?

A: Yes! There will be a trial installation in our factory after production is finished for your inspection. Assembly manual and video will be also provided.

4) Q: Can you print our logo on the tent?

A: Yes! We will advise on the printing way, location and design based on your specific logo.

5) Q: Are you a factory or trading company?

A: We are an experienced tent factory, providing competitive prices, direct quality control, and flexible production scheduling.

6) Q: How to choose the size of the tent?

A: You can contact with MiTent sales team, telling us what kind of event you are going to hold, and how many people you are going to accommodate. We will offer a suggestion according to your event usage and required capacity.

7) Q: What is the delivery time?

A: Regular size tents will take about 15-25 working days after receiving deposit. You can contact Tendars team to further discuss based on the specific tent and quantity.



