



Rainproof Mobile High Peak Pavilion Pagoda Tent For Party/Wedding/Exhibition/Trade Show/ Etc

Basic Information

Place of Origin: GuangdongBrand Name: Tendars

• Certification: ISO9001, SGS, Coc, CE

Model Number: Small tent

 Minimum Order 25 square meters Quantity:

Price: Reconsideration

• Packaging Details: 1, The aluminium frame structure packed into

the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.

• Delivery Time: 18days or To be negotiated

Payment Terms: L/C, T/T, Western Union, MoneyGram

Supply Ability: 50000 Square Meters per Month



Product Specification

Product Name: High Peak Pavilion Pagoda Tent

Application: Party/wedding/exhibition/trade Show/ Etc
Fixing Solution: Ground Anchor, Expandable Bolt, Weight

Plate, Etc.

Temperature
Resistance:

30 Degree Celsius ~ +70 Degree Celsius

Connectors: Hot-DIP Galvanized

Side Wall:
PVC Walls,glass Wall,ABS Wall,sandwich

Panel Wall, etc.

• Maquee Tent Fabric: 850g/sqm Vinyl For Top Cover, 650g/sqm

Vinyl For Sidewall

Accessories: Lining System , Ceiling Lining Or Floor

System, AC System



More Images









Product Description

Rainproof Mobile High Peak Pavilion Pagoda Tent For Party/Wedding/Exhibition/Trade Show/ Etc

Product Description:

Eave/Ridge	Hot-dip Galvanized steel insert		
connection			
Materials	(1) Frame structure: Hard pressed extruded aluminium 6061 /T6(15HW) which can last 15 to 25		
	years.		
	(2) Fabric cover: High quality double PVC-coated polyester textile, 100% waterproof, flame		
	retardant to DIN4102 B1, M2, CFM, UV		
	resistant, tear resistant, self-cleaning ability, etc.		
	(3) Connector: Strong hot-DIP galvanized steel		

Item	Size	Eave Height	Ridge Height	Main Profile
1	3x3m	2.5m	3.9m	65x65x2.5mm
2	4x4m	2.5m	4.8m	65x65x2.5mm
3	5x5m	2.5m	5.2m	65x65x2.5mm
4	6x6m	2.5m	5.2m	65x65x2.5mm
5	8x8m	2.6m	5.7m	122x68x3mm
6	10x10m	2.6m	6.2m	122x68x3mm

Details:

Structurs Material:

Frame: Hard Pressed Extruded Aluminum Alloy 6061/T6

Featuers:Stainless Steel Lightweight 4 Channel

Assembly Of The Main Profiles On The Ground, The Profiles Are Clipped Together On Grlvanized Steel Connections

Cover:

Top Roof And Gable Sides :850g/sqm Blocl-out white pvc for roof Sidewalls: 650g/Sqm,Translucent white PVC for Sidewall, Opaque

Features:

1000d*1000d Polyester Textile With Double Side Pvc Coated, Water Proof, Antiaging, UV Resistance And Flame Retardant To Din 4102, b1, m2. Cold Resistance Can Reach Subzero 25c

Components:

Superior Enclosure with Hot Dip Galvanized Steel

FQA:

Q: Can you print our logos on the tent?

Yes. Customized logos can be printed on the tent fabric according to your requirements.

Q: Is that factory price?

Yes. We assure you all prices are based on factory.

Q: Does your tent be able to installed repeatedly? What is the life span?

Our tents can be assembled and dismantled easily and repeatedly with small transportation size. The lifespan of aluminium framework can reach 15-20 years, and 5-8 years for PVC fabrics depending on different conditions of usage.

Q: What documents are available?

A full range documents including structural drawings, packing list, installation manual and relative certificates can be provided. Moreover, customs declaration is provided. We provide one-stop service for you.





Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China