

Guangdong

ISO9001, SGS, Coc, CE

25 square meters

Reconsideration

Tendars

Big tent

# New Style White, Transparent, Customized Marquee Wedding Tent Party Tent For Outdoor Events

1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric

# **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- carry bag; 3, Hardware packed into the box. Delivery Time: 18days or To be negotiated • Payment Terms: L/C, T/T, Western Union, MoneyGram
  - 50000 Square Meters per Month
- Supply Ability:



# **Product Specification**

- Product Name:
- Color:
- Frame Material:
- Side Wall:
- Roof Cover:
- Wind Loading:
- Function:
- Length:
- Marquee Wedding Tent White, Transparent, Customized Aluminum Soft PVC Walls, glass Wall, ABS 850g/sqm Double PVC-coated 100km/h Can Be Assembled To Bigger Or Smaller No Limited



# More Images





Our Product Introduction

# **Product Description**

## New Style White, Transparent, Customized Marquee Wedding Tent Party Tent For Outdoor Events

## Description :

Both steel and aluminium frames are available upon request, specifications and usage purpose Custom tent structures can be built up according to your needs. No bearing column in the structure, you can use the space fully. The span of our tents from 3m to 90m in different specifications

Frame	High Reinforce Aluminum, anti-rust surface, GB6061-T6 ;100%"FENGLV "Aluminum Material Guaranteed;
	It can be used more than 30 years
Roof cover	850g/m <sup>2</sup> and 660g/m <sup>2</sup> Double PVC-Coated Polyester, flame retardant, UV resistance, waterproof, comply to DIN 4102 B1, M2 ( European standard); 100% XingYiDa PVC Material Guaranteed - Perfect Fabric Cover Brand in China Recently.
Sidewall	Allowed Temperature Condition: -40 to +70 temperature Max Wind Speed Allowance: 120km/h
	Snow Load: 75kg/sqm
Connecti on	Hot-DIPPED Galvanized Steel Connections; 100% Zinc Shine Hot Dip Galvanizing Guaranteed

Tent Size(m)	Side Height(m)	Frame Size(mm)	Floor Area(m <sup>2</sup> )	Capacity (Events)
10x20	3	122x48x3	200	150-200 Peoples
15x30	4	166x88x3	450	380-450 Peoples
20x40	4	112x203x4	800	500-600 Peoples
30x50	4	120x250x4	1500	1200-1500 Peoples
40x60	6	120x300x5	2400	1500-1200 Peoples

### Details:

PVC Coated Polyester Fabric High quality double PVC coated polyester textile: Waterproof; Flame retardant UV resistant; Temperature resistance: -30~70; Long life.





### Features

· Roof cover/triangle cloth: Double PVC-Coated Polyester, 100% waterproof, flame retardant to DIN4102 B1, M2, CFM, UV resistant, tear resistant, self-cleaning ability, etc.

- · Side wall weight:650g/sqm
- · Roof cover weight :850g/sqm
- · Frame connection: Hot-dip galvanized steel structure
- · Allowed temperature condition: -30 degree Celsius+70 degree Celsius
- · Wind load: max. 100km/h (can be reinforced)
- · Snow load: 75kg/sqm (snow can't stay if use big degree roof pitch design)
- $\cdot$  Easy to be assembled and dismantled, movable.
- · No pole inside, 100% available interior space.

### FQA:

#### 1)Q:Are you a factory or trading company?

A:We are a professional tent factory.So we can offer you a competitive price and a fast delivery time,can also control the quality well and supply constantly to insure the quantity.

#### 2)Q:What is the life span of your tents?


A:Life span of the aluminium is 15-20 years, PVC fabric is 5-6 years. Good discount will be given you to get a new fabric from us after 5-6 years.

#### 3)Q:How to assemble your tents?

A:We will provide the manual and video for you to study. If you need, we can send a technician to help you in your country.

#### 4)Q:How to choose the size of tent?

A:The size depends on how many people you want to stand,sit or have dinner in this tent.And the size also depends on the land space you will put up this tent.Normally,we advise 1-1.5sq.m/person.



No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China