




Custom Big Capacity Waterproof Event Outdoor outdoor canopy tent Commercial Temporary Tent For Sale

Our Product Introduction

Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



Product Specification

- Product Name: Outdoor Canopy Tent
- Fabric: Double Coated PVC
- Color: Sand White
- Width Of Tent: 3-50m
- Eave Height: Standard 2.5m, 3m, 4m, 5m Upon Span Width
- Max Wind Allowed: 100km/h
- Function: Waterproof, Fire-retardant, Sunlight Proof
- Fire-retardant Grade: M2, B1, DIN4102



More Images



Product Description

Custom Big Capacity Waterproof Event Outdoor Outdoor Canopy Tent Commercial Temporary Tent For Sale

Description :

Product Name	Outdoor Canopy Tent
Frame Material	Hard pressed Aluminum Alloy
Cover Material	650-850g/sqm, Double Coated PVC Fabric, Flame Retardant to DIN 4102,M2,Grade B1
Side Wall	PVC Wall, Glass Wall, ABS Wall, Sandwich Wall
Span Width	From 3m to 50m
Eave Height	2.5m, 3m, 4m, 5m or Customized
Life Span	8-10 Years
Max allowed wind Load	80-100m/hour
Features	Water Proof, UV Resistance, Flame Retardant (DIN4102,B1,M2)
Application	Wedding, Party, Event, Exhibition, etc
Accessories	Air Conditioner, Door Heater Flooring, Window, Curtain, Lighting etc.

Details:

Item	Span Width	Bay Distance	Eave Height	Ridge	Main Profile
Big tent-06	3m-8m	3m or 5m	48*84*3mm	2.6m-3m	84*48*3mm
Big tent-08	3m-12m	3m	68*122*3mm	2.6m-4m	84*48*3mm
Big tent-10	10m-20m	5m	88*166*3mm	3m-4m	84*48*3mm
Big tent-12	10m-25m	5m	112*203*3mm	3m-6m	122*68*3mm
Big tent-16	30m	5m	120*253*4mm	3m-6m	166*88*3mm

- **Frame material:** High-strength aluminum alloy 6061/T6.
- **Roof cover/triangle cloth:** Double PVC-Coated Polyester, 100% waterproof, flame retardant to DIN4102 B1, M2, CFM, UV resistant, tear resistant, self-cleaning ability, etc.
- **Side wall weight:**650g/sqm
- **Roof cover weight :**850g/sqm
- **Frame connection:** Hot-dip galvanized steel structure
- **Allowed temperature condition:** -30 degree Celsius+70 degree Celsius
- **Wind load:** max. 100km/h (can be reinforced)
- **Snow load:** 75kg/sqm (snow can't stay if use big degree roof pitch design)
- Easy to be assembled and dismantled, movable.
- No pole inside, 100% available interior space.

Why choose our span marquee tent?

1. Many year's experience in tent and truss industry.
2. Customers from more than 150 countries.
3. We are manufacture, can offer you lower price.
4. Professional engineers offer technical support to customers.
5. 24hours online services from our professional foreign trade department.
6. All our raw material is from public company.
7. Our complete QC system can make sure every product with high quality.

FQA:

1. Are you a trading company or manufacturer?

We are manufacturer, so we can give you competitive prices.

2. What about your MOQ - minimum order quantity ?

MOQ for different products are different, please check them with us before payment.

3. Can you develop products with our drawing?

Yes, please offer your drawing with technical requirements.

4.Do you Accept OEM service?

YES!

5.What's your Delivery Time?

Normally 20 working days, please confirm with us before order!

6.What's the Payment Terms?

50% deposit, balance to be paid before shipment.

7.How you pack products?

Aluminum frame packed in air bubble film, roof and sidewall in professional PVC carry bag, or under your requirements.



Guangzhou Tendars Tent Co., Limited

☎ 0086 13640286461

✉ amanda@marquees-tent.com

🌐 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China