


Big Customized Aluminum Alloy Party Hall Commercial Marquee Tent With Window Event Marquee Tent

Our Product Introduction


Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



Product Specification

- Product Name: Commercial Marquee
- Frame Material: Aluminum
- Color: White, Red, Blue, Yellow, Green Or Can Be Customized
- Usage: Wedding, celebration, festival, fashion Show Exhibition, etc.
- Fabric: Waterproof, UV Resistant, Self Cleaning
- Main Materials: Aluminum Alloys, PVC Fabric
- Function: Can Be Assmeble To Bigger Or Smaller
- Warranty: 5 Years
- Highlight: customized aluminum alloy marquee tent, commercial party hall marquee tent, event marquee tent with window



More Images



Product Description

Big Customized Aluminum Alloy Party Hall Commercial Marquee Tent With Window For Sale

Description :



Item	Specification
Clear-span width	3m - 50m
Eave height	2.6m /3m/4m/5m/6m or customized
Ridge height	4.3 - 8m or customized
Roof pitch	20
Longest component	3.7-10.6m
Minimum tent length	Can be customized
Roof fixing	No limited
Main profile	84x48x3mm/ 122x68x3mm/ 166x88x3mm/ 203x112x4mm/ 204x112x4.5mm/ 256x120x5mm/ 300x125x5mm/ 350x126x6mm /customized
Max.allowed wind speed	100km/hour, 0.5kn/m³ or can be customized
Eave/Ridge connection	Hot-dip Galvanized steel insert
Materials	(1) Frame structure: Hard pressed extruded aluminium 6061 /T6(15HW) which can last 15 to 25 years.
	(2) Fabric cover: High quality double PVC-coated polyester textile, 100% waterproof, flame retardant to DIN4102 B1, M2, CFM, UV
	resistant, tear resistant, self-cleaning ability, etc.

	(3) Connector: Strong hot-DIP galvanized steel
--	--

Features:

- 1) High security.
- 2) Heavy-duty and stable structure.
- 3) Elegant and magnificent appearance.
- 4) ISO9001, SGS, Coc, CE certificated.
- 5) No interior poles structure design, to give 100% use of interior space.
- 6) Easy to assemble and demount. Convenient for transport and storage.
- 7) Wide range of applications; Widely used for an outdoor party, wedding, celebration, festival, fashion show exhibition, fair, trade show, business promotion, product show, car showrooms, conference, ceremony, garden centre.

How to install a commercial marquee:

Select a Suitable Location: Choose a flat and level area with enough space to accommodate the size of the marquee. Ensure that the ground is free of obstacles such as rocks, roots, or debris.

Prepare the Site: Clear the area of any debris, vegetation, or obstructions. If necessary, mow the grass or sweep the ground to create a clean surface for the marquee.

Lay Out the Components: Lay out all the components of the marquee, including the frame poles, canopy fabric, stakes, and guy ropes, in the designated installation area. Organize the components for easy access during assembly.

Assemble the Frame: Start by assembling the frame of the marquee according to the manufacturer's instructions. Begin with the corner poles and gradually connect the side poles and roof beams to form the frame structure. Ensure that all frame components are securely connected and properly aligned.

Attach the Canopy Fabric: Once the frame is assembled, carefully drape the canopy fabric over the frame structure. Ensure that the fabric is evenly spread out and aligned with the frame. Secure the canopy fabric to the frame by attaching it to the frame connectors or hooks provided.

Secure the Marquee: Anchor the marquee to the ground using stakes or weights to prevent it from being lifted by wind or other external forces. Attach guy ropes to the corners and sides of the marquee and secure them to the ground using stakes or anchors. Tension the guy ropes evenly to provide stability and support to the marquee structure.

Check for Stability: Once the marquee is fully assembled and anchored, perform a final check to ensure that it is stable and secure. Inspect the frame connections, canopy fabric, and anchoring points for any signs of instability or damage. Make any necessary adjustments to ensure the safety and integrity of the structure.

Add Optional Accessories: Depending on the intended use of the marquee, you may choose to add optional accessories such as sidewalls, doors, windows, lighting, or heating systems to enhance functionality and comfort.

Monitor and Maintain: Regularly monitor the marquee during use to ensure that it remains stable and secure. Check for signs of wear and tear, loose components, or damage, and address any issues promptly to prevent accidents or damage to the structure.

FAQ:

1)Q: Are you a factory or trading company?

A: We are a professional tent factory. So we can offer you a competitive price and a fast delivery time, can also control the quality well and supply constantly to ensure the quantity.

2)Q: What is the life span of your tents?

A: Life span of the aluminium is 15-20 years, PVC fabric is 5-6 years. Good discount will be given you to get a new fabric from us after 5-6 years.

3)Q: How to assemble your tents?

A: We will provide the manual and video for you to study. If you need, we can send a technician to help you in your country.

4)Q: How to choose the size of the tent?

A: The size depends on how many people you want to stand, sit or have dinner in this tent. And the size also depends on the land space you will put up this tent. Normally, we advise 1-1.5sq.m/person.



Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China