Outdoor Custom Waterproof PVC Event Marquee Tent For Industrial Storage Shelter For Sale

Basic Information

Place of Origin: GuangdongBrand Name: Tendars

• Certification: ISO9001, SGS, Coc, CE

Model Number: Big tent

Minimum Order Quantity: 25 square metersPrice: Reconsideration

• Packaging Details: 1, The aluminium frame structure packed into

the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.

Delivery Time: 18days or To be negotiated

Payment Terms: L/C, T/T, Western Union, MoneyGram
 Supply Ability: 50000 Square Meters per Month



Product Specification

Product Name: Event Marquee Tent For Sale
 Frame Material: Hard Press Aluminium 6061/T6

Cover Material: 850g/sqm PVC Fabric

Color: Customized
Tent Size: Customized
Wind Resistance: 100 -120km/h

Application: Outdoor Event/storage/expo Etc..
 Connectors: Hot-dip Galvanized Steel Parts



More Images





Product Description

Outdoor Custom Waterproof PVC Event Marquee Tent For Industrial Storage Shelter For Sale

Description:

Allow temperature condition:	-40 degree Celsius~+70 degree Celsius
Wind load:	100-120km/hour
Snow loading:	Customized according client's weather condition
Tent size:	Customized
Fxing Ground	Can be fixed on all kind of ground
Feature:	1, Easy to be assembled and dismantled in modular structure, and removable.for other place using.
	2, No pole inside, 100% available interior space
	3, Durable for permanent using or resale out
	4, Water-proof, UV resistant, flame retardant, snow resistance,
	tear resistance

Common materials used for event marquee tents include:

Frame Material:

Aluminum Alloy: Aluminum alloy is a popular choice for the frame structure of event marquee tents due to its lightweight yet durable properties. Aluminum frames provide strength and stability while also being resistant to rust and corrosion, making them suitable for outdoor use. Steel: In some cases, event marquee tents may feature steel frame structures, particularly for larger or more heavy-duty tents. Steel frames offer excellent strength and durability but are typically heavier than aluminum frames.

Canopy Material:

Polyvinyl Chloride (PVC) Coated Polyester: PVC-coated polyester is a common material used for the canopy fabric of event marquee tents. This material is durable, waterproof, UV-resistant, and flame-retardant, providing protection from the elements and ensuring the comfort and safety of event attendees.

Polyethylene (PE): Polyethylene fabric is another popular choice for canopy material in event marquee tents. PE fabric is lightweight, waterproof, and UV-resistant, making it suitable for outdoor use. It may be used in budget-friendly tent options or for applications where lightweight and easy transport are priorities.

Sidewall Material:

PVC Coated Polyester: Similar to the canopy material, PVC-coated polyester is often used for sidewalls in event marquee tents. Sidewalls provide additional protection from wind, rain, and other weather conditions, as well as privacy for event attendees.

Clear Vinyl: Some event marquee tents may feature clear vinyl sidewalls, allowing natural light to enter the tent while still providing protection from the elements. Clear vinyl sidewalls are often used in tent designs where visibility and aesthetics are important, such as weddings or corporate events.

Flooring Material:

Polyethylene (PE) or PVC: Event marquee tents may include optional flooring options made from polyethylene (PE) or PVC material. These flooring options provide a clean and level surface for event attendees to walk and stand on, as well as additional protection from moisture and uneven ground surfaces.

Packing:

- 1, The aluminium frame structure packed into the bubble film
- 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag;
- 3, Hardware packed into the box.

FAQ:

Q: What is the MOQ in Tendars?

25 square meters.

Q:What is the Payment Term in Tendars?

30% Deposit to be made After signing PI, 70% before shipment.

Q: Is your tent strong and stable enough? How about the wind loading and the snow loading?

Our tent wind load is 100km/hour to 120km/hour, and the structure can be reinforce;


And the tent snow loading is customized according client's weather condition.

Q: How long is the warranty period?

Aluminium main frame 5 years(if there is any parts of frame is broken by natural, we can produce it for free)

Q: What size of tent is suitable for your special event?

- 1, For the standing, or theater seating, one person takes about 1sq meter space.
- 2, For the banquet seating with 1.8m round table: one person takes about 1.3sq meter space.





Guangzhou Tendars Tent Co., Limited







marquees-tent.com

 $No.319, 2nd\ building\ , 8th\ zone\ , Aoyuan\ city\ plaza\ , Zhongcun\ Street,\ Guangzhou,\ Guangdong,\ China$