



Outdoor Ultraviolet-Proof Aluminum Frame Glass Wall Party Wedding Tent Trade Show Tent For Event Marquee Tent

Our Product Introduction

Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



Product Specification

- Product Name: Aluminum Frame Glass Wall Tent
- Frame Material: Hard Pressed Extruded Aluminum Alloy
- Size: 10*15m
- Side Wall: Pvc, Glass, ABS, ECT
- Door: PVC Or Glass Door
- Color: White
- Wind Resistance: 100kw/h
- Logo: Customized
- Highlight: **Aluminum Alloy Frame, Durable Event Canopy, Party Event Venue**



More Images



for more products please visit us on marquees-tent.com


Product Description

Outdoor Ultraviolet-Proof Aluminum Frame Glass Wall Party Wedding Tent Trade Show Tent For Sale

Description :

Place of Origin	China Guangdong
Sidewall Height	3m, 5m or Customized
Span/Width	From 3m to 60m
Roof Cover Material	850g/sqm PVC coated polyester fabric
Frame Material	Aluminum Alloy
Service Life	More than 15 years
Fixing Solutions	Ground Anchor, Expansion Bolt, Weight Plate, etc.
Applications	Party, Event, Exhibition, Wedding, Gamping, etc.
Ground Situations	Grassland, Earth Land, Asphalt, Cement Ground, etc.
Usage	Advertising Display
Color	White or transparent

Details:



Product parameters

Tent Size (m)	Side Height (m)	Frame Size (mm)	Floor Area (m ²)	Capacity (Events)
10x15	3	122*66*3	150	48*84*3
12x20	3	122*66*3	240	48*84*3
15x20	5	150*108*3	300	48*84*3
20x30	5	203*112*4	600	48*100*3
30x40	5	250*113*5	1200	122*66*3

Application scenarios



Wedding



Hospitals



Restaurant



Warehouse









Exhibition



Concert

Installation Method

Installation environment	Installation materials	Installation diagram
If the ground is the loose ground such as the sand and lawn, It can use steel nail to fix.	 <p>Steel nail</p>	 <p>Bearing column</p> <p>Steel nail</p> <p>Base support</p>
If the ground can be damaged such as cement floor or tarmac floor, It can be use the expansion screw to fix.	 <p>Expansion screw</p>	 <p>Bearing column</p> <p>Expansion screw</p> <p>Base support</p>
If the ground can't damaged such as marble and tile, It must use the weight plate.	 <p>Weight</p> <p>Weight plate</p>	 <p>Bearing column</p> <p>Weight</p> <p>Base support</p>

Main Features

1. Installed on any surface (concrete/grass/sand land or other soft lands)
2. modular design, church tent is easy to transport, install and disassemble.

3. Completed accessories for a heat-blocking system, weather-protection, and decoration

4. Wide span option (10m to 60m) with unlimited length.

Key principles:

Aluminum Frame Construction: The tent's frame is constructed primarily from aluminum due to its lightweight nature, corrosion resistance, and strength-to-weight ratio. Aluminum framing allows for easy setup and dismantling while providing structural integrity to support the glass panels.

Glass Panels: Instead of traditional fabric or canvas walls, the tent features large glass panels. These panels offer transparency, allowing occupants to enjoy panoramic views of the surroundings. The use of glass creates a sense of openness and connection with the environment.

Weather Resistance: The aluminum frame provides stability and support, while the glass panels are typically made from tempered or laminated glass, offering resistance to harsh weather conditions such as wind, rain, and snow. Proper sealing and weatherproofing techniques ensure that the interior remains dry and comfortable even during inclement weather.

Insulation and Climate Control: Despite the transparency of the glass walls, modern designs often incorporate insulated glass units (IGUs) or double-glazed windows to enhance thermal efficiency. This helps in maintaining comfortable interior temperatures while reducing energy consumption for heating or cooling.

Versatility and Customization: Aluminum frame glass wall tents can be customized to suit various needs and preferences. Different types of glass (clear, tinted, frosted) can be used to achieve specific aesthetic or functional requirements. Additionally, the layout and configuration of the glass panels can be tailored to accommodate different spatial needs and preferences.

Modularity and Portability: Many aluminum frame glass wall tents are designed with modularity in mind, allowing for easy assembly, disassembly, and transportation. Modular components facilitate customization and expansion according to specific requirements, making these tents suitable for temporary or semi-permanent installations in various locations.

FAQ:

1. who are we?

We are factory, based in Guangdong, China,.

2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final inspection before shipment;

3. what can you buy from us?

Exhibition Equipment and Accessories, Tent

4. why should you buy from us not from other suppliers?

A complete industrial chain, from aluminum extrusion molding and processing, can be customized style and size, one-stop solution to the awning room, faster delivery, complete after-sales

5. what services can we provide?

Accepted Delivery Terms: FOB,CFR,CIF,EXW,Express Delivery

Accepted Payment Currency:USD;

Accepted Payment Type: T/T,L/C,Credit Card,PayPal,Western Union,Cash;

Language Spoken:English,Chinese

6. How can you make sure we will receive the product with high quality?

In the processing flow, we have a series of detection machine to control the quality. Before loading, our QC will inspect each shipment and all raw material is according to foodstuff requirement.

7:Can the customer return the goods if they don't like it?

Customized products are not support returned

8:How to calculate the freight?

The freight of each area is different, please consult customer service for details. thank you



Guangzhou Tendars Tent Co., Limited

☎ 0086 13640286461

✉ amanda@marquees-tent.com

🌐 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China