



custom Aluminum Tents Camping Outdoor Wedding Party Marquee Tent for sale

Our Product Introduction

Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



Product Specification

- Product Name: Custom Aluminum Tents
- Place Of Origin: Guangdong, China
- Application: Event/Party/Wedding/Exhibitions/Warehouse
- Frame Material: Extruded Aluminum Alloy, With Oxidation Treatment
- Cover Material: Double PVC-coated Polyester Fabric
- Feature: Waterproof, UV Resistant, Flame Retardant
- Sidewall Options: PVC Wall, Glass Wall, Sandwich Wall, ABS Wall
- Wind Load: 100km/h



More Images



for more products please visit us on marquees-tent.com

Product Description

Custom Aluminum Tents Camping Outdoor Wedding Party Marquee Tent For Sale

Description :

Span Width	Side Height	Ridge Height	Bay Distance	Main Profile
6m	2.6m	3.8m	3m	84x48x2.5mm
9m	2.6m	4.4m	3m	84x48x2.5mm
10m	3m	5m	5m	121x68x3mm
12m	3m	5.4m	5m	121x68x3mm
15m	3m	5.4m	5m	166x87x3mm
20m	4m	7.2m	5m	203x110x4mm
25m	4m	8.1m	5m	203x110x4mm
30m	4m	8.8m	5m	250x110x4mm
40m	4.8m	11.2m	5m	340x170x6mm
50m	4.8m	13.9m	5m	340x170x6mm

Frame

High-strength extruded aluminum alloy frame, with oxidation treatment on the surface, rust-resistant.

Covers

Polyester with double side PVC coated; Water proof, UV resistant, Flame retardant, anti-aging;
(850g/㎡ block out、650g/㎡ translucent、0.5mm-0.95mm thickness clear)

Connection

High quality steel with galvanized, inner joint.

Here's a general guide to installing custom aluminum tents:

Prepare the Site:

Choose a flat and level surface for tent installation. Clear the area of any debris, rocks, or sharp objects that could damage the tent or its components.

If necessary, mark the tent's footprint using stakes or chalk to ensure accurate placement.

Lay Out the Components:

Lay out all the tent components, including the aluminum frame pieces, canopy fabric, sidewalls (if applicable), stakes, and guy ropes. Organize the components according to the assembly instructions provided by the manufacturer.

Assemble the Frame:

Begin assembling the aluminum frame according to the manufacturer's instructions.

Connect the frame pieces together using the provided connectors or fasteners. Ensure that all connections are secure and tight to prevent wobbling or shifting.

Raise the Frame:

With the help of assistants, lift the assembled frame into an upright position.

Position the frame over the marked tent footprint, ensuring that it is centered and aligned correctly.

Secure the Frame:

Anchor the frame to the ground using stakes or weights. Hammer the stakes into the ground at an angle, ensuring they are firmly secured. If the tent is being installed on a hard surface such as concrete or asphalt, use weights or sandbags to anchor the frame instead of stakes.

Install the Canopy Fabric:

Drape the canopy fabric over the assembled frame, ensuring that it is evenly distributed and properly aligned.
Secure the canopy fabric to the frame using the provided fasteners or clips. Start at one corner and work your way around the perimeter of the tent.

Attach Sidewalls and Accessories:

If the tent includes sidewalls, install them by attaching them to the frame using hook-and-loop fasteners or zippers.
Install any additional accessories such as doors, windows, or ventilation panels according to the manufacturer's instructions.

Stabilize the Tent:

Check the tension of the canopy fabric and adjust as needed to ensure a snug fit.
Use guy ropes to further stabilize the tent, especially in windy conditions. Secure the guy ropes to the tent frame and anchor them to the ground with stakes or weights.

Inspect and Test:

Inspect the tent for any signs of damage, loose connections, or other issues.
Test the stability and integrity of the tent by gently shaking or pushing on the frame to ensure it is secure.

Final Touches:

Make any final adjustments or modifications as needed to ensure the tent is properly installed and ready for use.
Add any finishing touches such as decorations, lighting, or signage to personalize the tent for the event.

Packing:

- 1) Frame:
Packed in PE film
- 2) Fabrics:
Packed in PVC carry bag, and then in PE film
- 3) Professional Container Loading:
Help clients to deliver the goods to destination smoothly

FAQ:

1) Q: Do you provide assembly instructions?

A: Yes! There will be a trial installation in our factory after production is finished for your inspection. Assembly manual and video will be also provided.

2) Q: Can you print our logo on the tent?

A: Yes! We will advise on the printing way, location and design based on your specific logo.

3) Q: Are you a factory or trading company?

A: We are an experienced tent factory, providing competitive prices, direct quality control, and flexible production scheduling.

4) Q: How to choose the size of the tent?

A: You can contact with Tendars sales team, telling us what kind of event you are going to hold, and how many people you are going to accommodate. We will offer a suggestion according to your event usage and required capacity.

5) Q: What is the delivery time?

A: Regular size tents will take about 15-25 working days after receiving deposit. You can contact Tendars team to further discuss based on the specific tent and quantity.



Guangzhou Tendars Tent Co., Limited

☎ 0086 13640286461

✉ amanda@marquees-tent.com

🌐 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China