



High Reinforced custom Aluminum Structure Tent For Temporary Workshop Storage For Sale

Our Product Introduction

Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



Product Specification

- Product Name: Aluminum Structure Tent
- Type: Event & Party Supplies & Trade Show
- Marquee Tent Frame: Aluminum Alloy 6061/T6
- Roof Cover: 850g/sqm Double Waterproof PVC Fabric
- Sidewall Options: Soft PVC Walls, glass Wall, ABS Hard Wall, sandwich Panel Wall, etc.
- Color: White, Blue, Green, Red, Black, Gray, Transparent
- Fixing Solution: Ground Anchor, Expandable Bolt, Weight Plate, Etc.
- Ground Situation: Grassland, earth Land, asphalt Ground, cement Ground, marble, etc.



More Images



for more products please visit us on marquees-tent.com

Product Description


High Reinforced Custom Aluminum Structure Tent For Temporary Workshop Storage For Sale

Description :

Item	Width(m)	Eave Height(m)	Ridge Height(m)	Longest Parts(m)
Big tent3	3	2.5	3	2.95
Big tent4	4	2.5	3.2	3.95
Big tent5	5	2.5	3.4	4.85
Big tent12	12	4	5.9	5.4
Big tent15	15	4	6.3	8.61
Big tent18	18	4	6.8	8.61
Big tent25	25	6	10	8.68
Big tent30	30	6	11	10.61
Big tent40	40	6	12.6	10.61

Product Name	Aluminum Structure Tent
Main Profile	Material: Hard pressed extruded aluminum 6082-T6, 6061/T6; Feature: Stainless
Snow Load Complicance	0.5 KN/sqm
Cover	Material: Double PVC-coated polyester textile, 670g-850g/sqm; Feature: Waterproof, flame retardant to DIN4102 B1, M2, CFM, UV resistant
Eave Connection	Hot-dip Galvanized twin steel plate
Temperature Condition Index	-30 -----+75
Certification	SGS, CE, ISO9001
Wind Loading	90-110 km/h

Details:



Key principles:

Lightweight and Portable: Aluminum is a lightweight metal, making it easy to transport and handle during tent setup and dismantling. The use of aluminum in the tent's framework reduces the overall weight of the structure, enhancing portability and maneuverability.

Strength and Durability: Despite its lightweight nature, aluminum is known for its strength and durability. The aluminum framework of the tent provides structural integrity and stability, ensuring that the tent can withstand various weather conditions and environmental factors.

Corrosion Resistance: Aluminum is naturally resistant to corrosion, making it suitable for outdoor applications where exposure to moisture and other environmental elements is common. The use of aluminum in the tent's framework helps prevent rusting and deterioration over time, ensuring long-term durability and reliability.

Modular Design: Aluminum structure tents often feature a modular design, allowing for easy assembly, disassembly, and customization. Modular components such as frame sections, connectors, and accessories can be combined to create tents of different sizes, shapes, and configurations to suit specific event requirements.

Versatility: Aluminum structure tents are versatile and can be used for a wide range of outdoor events and functions, including weddings, parties, corporate gatherings, trade shows, exhibitions, concerts, festivals, and more. Their adaptable design allows them to be set up on various terrains and surfaces, providing flexibility in event planning and venue selection.

Customization Options: Aluminum structure tents offer extensive customization options to suit the specific needs and preferences of event organizers. Options for customization may include canopy colors, sidewall configurations, entrance designs, lighting, flooring, and interior décor, allowing for personalized and memorable event spaces.

Quick Assembly and Dismantling: Aluminum structure tents can be assembled and dismantled quickly and efficiently, thanks to their lightweight components and simple assembly techniques. This allows for swift setup and teardown, saving time and labor costs for event organizers.

Temporary Installation: While providing a spacious and enclosed venue, aluminum structure tents remain temporary structures that can be easily installed and dismantled at different locations. This temporary nature allows event organizers to host gatherings in diverse settings without the need for permanent infrastructure.

FAQ:

Q1:How can I calculate the tent size I need?

A1:You must first determine tent usage ,if the tent with tables and chairs in it,one person need 1.2 square meters,if the without table and chair,one person need 1 square meter.

Q2:Does Tendars Tent provide any help to install the tent?

A2:Yes,usually we will send Assembly Instructions to help you installation,if customer need our engineer come to their country to help install,that is also workable.

Q 3: How long of the production?

A3:Our normal production time is 10-15 days, which is based on the square of Marquee tent.If the actual tent will use more sandwich walls or glass walls, The customization time for these accessories materials takes 20-25 days, Urgent order production time can be specially arranged.

Q4: What documents are available?

A4:A full range documents including structural drawings,packing list,installation manual and relative certificates can be provided.Moreover,customs declaration is provided.We provide one-stop service for you.

Q5: How long is the warranty period?

A5: Guarantee one year. During the warranty period, we shall repair or replace the damaged part accordingly because of any damage due to quality problem.



Guangzhou Tendars Tent Co., Limited

☎ 0086 13640286461

✉ amanda@marquees-tent.com

🌐 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China