

Guangdong

ISO9001, SGS, Coc, CE

25 square meters

Reconsideration

Tendars

Big tent

Big White Outdoor Customized Color Marquee Canopy Tent For Wedding Events For Sale

1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:

Our Product Introduction

- Packaging Details:
- carry bag; 3, Hardware packed into the box.
 Delivery Time: 18days or To be negotiated
 Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability:



Product Specification

- Product Name:
- Main Frame:
- Surface Treat Method:
- Tent Roof Fabric:
- Sidewall Cover:
- Base Fabric:
- Fabric Color:
- Side Wall:
- Marquee Canopy Tent Hard Pressed Extruded Aluminum Alloy T6061-T6 d: Hot Dip Galvanized 850g/sqm PVC Coated Polyester Fabric

50000 Square Meters per Month

- 650g/sqm PVC-coated Fabric
 - Durable Polyester Rip-stop Mesh
 - White, Red, Green, Clear Or Customized Color
 - PVC Walls, Glass Walls And Etc



More Images



Product Description

Big White Outdoor Customized Color Marquee Canopy Tent For Wedding Events For Sale

Description :

Certificate	ISO9001, SGS,Coc, CE			
Frame Material	Hard Pressed Extruded Aluminum Alloy			
Connectors	Hot-dipped Galvanized			
Roof Cover	850g/sqm PVC-coated fabric, Block Out			
Sidewall Cover	650g/sqm PVC-coated fabric			
Fabric Color	White, Red, Green, Clear or Customized Color			
Side Wall	PVC Walls, Glass Walls and etc			
Wind Resistance	100km/h			
Fixing Solution	Expansion Bolts, Tent Pegs, Weight Plate			
Temperature Resistance	-30 degree Celsius to +70 degree Celsius			
Flame Retardant	DIN4102, B1, M2			
MOQ	1 Set			
Sample	Provide After Negotiation			
Features	Flame Retardent, UV Resistant, Waterproof			
Function	Event, Wedding, Party, Ceremony and etc			
Service Life	More Than 15 years			
Logo Printing	Available			
Manufacturer	Yes			
And a second	· · · · · · · · · · · · · · · · · · ·			

ltem	Span Width	Bay Distance	Eave Height	Ridge	Main Profile
Big tent-09-06	6m	3m	2.6m	3.6m	84*48*3mm
Big tent-09-08	8m	3m	2.6m	4m	84*48*3mm
Big tent-09-10	10m	3m	2.6m	4.4m	84*48*3mm
Big tent-09-12	12m	5m	3m	5m	122*68*3mm
Big tent-09-15	15m	5m	3m	5.7m	166*88*3mm
Big tent-09-18	18m	5m	3-4m	7.2m	203*110*4.5mm
Big tent-09-20	20m	5m	4m	7.4m	203*110*4.5mm
Big tent-09-25	25m	5m	4m	8m	203*110*4.5mm
Big tent-09-30	30m	5m	4m	8.8m	254*120*5mm
Big tent-09-40	40m	5m	4m	10.3m	300*125*6mm
Big tent-09-50	50m	5m	4m	12m	400*120*6mm

System Features:

1. Four channel aluminum frame, hard pressed extruded reinforced aluminum

2.With extra eave/ridge braces to strengthen the frame over 20m span width

3.No poles inside, 100% interior space is available

4.Galvanized steel connection parts

5.Fabric is fire retardant and NFP92-507 standard approved by SGS

6.Bar tensioning roof system

7.Interchangeable parts between sizes

8.Wind load 100km/h

9. Full accessories available such as hard solid wall system, glass door units etc.

Applications:

party tent / outdoor tent / marquee tent / event tent / exhibition tent / wedding tent / fair tent / celebration tents / tents for storage / warehouses tent / banquet tents / huge tents / European tent / large tents

FAQ:

Q1.Does your company accept customized tent?

A: Yes, we can make a tent according to our customer's different needs.

Q2.Does your company is a factory?

A: Yes, we are a factory, so our price is really reasonable, but with high quality.

for more products please visit us on marquees-tent.com

Q3. Does your company provide any help to install the tent?

A: Yes, usually we will send manual instruction and CD to help our customers to install the tent.

Q4. Can your tent move to the other place after set up?

A: Yes, the mainframe of our tent is aluminum, so it is light in weight but with high strength, that is very easy to set up and dismantle.





0086 13640286461

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China