



Luxury Custom Marquee Event Tent For Outdoor Wedding Party Church Festival Etc

Our Product Introduction

Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month




Product Specification

- Product Name: Tent For Outdoor Party
- Width: 3m To 60m Clear Span
- Length: No Limitation, Continuous 3m Or 5m Sections.
- Wind Load: 100KM / H
- Snow Load: 0.3KN/sqm
- Other Cover Option: Clear Roof, White, Red, Blue Or Any Other Color
- Life Span: 10-15 Years For Frame, 8-10 Years For Fabric Cover
- Wedding Party Shelter Application: Wedding, Party, Outdoor Events, Warehouse Ect



More Images



Product Description

Luxury Custom Marquee Event Tent For Outdoor Wedding Party Church Festival Etc

Description :

Frame	Material:Hard pressed anodized aluminum alloy 6061/T6
	Aluminum Profiles Available:
	100x48mm / 122x68mm / 150x110mm / 166x88mm / 204x114mm / 250x110mm
	120x48mm / 150x120mm / 200x120mm /250x120mm/ 300x120mm /420x120mm (The bigger the tent span, the bigger the profile)
Roof Cover	850g/sqm block-out Double PVC coated Fabric, Fire retardant, Water Proof
Side Walls	850g/sqm block-out/ 650g/sqm translucent PVC coated Fabric, Fire retardant, Water Proof
Connector	Hot Dip Gavanized Steel Connector, Aluminum roof connection

Fastup Tent Item No.	Width (m)	Bay Distance (m)	Side height (m)	Ridge height (m)	Roof Pitch	Wind Load (km/h)	Snow Load (Kn/m2)	Popular Szie
S6/2500	6m	3m	2.5m	3.7m	22°	80km/h	0.3 Kn/m2	6x12m
S9/2500	9m	3m	2.5m	4.3m	22°			9x18m
S10/2500	10m	5m	2.5m	4.25m	22°	100km/h		10x20m
M12/2500	12m	5m	2.6m	4.6m	22°			12x30m
M15/3000	15m	5m	3m	5.35m	18°			15x25m 15x40m
L20/4000	20m	5m	4m	7.2m	18°	120km/h		20x50m
L25/4000	25m	5m	4m	7.95m	18°			25x60m
L30/4000	30m	5m	4m	8.7m	18°			30x80m
L40/4000	40m	5m	4m / 5.4m	10.6m	18°			40x100m
L50/4000	50m	5m	4m / 5.4m	12.2m	18°			50x100m
L60/4000	60m	5m	4m / 5.4m	14m	18°			60x100m

Here are some common materials used for outdoor party tents:

Polyethylene (PE): PE is a common material for budget-friendly tents. It's lightweight, waterproof, and UV-resistant. However, it may not be as durable as other materials and can degrade over time with prolonged exposure to sunlight.

Polyester: Polyester is another popular choice for tent material. It's durable, water-resistant, and offers good UV protection. It's often coated with a layer of polyurethane to enhance its waterproof properties.

Canvas: Canvas tents are known for their durability and breathability. They provide excellent protection against the elements and can withstand harsh weather conditions. However, they are heavier and bulkier compared to other materials.

Vinyl: Vinyl tents are extremely durable and weather-resistant. They provide excellent protection against rain, wind, and UV rays. However, they tend to be heavier and more expensive than other materials.

Nylon: Nylon tents are lightweight, waterproof, and quick-drying. They are often used in backpacking and camping tents but can also be suitable for small outdoor parties. However, they may not offer as much durability as other materials.

PVC (Polyvinyl Chloride): PVC is a sturdy and waterproof material commonly used in commercial-grade tents. It provides excellent protection against the elements but may be heavier and more expensive than other materials.

Safe Packing are available

1. All Aluminum Packed in Clear or White PE film. (Free)
2. PVC roof or Walls Packed in PVC Bags (Free)
3. Steel Parts Packed in Cage (Cage cost is Extra)
4. Glass door Packed in Trolley (Trolley cost is Extra)

FAQ:

Q1. What is the Life Span?

The lifespan of the aluminum frame can reach 15-20 years, and 5-8 years for PVC fabrics depending on weather conditions of different countries.

Q2. Is it Easy to install and dismantle ?

Yes, it can be used as both permanent and temporary structures. Easy to install, dismantle and transport.

Q3. What is the requirement to the ground foundation?

Our tent structure can install on concrete ground, grassland, or sand ground in the desert. If install in grassland or sand ground, you will need to request anchor from our sales.

Q4. What is the payment term?

30% deposit to start production, balance after goods ready before shipping.

Q5. What is your production time?

We will finish production within 15 to 25 days after deposit.

Q6. Are you a direct factory?

Yes, we are a direct factory. Our factory is located in Guangzhou City, China.



Guangzhou Tendars Tent Co., Limited

☎ 0086 13640286461

✉ amanda@marquees-tent.com

🌐 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China