




Outside customized Event Tent Aluminum Mega Tent For Sale for Wedding, party, event, ceremony hall and so on

Our Product Introduction


Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month




Product Specification

- Features: Water Proof, UV Resistance, Fire Retardant(DIN4102,B1,M2)
- Product Name: Outside Event Tent
- Tent Roof Fabric: 850g/sqm PVC Coated Polyester Fabric
- Sidewall Fabric: Glass Wall (option: Soft Pvc Fabric)
- Fabric Color Option: White, Gray, Transparent Or Customized
- Wind Load: 100km/h Or Customized
- Application: Wedding, Party, Event, Ceremony Hall And So On
- Warranty: 5 Years



More Images



Product Description

Outside Customized Event Tent Aluminum Mega Tent For Sale For Wedding, Party, Event, Ceremony Hall And So On

Specification :

Main Frame	Hard Pressed Aluminum Alloy T6061/T6
Roof	850g/sqm white PVC coated Fabric
Sidewall options	pvc fabric, glass wall, ABS wall, etc
Available Width	from 3m to 60m
Length	Unlimited
Height	2.7m, 3m, 4m, 8m or customized
Application	event,party, wedding, ceremony, etc

	Material	Hardpressed Extruded Aluminum Alloy 6061-T6
Main Profile	Available Size	84 x 48 x 3mm, 112 x 203 x 4mm, 166 x 88 x 3mm, 120 x 200 x 4mm, 120 x 250 x 4mm, 120 x 300 x 5mm, 120 x 350 x 6mm, 120 x 400 x 6mm (depend on the span size)
	Hardness Quality	At Least 250 MPa
	Features of Frame	Stainless, Lightweight, Durable, 4 Channel
	Windload	Up to 120km/h
Cover	Density	850g / sqm Block-out white PVC Tarpaulin, 950g / sqm transparent PVC Fabric; 650g/sqm White PVC for Sidewall
	Thickness	≥0.67mm
	Features	Best performances in breaking strength, water-proof, UV-proof, flame retardant (DIN4102 B1 M2 / NFPA701)
Component		Superior Enclosure with Hot Dip Galvanized Steel.

Features:

1. Quick Installation

Modular/prefabricated design creates the structure easy in buildings, dismantling and transportation.

2. All Sizes Available

Shelter offer span 3 to 60m (10 - 200ft) tent for any capacity and application.

3. All Roof Options

Classic A frame, arch roof, thermo roof, "Heart" shape and mixed party tent are allowed in Shelter.

FAQ:

Q1. What is the MOQ in Tendars?

One Set.

Q2. What is the Payment Term in Tendars?

30% Deposit to be made After signing PI, 70% before shipment.

Q3. What is the Normal Product Time for Standard Design?

15 - 25 days after deposit received.

Q4. Does Tendars Provide Basic Installation Tool?

We provide ropes to connect the PVC sidewall and fork for helping set up the frame.

Q5. Do You Provide Any Guidance on the Job-site?

We will attach the build instructions in your product package. If you need, we will send our technology staff and project manager to provide installation guidance in your job-site for FREE.

Q6. Where can I installed the Tent Structures?

Clear span tent structures can be installed without land permission and foundation unlimited. You can set up the tent on hard land, grassland, or sand land. Also, we will offer different fixation kit for your requirement.

Q7. How Long Will a Shelter Clear Span Tendars Last?

In the reasonable using, the lifespan of the aluminum alloy can last over 30 years and the PVC cover is guaranteed up to 5 years. And we will offer you an affordable price for component replacing.



Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China