

Guangdong

ISO9001, SGS, Coc, CE

Tendars

Big tent

25 square meters

Reconsideration

Factory price Easy Up Outdoor A-Frame Events Marquee Wedding Canopy **Tents For Sale**

1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- carry bag; 3, Hardware packed into the box. • Delivery Time: 18days or To be negotiated • Payment Terms: L/C, T/T, Western Union, MoneyGram 50000 Square Meters per Month
- Supply Ability:



Product Specification

Product Name:	Wedding Canopy Tents For Sale
Roof Cover:	850g/sqm Double PVC-coated Polyester Textile
Connectors:	Hot-DIP Galvanized
• Fixing Solution:	Ground Anchor, Expandable Bolt, Weight Plate, Etc.
 Wind Loading: 	80km/h
• Temperature Resistance:	-30 Degree Celsius ~ +70 Degree Celsius
• Side Wall:	PVC Walls,glass Wall,ABS Wall,sandwich Panel Wall,etc.
 Warranty: 	2 Years



More Images





Product Description

Factory Price Easy Up Outdoor A-Frame Events Marquee Wedding Canopy Tents For Sale

Specification :

- * Frame struss: hard pressed extruded aluminium 6061/T6(15HW) which can last more than 20 years.
- * Fabric cover: high quality double PVC-coated polyester textile, 100% waterproof, flame retardant to DIN4102 B1, M2, CFM, UV resistant, tear resistant, self-cleaning ability, etc.
- * Connector: strong hot-dip galvanized steel
- *Allowed temperature condition: -30 degree Celsius~+70 degree Celsius
- * Wind load: max. 100km/h (can be reinforced)
- * Snow load: 75kg/sqm (snow can't stay if use big degree roof pitch design)
- * Easy to be assembled and dismantled, movable.
- * No pole inside, 100% available interior space.

Event tent series							
Туре	Span(m)	Side Height(m)	Top Height(m)	Longest Part(m)	Cell Spacing(m)	Max wind load	
Big tent003003	3	2.7	3.23	3	3	80km/h	
Big tent004003	4	2.7	3.41	3	3	80km/h	
Big tent005003	5	2.7	3.59	3.05	3	80km/h	
Big tent006003	6	2.7	3.78	3.17	3	80km/h	
Big tent008003	8	2.7	4.2	4.35	3	80km/h	
Big tent010003	10	2.7	4.53	5.36	3	80km/h	
Y012003	12	2.7	4.87	6.35	3	80km/h	
Span Size: 3 - 60m (10 - 200ft) are all available.							

Here are the key principles of wedding canopy tents:

Aesthetic Appeal: Wedding canopy tents are designed to be visually stunning, with graceful lines, flowing drapes, and elegant decorations. They often feature sheer or lace fabric panels, decorative trimmings, and embellishments such as flowers, ribbons, or fairy lights to enhance the romantic ambiance.

Romantic Atmosphere: The primary principle of wedding canopy tents is to create a romantic and intimate atmosphere for the wedding ceremony or reception. The soft, diffused light filtering through the canopy fabric, combined with gentle breezes and natural surroundings, sets the stage for a memorable and magical experience.

Versatility: Wedding canopy tents are highly versatile and can be customized to suit different wedding themes, styles, and preferences. They come in various sizes, shapes, and configurations, allowing for flexibility in layout and design to accommodate different venues, guest counts, and preferences.

Weather Protection: While wedding canopy tents provide an open-air feel, they also offer protection against the elements. The canopy fabric is often made from durable and weather-resistant materials such as polyester or PVC, providing shelter from sun, rain, wind, and other weather conditions.

Comfort and Convenience: Wedding canopy tents are designed with the comfort and convenience of the couple and their guests in mind. They may include features such as sidewalls for added privacy or protection, flooring options for a stable and level surface, and climate control systems to ensure comfort in any weather.

FAQ:

Q1. Are you factory or trade company? We are direct factory.

Q2. What is your Payment terms? T/T is available

Q3. Is your tent strong and stale enough, How aboat the wind loading?

Yes, Steel structure and cover wind resistance and load bearing is calculated by professional software and Experienced engineer team , will be more than we planned 50%. The wind load at least more than 80KM/H.

Q4. When will you ship the orders?

Once the design of tent is confirmed, we will arrange production plan, and inform you of the leadtime, generally it takes about 7-25 working days.

Q5. What is the total price include freight?

The total price is based on the design of the product and the requirements of the customer, all subject to the final calculation.

for more products please visit us on marquees-tent.com

